DEVELOPMENT NO.:	23004929
APPLICANT:	Dale Lloyd
ADDRESS:	15 DEBNEYS RD NORTON SUMMIT SA 5136
NATURE OF DEVELOPMENT:	Dwelling additions (two storey) including deck and retaining
	walls
ZONING INFORMATION:	
	Zones:
	Productive Rural Landscape
	Overlays:
	Environment and Food Production Area
	Hazards (Bushfire - High Risk)
	Heritage Adjacency
	Hazards (Flooding - Evidence Required)
	Limited Land Division
	Native Vegetation
	Prescribed Wells Area
	Traffic Generating Development
	Water Resources
LODGEMENT DATE:	2 March 2023
RELEVANT AUTHORITY:	Assessment Panel at Adelaide Hills Council
PLANNING & DESIGN CODE VERSION:	2023.3
CATEGORY OF DEVELOPMENT:	Code Assessed - Performance Assessed
NOTIFICATION:	Yes
RECOMMENDING OFFICER:	Alisa Styles
	Duty Planner
REFERRALS STATUTORY:	South Australian Country Fire Service
REFERRALS NON-STATUTORY:	Council Environmental Health
	Council Engineering Department

### **CONTENTS:**

ATTACHMENT 1: Application Documents ATTACHMENT 3: Zoning Map

ATTACHMENT 2: Subject Land Map ATTACHMENT 4: Relevant P & D Code Policies

#### **DETAILED DESCRIPTION OF PROPOSAL:**

The proposal is for two-storey alterations and additions to an existing dwelling comprising the following:

- Demolition of the north-east wall of bedroom 1 with additions in the same location extending this room in line with the existing living room wall.
- Demolition of the front door/wall and storage room with addition in the same location to accommodate a new secondary entry and stairs to the new upper level.
- 2 x Retaining walls forming part of the proposed upper level dwelling addition, including outside stairs.
- Re-roof the existing dwelling from tiles to Colorbond 'Woodland Grey'
- The completed lower level will comprise:
  - Secondary entry and stairwell
  - Three bedrooms inclusive of master bedroom suite with ensuite and WIR
  - Bathroom and laundry
  - Separate living room
  - Study, office and den
  - Verandah
- The proposed second storey addition will be constructed perpendicular to the existing dwelling footprint, creating a new primary entry. The second storey addition will comprise:
  - Primary entry and powder room
  - Open plan kitchen, living and dining room
  - Attic space and stairwell
  - Covered deck with BBQ area
- The existing dwelling has a floor area of 154.8 square metres excluding the rear verandah with a proposed addition of 8.6 square metres of living area.
- The proposed second storey addition has a floor area of 96.4 square metres with the proposed covered deck of 30.6 square metres.
- The materials of the addition to have walls constructed of hebal and rendered 'Shale Grey', roof to be Colorbond 'Woodland Grey' gutters and fascia also 'Woodland Grey'.
- There are limited earthworks and retaining walls associated with the proposal. The bulk of the earthworks being the south-west end of the upstairs dwelling addition, where this wall of the dwelling will be acting as a retaining wall and also to retain the side of the proposed outdoor stairs. Exposed retaining walls to be constructed of Carey Gully stone.
- Vegetation removal associated with the proposal is limited to non-native or non- protected tree and plant species to adhere with CFS vegetation management requirements.

The application documents are included as **Attachment 1 – Application Documents.** 

#### **BACKGROUND:**

As the applicant is acting on behalf of the land owner who is a Council staff member, the Assessment Manager has determined the CAP is the relevant authority in accordance with Council delegations.

#### **SUBJECT LAND & LOCALITY:**

#### **Site Description:**



Location reference: 15 DEBNEYS ROAD, NORTON SUMMIT

Title ref.: CT 5726/367 Plan Parcel: F130098 AL44 Council: ADELAIDE HILLS COUNCIL

The subject land is a regular, rectangular shaped allotment of approx. 2240 square metres with a frontage to Debneys Road of approx. 39m.

The land is on the north-eastern, low side of Debneys Road with a fall of 14m from the front of the site to the rear.

Debneys Road is a sealed Council roadway with upright kerb and guttering. Two existing Council crossovers exist on the site.

Scattered mostly exotic vegetation exists on the site, predominately at the rear of the dwelling. There is existing post and wire fencing on the side and rear boundaries of the subject land.

#### Locality

Dwellings within the locality are on larger residential style allotments with housing stock being detached and a combination of single storey, two storey and split-level design.

Allotments in the locality generally have steep topography often with steep vehicular access.

#### **CONSENT TYPE REQUIRED:**

**Planning Consent** 

#### **CATEGORY OF DEVELOPMENT:**

#### • PER ELEMENT:

Dwelling alterations and additions – Performance Assessed
Deck – Performance Assessed
Retaining walls – Performance Assessed
Internal alterations – Accepted Development
Partial Demolition – Accepted Development

#### OVERALL APPLICATION CATEGORY:

Performance Assessed

#### REASON

P&D Code; Not all elements fell within or had an Accepted or Deemed to Satisfy pathway. As such the application shall be Performance Assessed.

#### **PUBLIC NOTIFICATION**

• The deck component of the application is not listed in Table 5 procedural matters of the Productive Rural Landscape Zone as being excluded from public notification. As such the application was notified.

Public Notification period – 29 April 2023 to 18 May 2023 with no representation received.

#### **AGENCY REFERRALS**

• <u>Country Fire Service (CFS)</u> – Advised no objection with standard conditions and advisory notes. Note that a BAL rating of 29 has been allocated.

#### **INTERNAL REFERRALS**

- <u>Environmental Health Unit</u> Associated waste-water application has been approved.
- <u>Council Engineering (Civil Stormwater)</u> Satisfied with the method of stormwater disposal, subject to condition.
- <u>Council Engineering</u> Satisfied with the minor alteration to the existing crossover, with associated advisory note.

#### PLANNING ASSESSMENT

#### **Desired outcomes**

Desired outcomes are policies designed to aid the interpretation of performance outcomes by setting a general policy agenda for a zone, subzone, overlay or general development policies module. Where a relevant authority is uncertain as to whether or how a performance outcome applies to a development, the desired outcome(s) may inform its consideration of the relevance and application of a performance outcome, or assist in assessing the merits of the development against the applicable performance outcomes collectively.

#### Performance outcomes

Performance outcomes are policies designed to facilitate assessment according to specified factors, including land use, site dimensions and land division, built form, character and hazard risk minimisation.

#### Designated performance features

In order to assist a relevant authority to interpret the performance outcomes, in some cases the policy includes a standard outcome which will generally meet the corresponding performance outcome (a designated performance feature or DPF). A DPF provides a guide to a relevant authority as to what is generally considered to satisfy the corresponding performance outcome but does not need to necessarily be satisfied to meet the performance outcome, and does not derogate from the discretion to determine that the outcome is met in another way, or from the need to assess development on its merits against all relevant policies.

The application has been assessed against the relevant provisions of the Planning & Design Code, which are contained in **Attachment 6 – Relevant P&D Code Policies**.

#### **Productive Rural Landscape Zone**

<b>Desired Outcomes</b>	
DO1	A diverse range of land uses at an appropriate scale and intensity that capitalise on the region's proximity to the metropolitan area and the tourist and lifestyle opportunities this presents while also conserving the natural and rural character, identity, biodiversity and sensitive environmental areas and scenic qualities of the landscape
DO2	A zone that promotes agriculture, horticulture, value adding opportunities, farm gate businesses, the sale and consumption of agricultural based products, tourist development and accommodation that expands the economic base and promotes its regional identity
DO3	The creation of local conditions that support new and continuing investment while seeking to promote co-existence with adjoining activities and mitigate land use conflicts
Performance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria	
PO & DPF 2.2 and PO 8	k DPF 5.4

PO 2.2 seeks to limit the amount of earthworks by locating works on flat land. The proposed addition will incorporate minimal earthworks resulting in 1.2m of cut on the south-east end of the new addition. This same wall will be utilised as a retaining wall and backfilled with soil with an additional 1m of fill. Consistent with PO & DPF 2.2.

PO 5.4 seeks dwelling additions to be sited, designed and of a scale that maintains a pleasant rural character and amenity. In this regard DPF 5.4 gives building height and setback guidance. The proposal is of two storey design and less than 9m in height, with wall heights below the prescribed 6m from the top of the footings, consistent in part with DPF 5.4. The extension however will be projecting forward of the existing dwelling, this is considered appropriate given it will be setback a greater distance from the street boundary than that of the neighbouring dwellings and the entirety of the proposal will be set below the height of the road.

#### **Overlays**

#### Hazards (Bushfire - High Risk)

<b>Desired Outco</b>	mes
DO1	Development, including land division is sited and designed to minimise the threat and impact of bushfires on life and property with regard to the following risks:  Potential for uncontrolled bushfire events taking into account the increased frequency and intensity of bushfires as a result of climate change  High levels and exposure to ember attack  Impact from burning debris  Radiant heat  Likelihood and direct exposure to flames from a fire front.
DO3	To facilitate access for emergency service vehicles to aid the protection of lives and assets from bushfire danger.

# Performance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria PO 1.1, PO 2.1, PO 3.1, PO 3.2 & DPF 3.2, PO 4.1, PO 4.2 & DPF 4.2, PO.4.3, PO & DPF 6.2

As per the Overlay procedural matters a referral to the Country Fire Service (CFS) was required. The CFS have no objections to the proposal, subject to directed conditions regarding access, water supply and vegetation management.

The CFS conditions are included as conditions 5 to 8.

As the CFS have no objections to the proposal, it is considered to satisfy the relevant Hazards (Bushfire – High Risk) Overlay Desired Outcomes and Performance Objectives.

#### Hazards (Flooding - Evidence Required) Overlay

<b>Desired Outcomes</b>	
DO1	Development adopts a precautionary approach to mitigate potential impacts on people, property, infrastructure and the environment from potential flood risk through the appropriate siting and design of development.
Performance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria	
PO & DPF 1.1	

PO 1.1 seeks development to be sited and designed to minimise the risk flooding. DPF 1.1 gives guidance that finished floor levels should be greater than 300mm above the kerb. Given the significant slope to the site, a finished floor level above the kerb is unachievable. As the proposal does not create a lower finished level than the existing dwelling, there is no reason to suspect there is a flood risk associated with this proposal.

#### Heritage Adjacency Overlay

Desired Outcomes	
DO1	Development adjacent to State and Local Heritage Places maintains the heritage and
	cultural values of those Places
Performance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria	
PO 1.1	

The proposed development will not be seen from nearby heritage properties, thereby not impacting on the setting of such places.

The proposal is consistent with the Heritage Adjacency Overlay.

#### **Native Vegetation Overlay**

Desired Outcomes	
DO1	Areas of native vegetation are protected, retained and restored in order to sustain
	biodiversity, threatened species and vegetation communities, fauna habitat, ecosystem
	services, carbon storage and amenity values.
Performance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria	
PO & DPF 1.1, PO 1.2, F	00 1.4

The Native Vegetation Declaration has been signed declaring that the proposal will not result in the clearance of native vegetation. The vegetation identified on the plans to be removed within the asset protection zone for CFS vegetation management only includes the removal of non-native or non-protected trees.

The proposal is consistent with the Native Vegetation Overlay.

#### Water Resources Overlay

Desired Outcomes	
DO 1	Protection of the quality of surface waters considering adverse water quality impacts associated with projected reductions in rainfall and warmer air temperatures as a result of climate change.
DO 2	Maintain the conveyance function and natural flow paths of watercourses to assist in the
	management of flood waters and stormwater runoff
Performance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria	
PO 1.1, PO 1.2, PO & DPF 1.5, PO 1.6, PO 1.7, PO 1.8	

No works are being proposed within the watercourse. However, it is pertinent to acknowledge that stormwater disposal will be discharged into the creek, which is the existing stormwater disposal method of the dwelling. It has been notated on the plan with suitable condition added requiring scour protection is to be provided at the discharge point to prevent erosion. Council's Engineering team have reviewed this method of stormwater disposal as being acceptable.

The proposal is consistent with the Water Resources Overlay.

#### **General Development Policies**

#### Clearance from Overhead Powerlines

<b>Desired Outcomes</b>	
DO1	Protection of human health and safety when undertaking development in the vicinity of
	overhead transmission powerlines
Performance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria	
PO & DPF 1.1	

The applicant has signed the building safety near powerlines declaration.

The proposal is consistent with the Clearance from Overhead Powerlines policy module.

#### <u>Design</u>

<b>Desired Outcor</b>	nes
DO1	Development is:
	a) contextual – by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributes to the character of the immediate area
	<ul> <li>b) Durable – fit for purpose, adaptable and long standing</li> <li>c) Inclusive – by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access, and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm for occupants and visitors</li> </ul>

20.1, PO & DPF 21.1

d)	Sustainable – by integrating sustainable techniques into the design and siting of
	development and landscaping to improve community health, urban heat, water
	management, environmental performance, biodiversity and local amenity and to
	minimise energy consumption
Performance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria	
PO & DPF 6.1, PO & DPF 8.3	1, PO & DPF 8.2, PO 8.3, PO 8.4, PO 8.5, PO & DPF 11.1, PO & DPF 12.1, PO & DPF 14.1,

PO 15.1, PO & DPF 16.1, PO & DPF 17.1, PO & DPF 19.2, PO & DPF 19.3, PO & DPF 19.4, PO & DPF 19.6, PO & DPF

The total height of the upper level addition is below that of Debneys Road and is the only visible dwelling component from Debneys Road, given that the existing ground level is set well below that of road level. As such the proposal is considered to be consistent with PO 15.1.

PO 16.1 relates directly to the alterations and additions element of this proposal, seeking that dwelling alterations and additions are sited and designed to not detract from the streetscape or amenity of adjoining residential properties and do not impede on-site functional requirements.

The proposed additions are considered modest in size and although the front setback will be projecting forward of the existing dwelling, it will still be further setback from the street boundary more than that of the neighbouring dwellings. The side and rear setbacks will remain unchanged. Materials and selected colour scheme will enhance the existing dwelling and complement the locality. Minimal earthworks required with the extension working with the lay of the land.

The proposal does not result in a change to the existing parking arrangements, to which meets the Transport Access and Parking Table 1 - General Off Street Car Parking Requirement.

Upper level windows on the north west side elevation to have obscured glazing to 1.5m and deck to have solid balustrade to 1.5m along same elevation. No screening to windows on the south-east side elevation or rear deck, which is considered acceptable as these windows and deck will not impede upon the privacy of occupiers of adjoining land.

This proposal does not impact the private open space available to the occupiers of the land as there is ample space in the rear yard, in excess of Design Table 1 – Private Open Space (POS). Consistent with PO 17.1.

The proposal is consistent with the performance outcomes of the Design policy module.

#### Infrastructure and Renewable Energy Facilities

Desired Outcome	es
DO1	Efficient provision of infrastructure networks and services, renewable energy facilities and ancillary development in a manner that minimises hazards, is environmentally and culturally sensitive and manages adverse visual impacts on natural and rural landscapes and residential amenity
Performance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria	
PO & DPF 12.2	

Wastewater approval has been granted with the existing waste-water system being retained. The existing system is wholly contained with the allotment boundaries, and conditions of the wastewater approval will ensure the system complies with the requirements of the South Australian Public Health Act 2011, which subsequently complies with PO & DPF12.2.

The proposal is consistent with the Infrastructure and Renewable Energy Facilities policy module.

#### Interface between Land Uses

<b>Desired Outcomes</b>	
DO1	Development is located and designed to mitigate adverse effects on or from neighbouring
	and proximate land uses.
Performance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria	
PO & DPF 3.1, PO & DPF 3.2, PO 3.3	

The two-storey addition will be appropriately setback the adjacent allotments. Given the lay of the land, the addition mostly presents as a single storey dwelling as far as the two side neighbours are concerned and is adequately setback so to not result in overshadowing.

The proposal is consistent with the Interface between Land Uses policy module.

#### Transport, Access and Parking

<b>Desired Outcomes</b>		
DO1	A comprehensive, integrated and connected transport system that is safe, sustainable,	
	efficient, convenient and accessible to all users	
Performance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria		
PO & DPF 5.1		

This overlay does not directly relate to the proposal, given the proposal will not be increasing the number of bedrooms, however, the dwelling does meet Transport, Access and Parking Table 1 – General Off-Street Car Parking Requirements for a detached dwelling as set-out in DPF 5.1.

#### **CONCLUSION**

The proposal dwelling alteration is an expected form of development with the Productive Rural Landscape Zone and is of a scale that is sympathetic to the rural character of the zone.

The works are adequately setback from the property boundaries and utilises a suitable position on the land resulting in minimal cut and fill.

Overlooking from the second storey has been appropriately addressed with screening on the north-west elevation.

Through the proposal there will also be an improvement to occupant bushfire safety with the reworking of the driveway to accommodate a suitable manoeuvring area for fire trucks and the inclusion of on-going CFS vegetation management fire water and access conditions.

#### **RECOMMENDATION**

It is recommended that the Council Assessment Panel resolve that:

1) Pursuant to Section 107(2)(c) of the Planning, Development and Infrastructure Act 2016, and having undertaken an assessment of the application against the Planning and Design Code, the application is NOT seriously at variance with the provisions of the Planning and Design Code; and

#### CAP MEETING - 12 JULY 2023

**ITEM 8.2** 

2) Development Application Number 23004929 by Dale Lloyd for dwelling additions (two-storey) including deck and retaining walls at 15 Debneys Road, Norton Summit is granted Planning Consent subject to the following conditions:

#### **CONDITIONS**

#### **Planning Consent**

- 1) The development granted shall be undertaken and completed in accordance with the stamped plans and documentation, except where varied by conditions below (if any).
- 2) All roof run-off generated by the development hereby approved shall be directed to a rainwater tank with overflow directed to the creek. Scour protection is to be provided at the discharge point to prevent erosion to the satisfaction of Council within one month of the roof cladding being installed. All roof and hard surface runoff shall be managed to prevent trespass onto adjoining properties and into the effluent disposal area where an on-site waste control system exists.
- 3) External finishes shall be of materials and colours to match or complement those of the existing dwelling to the reasonable satisfaction of Council.
- 4) The balcony and upper level windows of the dwelling shall be fitted with fixed screening as shown on the northwest elevation of the NE & NW Elevations D08 dated March 2023 to a minimum height of 1.5 metres above the floor level. The screening shall be installed prior to occupation and be maintained in good condition at all times.

Conditions imposed by South Australian Country Fire Service under Section 122 of the Act

- 5) The 'Planning and Design Code' Hazards (Bushfire High Risk) Overlay (Performance Outcome 3.2) details the mandatory requirements for extensions to buildings, outbuildings and other ancillary structures are sited and constructed using materials to minimise the threat of fire spread to residential and tourist accommodation (including boarding houses, hostels, dormitory style accommodation, student accommodation and workers' accommodation) in the event of bushfire.
  - Outbuildings and other ancillary structures shall be sited no closer than 6m from the habitable building, unless built to relevant building standards for associated structures in Bushfire Prone Area.

#### 6) ACCESS TO HABITABLE BUILDING

The 'Planning and Design Code' Hazards (Bushfire – High Risk) Overlay (Performance Outcome 6.2) details the mandatory requirements for 'Private' roads and driveways to facilitate safe and effective use, operation and evacuation for firefighting and emergency personnel and evacuation of residents, occupants and visitors where required. These requirements apply when the furthest point of the building is more than 60m from the nearest public road.

 A clear and unobstructed vehicle or pedestrian pathway shall be provided; no greater than 60 metres in length between the most distant part of the habitable building and the nearest part of the formed public access way.

#### 7) WATER SUPPLY & ACCESS (to dedicated water supply)

Ministerial Building Standard MBS008 "Designated bushfire prone areas - additional requirements" 2020, as published under the Planning, Development and Infrastructure Act 2016, provides the technical details of the dedicated water supply for bushfire fighting for the bushfire zone. The dedicated bushfire fighting water supply shall also incorporate the installation of a pumping system, pipe work and fire-fighting hose(s) in accordance with MBS008.

Please note that where the water supply is an above-ground water tank, the tank (including any support structure) should be constructed of non-combustible material, such as concrete or metal.

The 'Planning and Design Code' Hazards (Bushfire – High Risk) Overlay (Performance Outcome 4.3) details the mandatory requirements for the site to provide a dedicated hardstand area in a location that allows fire fighting vehicles to safely access the dedicated water supply.

SA CFS has no objection to the proposed proposed locations for the dedicated water supply as detailed on drawing named PROPOSED SITE PLAN REV B dated at last revision APRIL 2023, where the dedicated water supply is split with pump and hose reels connected to the existing concrete tank and the fire authority outlet is connected to a minimum of 10,000 litres adjacent the access road, providing the outlet is positioned to comply with the following conditions:

- The water supply outlet shall be easily accessible and clearly identifiable from the access way and is no greater than 60m path of travel to the furthermost point of the building, to enable fire services to reach all parts of the building with no more than two lengths of hose from the hardstand area.
- The dedicated water supply and its location should be identified with suitable signage (i.e., blue sign with white lettering "FIRE WATER").
- Access to the dedicated water supply shall be of all-weather construction, with a minimum formed road surface width of 3 metres.
- Provision shall be made adjacent the water supply for a nominally level hardstand area (capable of supporting fire-fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes) that is a distance equal to or less than 6 metres from the water supply outlet.
- SA CFS appliance's inlet is rear mounted, therefore the outlet/water storage shall be positioned so that the SA CFS appliance can easily connect to it rear facing.
- A gravity fed water supply outlet may be remotely located from the above ground tank to provide adequate access.
- All non-metal water supply pipes for bushfire fighting purposes (other than flexible connections and hoses for fire-fighting) shall be buried below ground to a minimum depth of 300mm with no non-metal parts above ground level.
- All water supply pipes for draughting purposes shall be capable of withstanding the required pressure for draughting.
- The minimum water supply required may be combined with domestic use, providing the outlet for domestic use is located above the dedicated fire water supply (in order for it to remain as a dedicated supply).
- Where access to the habitable building is not required due to proximity to the public road, but the hardstand adjacent the outlet is located within the boundary of the allotment, the access to the outlet shall:
  - 1. Be connected to a formed, all-weather public road; and
  - 2. Have a gradient of not more than 16 degrees (1 in 3.5) at any point; and
  - 3. provide overhead clearance of not less than 4.0m horizontally and vertically between the driveway surface and overhanging branches or other obstructions, including building and/or structures.

#### 8) MAINTAIN AN ASSET PROTECTION ZONE (APZ) - VEGETATION MANAGEMENT

The 'Planning and Design Code' Hazards (Bushfire – High Risk) Overlay (Performance Outcome 4.2) details the mandatory requirements to establish and maintain an asset protection zone. As such, landscaping shall include bushfire protection features that will prevent or inhibit the spread of bushfires and minimise the risk to life and/or damage to buildings and property and maintain a fuel reduced zone for safe movement of occupants and fire fighters.

An APZ shall be implemented and maintained in line with the vegetation management conditions below:

- Vegetation management shall be established and maintained within 20 metres of the habitable building (or to the property boundaries – whichever comes first) as follows:
  - The number of trees and understorey plants existing and to be established within the APZ shall be reduced and maintained such that when considered overall a maximum coverage of 30% is attained, and so that the leaf area of shrubs is not continuous. Careful selection of the vegetation will permit the 'clumping' of shrubs where desirable, for diversity, and privacy and yet achieve the 'overall maximum coverage of 30%'.
  - 2. Reduction of vegetation shall be in accordance with SA Native Vegetation Act 1991 and SA Native Vegetation Regulations 2017.
  - 3. Trees and shrubs shall not be planted closer to the building(s) than the distance equivalent to their mature height.
  - 4. Trees and shrubs must not overhang the roofline of the building, touch walls, windows or other elements of the building.
  - 5. Shrubs must not be planted under trees and must be separated by at least 1.5 times their mature height from the trees' lowest branches.
  - 6. Grasses within the zone shall be reduced to a maximum height of 10cm during the Fire Danger Season.
  - 7. No understorey vegetation shall be established within 2 metres of the habitable building (understorey is defined as plants and bushes up to 2 metres in height).
  - 8. Flammable objects such as plants, mulches and fences must not be located adjacent to vulnerable parts of the building such as windows, decks and eaves.
  - 9. The APZ shall be maintained to be free of accumulated dead vegetation.

#### **ADVISORY NOTES**

#### **Planning Consent**

- No work can commence on this development unless a Development Approval has been obtained. If one or more
  consents have been granted on this Decision Notification Form, you must not start any site works or building
  work or change of use of the land until you have received notification that Development Approval has been
  granted.
- 2) Appeal rights General rights of review and appeal exist in relation to any assessment, request, direction or act of a relevant authority in relation to the determination of this application, including conditions.
- 3) This Planning Consent is valid for a period of twenty-four (24) months commencing from the date of the decision, subject to the below or subject to an extension having been granted by the relevant authority. If applicable, Building Consent must be obtained prior to expiration of the Planning Consent.
- 4) Where an approved development has been substantially commenced within 2 years from the operative date of approval, the approval will then lapse 3 years from the operative date of the approval (unless the development has been substantially or fully completed within those 3 years, in which case the approval will not lapse).
- 5) Should infrastructure be required on the Council verge (i.e., retaining walls) a Section 221 application will need to be submitted.

Advisory Notes imposed by South Australian Country Fire Service under Section 122 of the Act

#### 6) BUILDING CONSIDERATIONS

Ministerial Building Standard MBS008 "Designated bushfire prone areas - additional requirements" 2020, as published under the Planning, Development and Infrastructure Act 2016 applies to this site.

Please refer to the National Construction Code (NCC), relevant standards and state provisions for construction requirements and performance provisions.

A site Bushfire Attack Level (BAL) assessment was conducted in accordance with the NCC and Australian Standard™3959 (AS3959) "Construction of Buildings in Bushfire Prone Areas".

Category of Bushfire Attack Level: BAL 29

This BAL rating is conditional upon the establishment and maintenance of a 20 metre Asset Protection Zone, in accordance with the Asset Protection Zone – Vegetation Management condition of consent placed on the planning consent with the same application reference.

This result is considered relevant at the date of assessment with respect to the details on PROPOSED SITE PLAN REV B, dated APRIL 2023 and shall not be considered as SA CFS endorsement of any subsequent development.

#### OFFICER MAKING RECOMMENDATION

Name: Alisa Styles
Title: Duty Planner

# No. 15 Debney's Road, Norton Summit SA FOR DEVELOPMENT APPROVAL

LOCATION PLAN

NTS

NUMBER	DESCRIPTION:	SUBMITTED TO PLANNING:	AMENDED:	REVISION No.:
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	
DA01	EXISTING OVERALL SITE PLAN	21/02/2023	12/05/2023	С
DA02	EXISTING SITE PLAN	21/02/2023	06/06/2023	D
DA03	PROPOSED SITE PLAN	21/02/2023	06/06/2023	D
DA04	EXISTING & DEMOLITION PLANS	21/02/2023	-	-
DA05	PROPOSED GROUND FLOOR PLAN	21/02/2023	-	-
DA06	PROPOSED UPPER LEVEL PLAN	21/02/2023	-	-
DA07	SOUTHEAST & SOUTHWEST ELEVATIONS	21/02/2023	06/06/2023	D
DA08	NORTHEAST & NORTHWEST ELEVATIONS	21/02/2023	31/03/2023	Α
DA09	SECTION	21/02/2023	06/06/2023	D
DA10	ROOF PLAN	21/02/2023	12/05/2023	С
DA11	DRAINAGE PLAN	21/02/2023	-	-
DA12	FIRE FIGHTING PLAN	24/03/2023	05/04/2023	В


### **REVISION HISTORY**


NUMBER	DESCRIPTION:	SUBMITTED TO PLANNING:
A	FIRE FIGHTING PLAN ADDED TO RESPOND TO CFS RFI LETTER DATED 09/03/2023 STORMWATER CLARIFIED, PROPOSED VEGETATION REMOVED CLARIFIED AS NON NATIVE & OVERLOOKING ADDRESSED AS PER RFI LETTER FROM COUNCIL DATED 15/03/2023. CLADDING ALSO AMENDED TO ALL BE HEBEL & ROOF EXTENDED	31/03/2023
В	OVER DECK AT CLIENTS REQUEST.  CFS ACCESS SOLUTION AMENDED AS PER CFS RFI LETTER DATED 04/04/2023  STORMWATER DISCHARGE POINT CONFIRM - INTO CREEK	05/04/2023 12/05/2023
D	RETAINING WALL CLARIFICATION AS RFI LETTER DATED 02/06/2023	06/06/2023


DATE: JUNE 2023


( C O P Y R I G H T 2 0 2 3


CLIENT: DANNY & NICOLE COPPOLA





































DISCLAIMER
Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process without prior written permission obtained from the Adelaide Hills Council. Requests and enquiries concerning reproduction and rights should be directed to the Chief Executive Officer, The Adelaide Hills Council, PO Box 44, Woodside SA 5244. The Adelaide Hills Council, its employees and servants do not warrant or make any

representations regarding the use, or results of use of the information contained herein as to its correctness, accuracy, currency or otherwise. In particular, it should be noted that the accuracy of property boundaries when displayed over aerial photography cannot be considered to be accurate, and that the only certain method of determining boundary locations is to use the services of a licensed Surveyor. The Adelaide Hills Council, its

employees and servants expressly disclaim all liability or responsibility to any person using the information or advice contained herein.  $\@ifnextchar[{\@model{O}}\]$ 

Scale = 1:1508.220

50 m

### 15 Debneys Road Norton Summit 5136





#### **Planners Summary**

PlanningSummary

#### **AHC Core**

Parks

Property\_Owner

Townships

Roads Street View

ADJOINING LGA RD

AHC & PRIVATE

AHC RD

DPTI RD

PRIVATE RD

SHARED RD

AHC\_LGA

**Parcels** 

Roads

**LGAs** 

Suburbs

Rivers River

Creeks

Streams

#### recordshub2

recordshub2

#### Flood Study Data

TorrensFloodZones 20Yr

TorrensFloodZones 100Yr

Onles Election 1014



#### 15 DEBNEYS RD NORTON SUMMIT SA 5136

#### Address:

Click to view a detailed interactive SAILIS in SAILIS

To view a detailed interactive property map in SAPPA click on the map below



#### **Property Zoning Details**

Zone

Productive Rural Landscape

Overlay

**Environment and Food Production Area** 

Hazards (Bushfire - High Risk)

Heritage Adjacency

Hazards (Flooding - Evidence Required)

**Limited Land Division** 

Native Vegetation

Prescribed Wells Area

Traffic Generating Development

Water Resources

#### Selected Development(s)

## Dwelling addition

This development may be subject to multiple assessment pathways. Please review the document below to determine which pathway may be applicable based on the proposed development compliances to standards.

If no assessment pathway is shown this mean the proposed development will default to performance assessed. Please contact your local council in this instance. Refer to Part 1 - Rules of Interpretation - Determination of Classes of Development

Property Policy Information for above selection

# Dwelling addition - Code Assessed - Performance Assessed

### Part 2 - Zones and Sub Zones

# Productive Rural Landscape Zone

### **Assessment Provisions (AP)**

Desired Outcome (DO)

	Desired Outcome			
DO 1	A diverse range of land uses at an appropriate scale and intensity that capitalise on the region's proximity to the metropolitan area and the tourist and lifestyle opportunities this presents while also conserving the natural and rural character, identity, biodiversity and sensitive environmental areas and scenic qualities of the landscape.			
DO 2	A zone that promotes agriculture, horticulture, value adding opportunities, farm gate businesses, the sale and consumption of agricultural based products, tourist development and accommodation that expands the economic base and promotes its regional identity.			
DO 3	Create local conditions that support new and continuing investment while seeking to promote co-existence with adjoining activities and mitigate land use conflicts.			

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
Siting ar	d Design		
PO 2.2	DTS/DPF 2.2		
Buildings are generally located on flat land to minimise cut and fill and the associated visual impacts.	Buildings:  (a) are located on a site with a slope not greater than 10% (1-in-10)  (b) do not result excavation and/or filling of land that is greater than 1.5m from natural ground level.		
Dwellings			
PO 5.4	DTS/DPF 5.4		
Dwelling additions are sited, designed and of a scale that maintains a pleasant rural character and amenity.	Additions or alterations to an existing dwelling:  (a) are setback behind the main façade of the existing dwelling  (b) do not exceed 2 building levels and 9m measured from the top of the footings  (c) have a wall height that is no greater than 6m from the top of the footings.		

### Table 5 - Procedural Matters (PM) - Notification

The following table identifies, pursuant to section 107(6) of the *Planning, Development and Infrastructure Act 2016*, classes of performance assessed development that are excluded from notification. The table also identifies any exemptions to the placement of notices when notification is required.

#### Interpretation

Notification tables exclude the classes of development listed in Column A from notification provided that they do not fall within a corresponding exclusion prescribed in Column B.

Where a development or an element of a development falls within more than one class of development listed in Column A, it will be excluded from notification if it is excluded (in its entirety) under any of those classes of development. It need not be excluded under all applicable classes of development.

Where a development involves multiple performance assessed elements, all performance assessed elements will require notification (regardless of whether one or more elements are excluded in the applicable notification table) unless every performance assessed element of the application is excluded in the applicable notification table, in which case the application will not require notification.

Class of Development	Exceptions	
(Column A)	(Column B)	
<ol> <li>Development which, in the opinion of the relevant authority, is of a minor nature only and will not unreasonably impact on the owners or occupiers of land in the locality of the site of the development.</li> </ol>	None specified.	
2. Any development involving any of the following (or of any combination of any of the following):  (a) advertisement (b) agricultural building (c) air handling unit, air conditioning system or exhaust fan (d) ancillary accommodation (e) building work on railway land (f) carport (g) demolition (h) dwelling (i) dwelling (i) dwelling addition (j) farming (k) horse keeping (l) internal building work (m) land division (n) outbuilding (o) private bushfire shelter (p) protective tree netting structure (q) replacement building (r) retaining wall (s) solar photovoltaic panels (roof mounted) (t) shade sail (u) swimming pool or spa pool (v) temporary accommodation in an area affected by bushfire (w) tree damaging activity (x) verandah (y) water tank.	None specified.	
Any development involving any of the following (or of any combination of any of the following):	Except development that does not satisfy any of the following:	

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
<ul><li>(a) industry</li><li>(b) store</li><li>(c) warehouse.</li></ul>	<ol> <li>Productive Rural Landscape Zone DTS/DPF 4.1</li> <li>Productive Rural Landscape Zone DTS/DPF 4.3.</li> </ol>
4. Demolition.	<ol> <li>Except any of the following:</li> <li>the demolition of a State or Local Heritage Place</li> <li>the demolition of a building (except an ancillary building) in a Historic Area Overlay.</li> </ol>
5. Function centre within The Cedars Subzone.	None specified.
6. Function centre.	Except function centre that does not satisfy Productive Rural Landscape Zone DTS/DPF 6.6.
7. Horticulture.	Except horticulture that does not satisfy any of the following:  1. Productive Rural Landscape Zone DTS/DPF 3.1(d)  2. Productive Rural Landscape Zone DTS/DPF 3.1(e).
8. Shop within The Cedars Subzone.	None specified.
9. Shop.	Except shop that does not satisfy any of the following:  1. Productive Rural Landscape Zone DTS/DPF 6.1  2. Productive Rural Landscape Zone DTS/DPF 6.2.
10. Tourist accommodation within The Cedars Subzone.	None specified.
11. Tourist accommodation.	Except tourist accommodation that does not to satisfy any of the following:  1. Productive Rural Landscape Zone DTS/DPF 6.3 2. Productive Rural Landscape Zone DTS/DPF 6.4.

### Placement of Notices - Exemptions for Performance Assessed Development

None specified.

### Placement of Notices - Exemptions for Restricted Development

None specified.

# Part 3 - Overlays

# Hazards (Bushfire - High Risk) Overlay

### **Assessment Provisions (AP)**

Desired Outcome (DO)

Desired Outcome					
DO 1 Development, including land division is sited and designed to minimise the threat and impact of bushfires on life and property with regard to the following risks:					
	(a) potential for uncontrolled bushfire events taking into account the increased frequency and intensity of bushfires as a result of climate change				
	(b) high levels and exposure to ember attack				
	(c) impact from burning debris				
	(d) radiant heat				
	<sup>(e)</sup> likelihood and direct exposure to flames from a fire front.				
DO 2	Activities that increase the number of people living and working in the area or where evacuation would be difficult is sited away from areas of unacceptable bushfire risk.				
DO 3	To facilitate access for emergency service vehicles to aid the protection of lives and assets from bushfire danger.				

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Lanc	Use
PO 1.1	DTS/DPF 1.1
Development that significantly increases the potential for fire outbreak as a result of the spontaneous combustion of materials, spark generation or through the magnification and reflection of light is not located in areas of unacceptable bushfire risk.	None are applicable.
Sit	ing
PO 2.1	DTS/DPF 2.1
Buildings and structures are located away from areas that pose an unacceptable bushfire risk as a result of vegetation cover and type, and terrain.	None are applicable.
Built	Form
PO 3.1	DTS/DPF 3.1
Buildings and structures are designed and configured to reduce the impact of bushfire through using designs that reduce the potential for trapping burning debris against or underneath the building or structure, or between the ground and building floor level in the case of transportable buildings and buildings on	None are applicable.

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
stilts.	
PO 3.2	DTS/DPF 3.2
Extensions to buildings, outbuildings and other ancillary structures are sited and constructed using materials to minimise the threat of fire spread to residential and tourist accommodation (including boarding houses, hostels, dormitory style accommodation, student accommodation and Workers' accommodation) in the event of bushfire.	Outbuildings and other ancillary structures are sited no closer than 6m from the habitable building.
Habitable	Buildings
PO 4.1	DTS/DPF 4.1
To minimise the threat, impact and potential exposure to bushfires on life and property, residential and tourist accommodation and habitable buildings for vulnerable communities (including boarding houses, hostels, dormitory style accommodation, student accommodation and workers' accommodation) is sited on the flatter portion of allotments away from steep slopes.	None are applicable.
PO 4.2	DTS/DPF 4.2
Residential and tourist accommodation and habitable buildings for vulnerable communities (including boarding houses, hostels, dormitory style accommodation, student accommodation and workers' accommodation) is sited away from vegetated areas that pose an unacceptable bushfire risk.	Residential and tourist accommodation and habitable buildings for vulnerable communities are provided with asset protection zone(s) in accordance with (a) and (b):  (a) the asset protection zone has a minimum width of at least:  (i) 50 metres to unmanaged grasslands  (ii) 100 metres to hazardous bushland vegetation  (b) the asset protection zone is contained wholly within the allotment of the development.
PO 4.3	DTS/DPF 4.3
Residential and tourist accommodation and habitable buildings for vulnerable communities (including boarding houses, hostels, dormitory style accommodation, student accommodation and workers' accommodation) has a dedicated area available that:  (a) is capable of accommodating a bushfire protection system comprising firefighting equipment and water supply in accordance with Ministerial Building Standard MBS 008 - Designated bushfire prone areas - additional requirements  (b) includes the provision of an all-weather hardstand area in a location that:  (i) allows fire-fighting vehicles to safely access the dedicated water supply and exit the site in a forward direction  (ii) is no further than 6 metres from the dedicated water supply outlet(s) where required.	None are applicable.
Vehicle Access –Roads. [	I Driveways and Fire Tracks
	- !

PO 6.2

Access to habitable buildings is designed and constructed to facilitate the safe and effective:

- (a) use, operation and evacuation of fire-fighting and emergency personnel
- (b) evacuation of residents, occupants and visitors.

DTS/DPF 6.2

Access is in accordance with (a) or (b):

- (a) a clear and unobstructed vehicle or pedestrian pathway of not greater than 60 metres in length is available between the most distant part of the habitable building and the nearest part of a formed public access road
- (b) driveways:
  - (i) do not exceed 600m in length
  - (ii) are constructed with a formed, all-weather surface
  - (iii) are connected to a formed, all-weather public road with the transition area between the road and driveway having a gradient of not more than 7 degrees (1-in-8)
  - (iv) have a gradient of not more than 16 degrees (1-in-3.5) at any point along the driveway
  - (v) have a crossfall of not more than 6 degrees (1-in-9.5) at any point along the driveway
  - (vi) have a minimum formed width of 3m (4m where the gradient of the driveway is steeper than 12 degrees (1-in-4.5)) plus 0.5 metres clearance either side of the driveway from overhanging branches or other obstructions, including buildings and/or structures (Figure 1)
  - (vii) incorporate passing bays with a minimum width of 6m and length of 17m every 200m (Figure 5)
  - (viii) provide overhead clearance of not less than
     4.0m between the driveway surface and overhanging branches or other obstructions, including buildings and/or structures (Figure 1)
  - (ix) allow fire-fighting services (personnel and vehicles) to travel in a continuous forward movement around driveway curves by constructing the curves with a minimum external radius of 12.5m (Figure 2)
  - (x) allow fire-fighting vehicles to safely enter and exit an allotment in a forward direction by using a 'U' shaped drive through design or by incorporating at the end of the driveway either:
    - A. a loop road around the building or
    - B. a turning area with a minimum radius of 12.5m (Figure 3)
    - C. a 'T' or 'Y' shaped turning area with a minimum formed length of 11m and minimum internal radii of 9.5m (Figure 4)
  - (xi) incorporate solid, all-weather crossings over any watercourse that support fire-fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes.

PO 6.3

Development does not rely on fire tracks as means of

DTS/DPF 6.3

None are applicable.

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
evacuation or access for fire-fighting purposes unless there are	
no safe alternatives available.	

### Procedural Matters (PM) - Referrals


The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity		Referral Body	Purpose of Referral	Statutory Reference
applica develo develo	if a <i>relevant certificate</i> accompanies the ation for planning consent in respect of the pment, any of the following classes of pment (including alterations and additions increase the floor area of such buildings by 10% re):  land division creating one or more additional allotments dwelling ancillary accommodation residential flat building tourist accommodation boarding home dormitory style accommodation workers' accommodation student accommodation pre-school educational establishment retirement village supported accommodation residential park hospital camp ground.	South Australian Country Fire Service.	To provide expert assessment and direction to the relevant authority on the potential impacts of bushfire on the development.	Development of a class to which Schedule 9 clause 3 item 2 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

### Figures and Diagrams

Fire Appliance Clearances	
---------------------------	--

Figure 1 - Overhead and Side Clearances



# Roads and Driveway Design

Figure 2 - Road and Driveway Curves




Figure 3 - Full Circle Turning Area





Figure 4 - 'T' or 'Y' Shaped Turning Head



"T" shaped turning area for fire trucks to reverse into so they can turn around

- minimum length 11m.





Figure 5 - Driveway Passing Bays

Passing bay for fire trucks - minimum width 6 metres, minimum length 17 metres.



Hazards (Flooding - Evidence Required) Overlay

**Assessment Provisions (AP)** 

Desired Outcome (DO)

Desired Outcome	
DO 1	Development adopts a precautionary approach to mitigate potential impacts on people, property, infrastructure and the environment from potential flood risk through the appropriate siting and design of development.
	fand the environment from potential nood risk through the appropriate siting and design of development.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

# Deemed-to-Satisfy Criteria / Performance Outcome **Designated Performance Feature** Flood Resilience PO 1.1 DTS/DPF 1.1 Development is sited, designed and constructed to minimise Habitable buildings, commercial and industrial buildings, and the risk of entry of potential floodwaters where the entry of buildings used for animal keeping incorporate a finished floor flood waters is likely to result in undue damage to or level at least 300mm above: compromise ongoing activities within buildings. (a) the highest point of top of kerb of the primary street (b) the highest point of natural ground level at the primary street boundary where there is no kerb

### Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
None	None	None	None

# Heritage Adjacency Overlay

### **Assessment Provisions (AP)**

Desired Outcome (DO)

	Desired Outcome
DO 1	Development adjacent to State and Local Heritage Places maintains the heritage and cultural values of those Places.

# Performance Outcome Designated Performance Feature Built Form PO 1.1 Development adjacent to a State or Local Heritage Place does not dominate, encroach on or unduly impact on the setting of the Place. Designated Performance Feature DTS/DPF 1.1 None are applicable.

# Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Development that may materially affect the context of a State Heritage Place.	Minister responsible for the administration of the Heritage Places Act 1993.	To provide expert assessment and direction to the relevant authority on the potential impacts of development adjacent State Heritage Places.	Development of a class to which Schedule 9 clause 3 item 17 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

# **Native Vegetation Overlay**

#### Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Areas of native vegetation are protected, retained and restored in order to sustain biodiversity, threatened species and vegetation communities, fauna habitat, ecosystem services, carbon storage and amenity values.

# Performance Outcome

# Deemed-to-Satisfy Criteria / Designated Performance Feature

**Environmental Protection** 

PO 1.1

Development avoids, or where it cannot be practically avoided, minimises the clearance of native vegetation taking into account the siting of buildings, access points, bushfire protection measures and building maintenance.

DTS/DPF 1.1

An application is accompanied by:

- (a) a declaration stating that the proposal will not, or would not, involve clearance of native vegetation under the Native Vegetation Act 1991, including any clearance that may occur:
  - (i) in connection with a relevant access point and / or driveway
  - (ii) within 10m of a building (other than a residential building or tourist accommodation)
  - (iii) within 20m of a dwelling or addition to an existing dwelling for fire prevention and control
  - (iv) within 50m of residential or tourist accommodation in connection with a requirement under a relevant overlay to establish an asset protection zone in a bushfire prone area

or

(b) a report prepared in accordance with Regulation 18(2)(a) of the Native Vegetation Regulations 2017 that establishes that the clearance is categorised as 'Level 1 clearance'.

PO 1.2

Native vegetation clearance in association with development avoids the following:

- (a) significant wildlife habitat and movement corridors
- (b) rare, vulnerable or endangered plants species
- (c) native vegetation that is significant because it is located in an area which has been extensively cleared
- (d) native vegetation that is growing in, or in association with, a wetland environment.

DTS/DPF 1.2

None are applicable.

PO 1.4

Development restores and enhances biodiversity and habitat values through revegetation using locally indigenous plant species.

DTS/DPF 1.4

None are applicable.

# Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory
---------------------------------	---------------	---------------------	-----------

Policy24 P&D Code (in effect) Versi		2023.3 16/02/2023	
			Reference
Development that is the subject of a report prepared in accordance with Regulation 18(2)(a) of the <i>Native Vegetation Regulations 2017</i> that categorises the clearance, or potential clearance, as 'Level 3 clearance' or 'Level 4 clearance'.	Native Vegetation Council	To provide expert assessment and direction to the relevant authority on the potential impacts of development on native vegetation.	Development of a class to which Schedule 9 clause 3 item 11 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

# Water Resources Overlay

# Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Protection of the quality of surface waters considering adverse water quality impacts associated with projected reductions in rainfall and warmer air temperatures as a result of climate change.
DO 2	Maintain the conveyance function and natural flow paths of watercourses to assist in the management of flood waters and stormwater runoff.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Water Co	atchment
PO 1.1	DTS/DPF 1.1
Watercourses and their beds, banks, wetlands and floodplains (1% AEP flood extent) are not damaged or modified and are retained in their natural state, except where modification is required for essential access or maintenance purposes.	None are applicable.
PO 1.2	DTS/DPF 1.2
Development avoids interfering with the existing hydrology or water regime of swamps and wetlands other than to improve the existing conditions to enhance environmental values.	None are applicable.
PO 1.5	DTS/DPF 1.5

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Development that increases surface water run-off includes a suitably sized strip of vegetated land on each side of a watercourse to filter runoff to:  (a) reduce the impacts on native aquatic ecosystems (b) minimise soil loss eroding into the watercourse.	A strip of land 20m or more wide measured from the top of existing banks on each side of the watercourse is free from development, livestock use and revegetated with locally indigenous vegetation.
PO 1.6	DTS/DPF 1.6
Development resulting in the depositing or placing of an object or solid material in a watercourse or lake occurs only where it involves any of the following:	None are applicable.
<ul> <li>(a) the construction of an erosion control structure</li> <li>(b) devices or structures used to extract or regulate water flowing in a watercourse</li> </ul>	
<ul><li>(c) devices used for scientific purposes</li><li>(d) the rehabilitation of watercourses.</li></ul>	
PO 1.7	DTS/DPF 1.7
Watercourses, floodplains (1% AEP flood extent) and wetlands protected and enhanced by retaining and protecting existing native vegetation.	None are applicable.
PO 1.8	DTS/DPF 1.8
Watercourses, floodplains (1% AEP flood extent) and wetlands are protected and enhanced by stabilising watercourse banks and reducing sediments and nutrients entering the watercourse.	None are applicable.

# Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
None	None	None	None

# Part 4 - General Development Policies

# Clearance from Overhead Powerlines

# **Assessment Provisions (AP)**

Desired Outcome (DO)

	Desired Outcome
DO 1	Protection of human health and safety when undertaking development in the vicinity of overhead transmission powerlines.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Buildings are adequately separated from aboveground powerlines to minimise potential hazard to people and property.	<ul> <li>(a) a declaration is provided by or on behalf of the applicant to the effect that the proposal would not be contrary to the regulations prescribed for the purposes of section 86 of the <i>Electricity Act 1996</i></li> <li>(b) there are no aboveground powerlines adjoining the site that are the subject of the proposed development.</li> </ul>

# Design

### Assessment Provisions (AP)

Desired Outcome (DO)

			Desired Outcome
Ī	DO 1	Develo	opment is:
		(a)	contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributes to the character of the immediate area
		(b)	durable - fit for purpose, adaptable and long lasting
		(c)	inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access, and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors
		(d)	sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

# Performance Outcome Deemed-to-Satisfy Criteria / Designated Performance Feature

All Residential development

None are applicable.

Development does not occur on land at risk of landslip nor

increases the potential for landslip or land surface instability.

Policy24	P&D Code (in effect) Version 2023.3 16/02/202
Front elevations and	l passive surveillance
PO 11.1	DTS/DPF 11.1
Dwellings incorporate windows along primary street frontages	Each dwelling with a frontage to a public street:
to encourage passive surveillance and make a positive contribution to the streetscape.	<ul> <li>(a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m</li> <li>(b) has an aggregate window area of at least 2m<sup>2</sup> facing the primary street.</li> </ul>
Outlook a	nd amenity
PO 12.1	DTS/DPF 12.1
Living rooms have an external outlook to provide a high standard of amenity for occupants.	A living room of a dwelling incorporates a window with an outlook towards the street frontage or private open space, public open space, or waterfront areas.
Garage a	ppearance
PO 14.1	DTS/DPF 14.1
Garaging is designed to not detract from the streetscape or appearance of a dwelling.	Garages and carports facing a street:
Mas	<ul> <li>(a) are situated so that no part of the garage or carport is in front of any part of the building line of the dwelling</li> <li>(b) are set back at least 5.5m from the boundary of the primary street</li> <li>(c) have a garage door / opening not exceeding 7m in width</li> <li>(d) have a garage door /opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street.</li> </ul>
PO 15.1  The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	None are applicable
Dwelling	additions
PO 16.1	DTS / DPF 16.1
Dwelling additions are sited and designed to not detract from the streetscape or amenity of adjoining properties and do not impede on-site functional requirements.	(a) are not constructed, added to or altered so that any part is situated closer to a public street (b) do not result in: (i) excavation exceeding a vertical height of 1m (ii) filling exceeding a vertical height of 1m (iii) a total combined excavation and filling vertical height of 2m or more (iv) less Private Open Space than specified in Design Table 1 - Private Open Space (v) less on-site parking than specified in Transport Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Policy24	<ul> <li>(vi) upper level windows facing side or rear boundaries unless:         <ul> <li>A. they are permanently obscured to a height of 1.5m above finished floor level that is fixed or not capable of being opened more than 200mm or</li> <li>B. have sill heights greater than or equal to 1.5m above finished floor level or</li> <li>C. incorporate screening to a height of 1.5m above finished floor level</li> </ul> </li> <li>(vii) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25%</li> </ul>
	transparency/openings fixed to a minimum height of:  A. 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land  B. 1.7m above finished floor level in all other cases.
Private C	)pen Space
PO 17.1  Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	DTS/DPF 17.1  Private open space is provided in accordance with Design Table 1 - Private Open Space.
Car parking, access	and manoeuvrability
PO 19.1	DTS/DPF 19.1
Enclosed parking spaces are of a size and dimensions to be functional, accessible and convenient.	Residential car parking spaces enclosed by fencing, walls or other structures have the following internal dimensions (separate from any waste storage area):
	<ul> <li>(a) single width car parking spaces:         <ul> <li>(i) a minimum length of 5.4m per space</li> <li>(ii) a minimum width of 3.0m</li> <li>(iii) a minimum garage door width of 2.4m</li> </ul> </li> <li>(b) double width car parking spaces (side by side):         <ul> <li>(i) a minimum length of 5.4m</li> <li>(ii) a minimum width of 5.4m</li> <li>(iii) minimum garage door width of 2.4m per space.</li> </ul> </li> </ul>
PO 19.2	DTS/DPF 19.2
Uncovered parking spaces are of a size and dimensions to be functional, accessible and convenient.	Uncovered car parking spaces have:  (a) a minimum length of 5.4m (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 19.3	DTS/DPF 19.3
Driveways are located and designed to facilitate safe access and egress while maximising land available for street tree planting, landscaped street frontages, domestic waste collection and on-street parking.	Driveways and access points on sites with a frontage to a public road of 10m or less have a width between 3.0 and 3.2 metres measured at the property boundary and are the only access point provided on the site.
PO 19.4	DTS/DPF 19.4
Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	Vehicle access to designated car parking spaces satisfy (a) or (b):  (a) is provided via a lawfully existing or authorised access
	point or an access point for which consent has been granted as part of an application for the division of land
	(b) where newly proposed:  (i) is set back 6m or more from the tangent point of an intersection of 2 or more roads
	(ii) is set back outside of the marked lines or
	infrastructure dedicating a pedestrian crossing (iii) does not involve the removal, relocation or damage to of mature street trees, street furniture or utility infrastructure services.
PO 19.5	DTS/DPF 19.5
Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces.	Driveways are designed and sited so that:
The public road to on site parking spaces.	<ul> <li>(a) the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the garage or carport is not steeper than 1:4 on average</li> <li>(b) they are aligned relative to the street boundary so that there is no more than a 20 degree deviation from 90 degrees between the centreline of any dedicated car parking space to which it provides access (measured from the front of that space) and the street boundary</li> <li>(c) if located to provide access from an alley, lane or right of way - the alley, land or right or way is at least 6.2m</li> </ul>
	wide along the boundary of the allotment / site
PO 19.6	DTS/DPF 19.6
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available abutting the site's street frontage, on-street parking is retained in accordance with the following requirements:
	(a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number)  (b) minimum car park length of 5.4m where a vehicle can
	enter or exit a space directly  (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
Waste	storage
PO 20.1	DTS/DPF 20.1
Provision is made for the adequate and convenient storage of waste bins in a location screened from public view.	None are applicable.

P&D Code (in effect) Version 2023.3 16/02/2023

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Design of Trans	portable Dwellings
PO 21.1	DTS/DPF 21.1
The sub-floor space beneath transportable buildings is enclosed to give the appearance of a permanent structure.	Buildings satisfy (a) or (b):  (a) are not transportable or  (b) the sub-floor space between the building and ground level is clad in a material and finish consistent with the building.

# Table 1 - Private Open Space

Dwelling Type	Minimum Rate
Dwelling (at ground level)	<ul> <li>Total private open space area:</li> <li>(a) Site area &lt;301m2: 24m2 located behind the building line.</li> <li>(b) Site area ≥ 301m2: 60m2 located behind the building line.</li> <li>Minimum directly accessible from a living room: 16m2 / with a minimum dimension 3m.</li> </ul>
Dwelling (above ground level)	Studio (no separate bedroom): $4m^2$ with a minimum dimension 1.8m  One bedroom: $8m^2$ with a minimum dimension 2.1m  Two bedroom dwelling: $11m^2$ with a minimum dimension 2.4m  Three + bedroom dwelling: $15m^2$ with a minimum dimension 2.6m
Cabin or caravan (permanently fixed to the ground) in a residential park or a caravan and tourist park	Total area: 16m <sup>2</sup> , which may be used as second car parking space, provided on each site intended for residential occupation.

# Infrastructure and Renewable Energy Facilities

# **Assessment Provisions (AP)**

Desired Outcome (DO)

Desired Outcome	
DO 1	Efficient provision of infrastructure networks and services, renewable energy facilities and ancillary development in a manner that minimises hazard, is environmentally and culturally sensitive and manages adverse visual impacts on natural and rural landscapes and residential amenity.

# Performance Outcome Deemed-to-Satisfy Criteria / Designated Performance Feature Wastewater Services PO 12.2 Effluent drainage fields and other wastewater disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment. Development is not built on, or encroaches within, an area that is, or will be, required for a sewerage system or waste control system.

# Interface between Land Uses

# Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Development is located and designed to mitigate adverse effects on or from neighbouring and proximate land uses.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Oversh	adowing
PO 3.1	DTS/DPF 3.1
Overshadowing of habitable room windows of adjacent residential land uses in:  a. a neighbourhood-type zone is minimised to maintain access to direct winter sunlight b. other zones is managed to enable access to direct winter sunlight.	North-facing windows of habitable rooms of adjacent residential land uses in a neighbourhood-type zone receive at least 3 hours of direct sunlight between 9.00am and 3.00pm on 21 June.
PO 3.2	DTS/DPF 3.2
Overshadowing of the primary area of private open space or communal open space of adjacent residential land uses in:  a. a neighbourhood type zone is minimised to maintain access to direct winter sunlight  b. other zones is managed to enable access to direct winter sunlight.	Development maintains 2 hours of direct sunlight between 9.00 am and 3.00 pm on 21 June to adjacent residential land uses in a neighbourhood-type zone in accordance with the following:  a. for ground level private open space, the smaller of the following:  i. half the existing ground level open space

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	or ii. 35m2 of the existing ground level open space (with at least one of the area's dimensions measuring 2.5m) b. for ground level communal open space, at least half of the existing ground level open space.
PO 3.3	DTS/DPF 3.3
Development does not unduly reduce the generating capacity of adjacent rooftop solar energy facilities taking into account:	None are applicable.
<ul> <li>(a) the form of development contemplated in the zone</li> <li>(b) the orientation of the solar energy facilities</li> <li>(c) the extent to which the solar energy facilities are already overshadowed.</li> </ul>	

# Transport, Access and Parking

# **Assessment Provisions (AP)**

Desired Outcome (DO)

	Desired Outcome
DO 1	A comprehensive, integrated and connected transport system that is safe, sustainable, efficient, convenient and accessible to all users.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

#### Performance Outcome Deemed-to-Satisfy Criteria / **Designated Performance Feature** Vehicle Parking Rates PO 5.1 DTS/DPF 5.1 Sufficient on-site vehicle parking and specifically marked Development provides a number of car parking spaces on-site accessible car parking places are provided to meet the needs at a rate no less than the amount calculated using one of the of the development or land use having regard to factors that following, whichever is relevant: may support a reduced on-site rate such as: Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements (a) availability of on-street car parking (b) (b) Transport, Access and Parking Table 2 - Off-Street shared use of other parking areas Vehicle Parking Requirements in Designated Areas (c) in relation to a mixed-use development, where the (c) if located in an area where a lawfully established hours of operation of commercial activities carparking fund operates, the number of spaces complement the residential use of the site, the calculated under (a) or (b) less the number of spaces provision of vehicle parking may be shared offset by contribution to the fund. (d) the adaptive reuse of a State or Local Heritage Place.

#### 15 DEBNEYS RD NORTON SUMMIT SA 5136

#### Address:

Click to view a detailed interactive SAILIS in SAILIS

To view a detailed interactive property map in SAPPA click on the map below



## **Property Zoning Details**

Zone

Productive Rural Landscape

Overlay

**Environment and Food Production Area** 

Hazards (Bushfire - High Risk)

Heritage Adjacency

Hazards (Flooding - Evidence Required)

**Limited Land Division** 

**Native Vegetation** 

Prescribed Wells Area

Traffic Generating Development

Water Resources

### Selected Development(s)

# Internal building work

This development may be subject to multiple assessment pathways. Please review the document below to determine which pathway may be applicable based on the proposed development compliances to standards.

If no assessment pathway is shown this mean the proposed development will default to performance assessed. Please contact your local council in this instance. Refer to Part 1 - Rules of Interpretation - Determination of Classes of Development

**Property Policy Information for above selection** 

# Internal building work - Accepted Development

# Part 2 - Zones and Sub Zones

# Productive Rural Landscape Zone

# Table 1 - Accepted Development Classification

The following table identifies Classes of Development that are classified as Accepted Development subject to meeting the Accepted Development Classification Criteria

Class of Development	Accepted Development Classification Criteria
Internal building work Except where any of the following apply:	There will be no increase in the total floor area of the building
Local Heritage Place Overlay State Heritage Area Overlay State Heritage Place Overlay	Other than where located within the Historic Area     Overlay there will be no alteration to the external     appearance of the building to any significant degree
	<ol> <li>There will be no alteration to the external appearance of the building where located within the Historic Area Overlay.</li> </ol>

#### 15 DEBNEYS RD NORTON SUMMIT SA 5136

#### Address:

Click to view a detailed interactive SAILIS in SAILIS

To view a detailed interactive property map in SAPPA click on the map below



# **Property Zoning Details**

Zone

Productive Rural Landscape

Overlay

**Environment and Food Production Area** 

Hazards (Bushfire - High Risk)

Heritage Adjacency

Hazards (Flooding - Evidence Required)

**Limited Land Division** 

Native Vegetation

Prescribed Wells Area

Traffic Generating Development

Water Resources

#### Selected Development(s)

# Partial demolition of a building or structure

This development may be subject to multiple assessment pathways. Please review the document below to determine which pathway may be applicable based on the proposed development compliances to standards.

If no assessment pathway is shown this mean the proposed development will default to performance assessed. Please contact your local council in this instance. Refer to Part 1 - Rules of Interpretation - Determination of Classes of Development

Property Policy Information for above selection

# Partial demolition of a building or structure - Accepted Development

# Part 2 - Zones and Sub Zones

# Productive Rural Landscape Zone

# Table 1 - Accepted Development Classification

The following table identifies Classes of Development that are classified as Accepted Development subject to meeting the Accepted Development Classification Criteria

Class of Development	Accepted Development Classification Criteria
Partial demolition of a building or structure Except where any of the following apply:  • Historic Area Overlay • Local Heritage Place Overlay • State Heritage Area Overlay • State Heritage Place Overlay	None

#### 15 DEBNEYS RD NORTON SUMMIT SA 5136

#### Address:

Click to view a detailed interactive SAILIS in SAILIS

To view a detailed interactive property map in SAPPA click on the map below



#### **Property Zoning Details**

#### Zone

Productive Rural Landscape

#### Overlay

**Environment and Food Production Area** 

Hazards (Bushfire - High Risk)

Heritage Adjacency

Hazards (Flooding - Evidence Required)

Limited Land Division

Native Vegetation

Prescribed Wells Area

Traffic Generating Development

Water Resources

# **Development Pathways**

# Productive Rural Landscape

#### 1. Accepted Development

Means that the development type does not require planning consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

None

#### 2. Code Assessed - Deemed to Satisfy

Means that the development type requires consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

• None

#### 3. Code Assessed - Performance Assessed

Performance Assessed development types listed below are those for which the Code identifies relevant policies.

Additional development types that are not listed as Accepted, Deemed to Satisfy or Restricted default to a Performance assessed Pathway. Please contact your local council for more information.

None

#### 4. Impact Assessed - Restricted

Means that the development type requires approval. Classes of development that are classified as Restricted are listed in Table 4 of the relevant Zones.

Property Policy Information for above selection

# Part 2 - Zones and Sub Zones

# Productive Rural Landscape Zone

# Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome		
DO 1	A diverse range of land uses at an appropriate scale and intensity that capitalise on the region's proximity to the metropolitan area and the tourist and lifestyle opportunities this presents while also conserving the natural and rural character, identity, biodiversity and sensitive environmental areas and scenic qualities of the landscape.		
DO 2	A zone that promotes agriculture, horticulture, value adding opportunities, farm gate businesses, the sale and consumption of agricultural based products, tourist development and accommodation that expands the economic base and promotes its regional identity.		
DO 3	Create local conditions that support new and continuing investment while seeking to promote co-existence with adjoining activities and mitigate land use conflicts.		

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land Use	and Intensity
PO 1.1	DTS/DPF 1.1
The productive value of rural land for a range of primary production and horticultural activities and associated value adding of primary produce (such as beverage production), retailing and tourism is supported, protected and maintained. The proliferation of land uses that may be sensitive to those activities is avoided.	(a) Advertisement (b) Agricultural building (c) Brewery (d) Carport (e) Cidery (f) Distillery (g) Dwelling (h) Dwelling addition (i) Farming (j) Function centre (k) Horse keeping (l) Horticulture (m) Industry (n) Low intensity animal husbandry (o) Outbuilding (p) Shop (q) Small-scale ground mounted solar power facility (r) Tourist accommodation (t) Verandah (u) Warehouse (v) Winery (w) Workers' accommodation
Siting a	nd Design
PO 2.1  Development is provided with suitable vehicle access.	DTS/DPF 2.1  Development is serviced by an all-weather trafficable public road.
PO 2.2  Buildings are generally located on flat land to minimise cut and fill and the	DTS/DPF 2.2 Buildings:

P&D Code (in effect) Version 2023.3 16/02/202
(a) are located on a site with a slope not greater than 10% (1-in-10) (b) do not result excavation and/or filling of land that is greater than 1.5m from natural ground level.
Lulture
DTS/DPF 3.1
<ul> <li>(a) are conducted on an allotment with an area of at least 1ha</li> <li>(b) are sited on land with a slope not greater than 10% (1-in-10)</li> <li>(c) are not conducted within 50m of a watercourse or native vegetation</li> <li>(d) are not conducted within 100m of a sensitive receiver in other ownership</li> <li>(e) provide for a headland area between plantings and property boundaries of at least 10m in width</li> <li>(f) where carried out in an enclosed building such as a greenhouse, the building has a total floor area not greater than 250m²</li> <li>(g) in the form of olive growing, is not located within 500m of a conservation or national park.</li> </ul>
ndustry
DTS/DPF 4.1  Industries, storage, warehousing, produce grading and packing and transport distribution activities and similar activities (or any combination thereof):  (a) are directly related and ancillary to a primary production use on the same or adjoining allotment  (b) are located on an allotment not less than 2ha in area  (c) have a total floor area not exceeding 350m <sup>2</sup> .
DTS/DPF 4.2  None are applicable.
DTS/DPF 4.3
Buildings and associated activities:  (a) are setback at least 50m from all road and allotment boundaries (b) are not sited within 100m of a sensitive receiver in other ownership (c) have a building height not greater than 10m above natural ground level (d) incorporate the loading and unloading of vehicles within the confines of the allotment.
llings
DTS/DPF 5.1  Dwellings:  (a) are located on an allotment with an area not less than:

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	<ul> <li>(d) more than one value is returned, refer to the Minimum Dwelling Allotment Size Technical and Numeric Variation layer in the SA planning database to determine the applicable value relevant to the site of the proposed development</li> <li>(e) no value is returned for DTS/DPF 5.1(a) (ie there is a blank field), then there is no minimum dwelling allotment size applicable and DTS/DPF 5.1(a) is met.</li> </ul>
PO 5.2	DTS/DPF 5.2
Dwelling are sited, designed and of a scale that maintains a pleasant natural and rural character and amenity.	Dwellings:  (a) are setback from all allotment boundaries by at least 40m (b) do not exceed 2 building levels and 9m measured from the top of the footings (c) have a wall height no greater than 6m.
PO 5.3	DTS/DPF 5.3
Development resulting in more than one dwelling on an allotment supports ageing in place for the owner of the allotment or multi-generational management of farms in a manner that minimises the potential loss of land available for primary production.	Dwelling that will result in more than one dwelling on an allotment where all the following are satisfied:  (a) it is located within 20m of an existing dwelling (b) share the same utilities of the existing dwelling (c) will use the same access point from a public road as the existing dwelling (d) it is located on an allotment not less than 40ha in area (e) will not result in more than two dwellings on an allotment.
PO 5.4	DTS/DPF 5.4
Dwelling additions are sited, designed and of a scale that maintains a pleasant rural character and amenity.	Additions or alterations to an existing dwelling:  (a) are setback behind the main façade of the existing dwelling (b) do not exceed 2 building levels and 9m measured from the top of the footings  (c) have a wall height that is no greater than 6m from the top of the footings.
Shops, Tourism an	d Function Centres
Shops are associated with an existing primary production or primary production related value adding industry to support diversification of employment, provide services to visitors and showcase local and regional products.	DTS/DPF 6.1  Shops, other than where located in The Cedars Subzone:  (a) are ancillary to and located on the same allotment or adjoining allotment used for primary production or primary production related value adding industries  (b) offer for sale or consumption produce or goods that are primarily sourced, produced or manufactured on the same allotment or adjoining allotments  (c) have a gross leasable floor area not exceeding 100m² or 250m² in the case of a cellar door  (d) have an area for the display of produce or goods external to a building not exceeding 25m²  (e) do not result in more than 75 seats for customer dining purposes in a restaurant.
PO 6.2	DTS/DPF 6.2
Shops that are proposed in new buildings are sited, designed and of a scale that maintains a pleasant rural character and amenity.	Shops in new buildings:  (a) are setback from all property boundaries by at least 20m (b) are not sited within 100m of a sensitive receiver in other ownership (c) have a building height that does not exceed 9m above natural ground level.
PO 6.3	DTS/DPF 6.3
Tourist accommodation is associated with the primary use of the land for	Tourist accommodation, other than where located in The Cedars Subzone:

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
primary production or primary production related value adding industry to	
enhance and provide authentic visitor experiences.	(a) is ancillary to and located on the same allotment or an adjoining allotment used for primary production or primary production related value adding industry
	(b) in relation to the area used for accommodation:  (i) where in a new building, does not exceed a total floor area of 100m <sup>2</sup>
	(ii) where in an existing building, does not exceed 150m <sup>2</sup>
	(c) does not result in more than one facility being located on the same allotment.
PO 6.4	DTS/DPF 6.4
Tourist accommodation proposed in a new building or buildings are sited, designed and of a scale that maintains a pleasant rural character and amenity.	Tourist accommodation in new buildings:
designed and of a scale distributions a pleasant raid character and amenny.	<ul> <li>(a) is setback from all property boundaries by at least 40m</li> <li>(b) has a building height that does not exceed 7m above natural ground level.</li> </ul>
PO 6.5	DTS/DPF 6.5
Function centres are associated with the primary use of the land for primary	Function centres, other than where located in The Cedars Subzone:
production or primary production related value adding industry.	(a) are ancillary to and located on the same allotment or an adjoining allotment used for primary production or primary production related value adding industry
	(b) do not exceed a capacity of 75 persons for customer dining purposes.
PO 6.6	DTS/DPF 6.6
Function centres are sited, designed and of a scale that maintains a pleasant	Function centres:
natural and rural character and amenity.	(a) are located on an allotment having an area of at least 5ha
	(b) are setback from all property boundaries by at least 40m
	<ul> <li>(c) are not sited within 100m of a sensitive receiver in other ownership</li> <li>(d) have a building height that does not exceed 9m above natural ground level.</li> </ul>
Of	fices
PO 7.1	DTS/DPF 7.1
Offices are directly related to and associated with the primary use of the land for primary production or primary production related value adding industry.	Offices, other than where located in The Cedars Subzone:
	(a) are ancillary to and located on the same allotment or an adjoining allotment used for primary production or primary production related value adding industry
	(b) have a gross leasable floor area not exceeding 100m <sup>2</sup> .
Adaptive Reuse o	f Existing Buildings
PO 8.1	DTS/DPF 8.1
Adaptive reuse of existing buildings for small-scale shops, offices, tourist accommodation or ancillary rural activities.	Development within an existing building is for any of the following:
•	(a) a shop
	(b) office (c) tourist accommodation.
	commodation
PO 9.1	DTS/DPF 9.1
Workers' accommodation provides short-term accommodation for persons temporarily engaged in the production, management or processing of	Workers' accommodation:
primary produce.	(a) is developed on a site at least 2ha in area
	(b) has a total floor area not exceeding 250m <sup>2</sup>
	(c) is in the form of a single building or part of a cluster of buildings that are physically connected
	<ul><li>(d) amenities accommodate not more than 20 persons at any one time</li><li>(e) is setback at least 50m from a road boundary</li></ul>
	(f) is setback at least 40m from a side or rear allotment boundary (g) is located within 20m of an existing dwelling on the same allotment
	is located within 2011 of all existing aweiling off the same allotthent

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	(h) does not result in more than one facility being located on the same allotment.
Renewable Er	nergy Facilities
PO 10.1	DTS/DPF 10.1
Renewable energy facilities and ancillary development minimises significant fragmentation or displacement of existing primary production.	None are applicable.
PO 10.2	DTS/DPF 10.2
Small-scale ground mounted solar power facilities support rural production or value-adding industries.	None are applicable.
Built Form a	nd Character
PO 11.1	DTS/DPF 11.1
Large buildings designed and sited to reduce impacts on scenic and rural vistas by:	None are applicable.
(a) having substantial setbacks from boundaries and adjacent public roads	
<ul> <li>(b) using low reflective materials and finishes that blend with the surrounding landscape</li> <li>(c) being located below ridgelines.</li> </ul>	
Son o reacted select regenites.	
Land I	Division
PO 12.1	DTS/DPF 12.1
Land division creating additional allotments is not supported other than where located in The Cedars Subzone to support tourist development.	Except where the land division is proposed in The Cedars Subzone, no additional allotments are created.
PO 12.2	DTS/DPF 12.2
Allotment boundaries, including by realignment, are positioned to incorporate sufficient space around existing residential, tourist accommodation and other habitable buildings (including boarding houses, hostels, dormitory style accommodation, student accommodation and workers' accommodation) to:  (a) maintain a pleasant rural character and amenity for occupants (b) manage vegetation within the same allotment to mitigate bushfire hazard.	Allotment boundaries are located no closer to an existing residential, tourist accommodation or other habitable building than the greater of the following:  (a) 40m  (b) the distance required to accommodate an asset protection zone wholly within the relevant allotment.
Agricultura	al Buildings
PO 13.1	DTS/DPF 13.1
Agricultural buildings and associated activities are sited, designed and of a scale that maintains a pleasant rural character and function.	Agricultural buildings:  (a) are located on an allotment having an area of at least 2ha (b) are setback at least 40m from an allotment boundary (c) have a building height not exceeding 10m above natural ground level (d) do not exceed 350m² in total floor area (e) incorporate the loading and unloading of vehicles within the confines of the allotment.
Outbuildings, Carp	orts and Verandahs
PO 14.1	DTS/DPF 14.1
Outbuildings are sited, designed and of a scale that maintain a pleasant natural and rural character and amenity.	Outbuildings:  (a) have a primary street setback that is at least as far back as the building to which it is ancillary  (b) have a combined total floor area that does not exceed 100m²  (c) have walls that do not exceed 5m in height measured from natural ground level not including a gable end  (d) have a total roof height that does not exceed 6m measured from natural ground level  (e) if clad in sheet metal, it is pre-colour treated or painted in a non-reflective colour  (f) will not result in more than 2 outbuildings on the same allotment.
PO 14.2	DTS/DPF 14.2

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
Carports and verandahs are sited, designed and of a scale to maintain a pleasant natural and rural character and amenity.	(a) are set back from the primary street at least as far back as the building to which it is ancillary  (b) have a total floor area that does not exceed 80m²  (c) have a post height that does not exceed 3m measured from natural ground level (not including a gable end)  (d) have a total roof height that does not exceed 5m measured from natural ground level  (e) if clad in sheet metal, the cladding is pre-colour treated or painted in a non-reflective colour.	
Concept Plans		
PO 15.1	DTS/DPF 15.1	
Development is compatible with the outcomes sought by any relevant Concept Plan contained within Part 12 - Concept Plans of the Planning and Design Code to support the orderly development of land through staging of development and provision of infrastructure.	The site of the development is wholly located outside any relevant Concept Plan boundary. The following Concept Plans are relevant:  In relation to DTS/DPF 15.1, in instances where:  (a) one or more Concept Plan is returned, refer to Part 12 - Concept Plans in the Planning and Design Code to determine if a Concept Plan is relevant to the site of the proposed development. Note: multiple concept plans may be relevant.  (b) in instances where 'no value' is returned, there is no relevant concept plan and DTS/DPF 15.1 is met.	
Advertis	sements	
PO 16.1  Freestanding advertisements that identify the associated business without creating a visually dominant element within the locality.	DTS/DPF 16.1  Freestanding advertisements:  (a) do not exceed 2m in height (b) do not have a sign face that exceeds 2m2 per side.	

# Table 5 - Procedural Matters (PM) - Notification

The following table identifies, pursuant to section 107(6) of the *Planning, Development and Infrastructure Act 2016*, classes of performance assessed development that are excluded from notification. The table also identifies any exemptions to the placement of notices when notification is required.

#### Interpretation

Notification tables exclude the classes of development listed in Column A from notification provided that they do not fall within a corresponding exclusion prescribed in Column B.

Where a development or an element of a development falls within more than one class of development listed in Column A, it will be excluded from notification if it is excluded (in its entirety) under any of those classes of development. It need not be excluded under all applicable classes of development.

Where a development involves multiple performance assessed elements, all performance assessed elements will require notification (regardless of whether one or more elements are excluded in the applicable notification table) unless every performance assessed element of the application is excluded in the applicable notification table, in which case the application will not require notification.

Class	Class of Development		Exceptions
(Colu	ımn A)		(Column B)
1	minor r	oment which, in the opinion of the relevant authority, is of a nature only and will not unreasonably impact on the owners piers of land in the locality of the site of the development.	None specified.
2		relopment involving any of the following (or of any lation of any of the following):	None specified.
	(a)	advertisement	
	(b)	agricultural building	
	(c)	air handling unit, air conditioning system or exhaust fan	
	(d)	ancillary accommodation	
	(e)	building work on railway land	
	(f)	carport	
	(g)	demolition	

cy2		P&D Code (in effect) Version 2023.3 16/02/2
	(h) dwelling	
	(i) dwelling addition	
	(j) farming	
	(k) horse keeping	
	(I) internal building work	
	(m) land division	
	(n) outbuilding	
	(o) private bushfire shelter	
	(p) protective tree netting structure	
	(q) replacement building	
	(r) retaining wall	
	(s) solar photovoltaic panels (roof mounted)	
	(t) shade sail	
	(u) swimming pool or spa pool	
	(v) temporary accommodation in an area affected by	
	bushfire	
	(w) tree damaging activity	
	(x) verandah	
	(y) water tank.	
	Any development involving any of the following (or of any	Event development that does not esticly any of the following:
	combination of any of the following):	Except development that does not satisfy any of the following:
	(a) industry	Productive Rural Landscape Zone DTS/DPF 4.1
	(b) store	Productive Rural Landscape Zone DTS/DPF 4.3.
	(c) warehouse.	2. Troductive Natal Editascape Zone 813/811 1.3.
4.	Demolition.	Except any of the following:
		Except any of the following:
		1. the demolition of a State or Local Heritage Place
		the demolition of a building (except an ancillary building) in a Historic
		Area Overlay.
5.	Function centre within The Cedars Subzone.	None specified.
6	Function centre.	
о.	runction centre.	Except function centre that does not satisfy Productive Rural Landscape Zon
		DTS/DPF 6.6.
7.	Horticulture.	
	**	Except horticulture that does not satisfy any of the following:
		1 Droductive Dural Landacana Zana DTC/DDC 2.4/4)
		Productive Rural Landscape Zone DTS/DPF 3.1(d)     Productive Rural Landscape Zone DTS/DPF 3.1(c)
		Productive Rural Landscape Zone DTS/DPF 3.1(e).
8.	Shop within The Cedars Subzone.	None specified.
9.	Shop.	
	In-	Except shop that does not satisfy any of the following:
		1 Droductive Dural Landacana Zana DTC/DDF C 1
		Productive Rural Landscape Zone DTS/DPF 6.1     Productive Rural Landscape Zone DTS/DPF 6.2
		2. Productive Rural Landscape Zone DTS/DPF 6.2.
10.	Tourist accommodation within The Cedars Subzone.	None specified.
11.	Tourist accommodation.	
-		Except tourist accommodation that does not to satisfy any of the following:
		Productive Rural Landscape Zone DTS/DPF 6.3
		Productive Rural Landscape Zone DTS/DPF 6.4.

None specified.

# Placement of Notices - Exemptions for Restricted Development

# Part 3 - Overlays

**Environment and Food Production Areas Overlay** 

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome		
DO 1		Protection of valuable rural, landscape, environmental and food production areas from urban encroachment.	

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
PO 1.1	DTS/DPF 1.1		
Land division undertaken in accordance with Section 7 of the <i>Planning</i> , Development and Infrastructure Act 2016.	None are applicable.		

# Procedural Matters (PM)

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
None	None	None	None

Hazards (Bushfire - High Risk) Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome					
DO 1	DO 1 Development, including land division is sited and designed to minimise the threat and impact of bushfires on life and property with regard to the following risks:					
	(a) potential for uncontrolled bushfire events taking into account the increased frequency and intensity of bushfires as a result of climate change					
	(b) high levels and exposure to ember attack (c) impact from burning debris					

Policy24	P&D Code (in effect) Version 2023.3 16/02/	2023
	(d) radiant heat (e) likelihood and direct exposure to flames from a fire front.	
DO 2	Activities that increase the number of people living and working in the area or where evacuation would be difficult is sited away from area unacceptable bushfire risk.	as of
DO 3	To facilitate access for emergency service vehicles to aid the protection of lives and assets from bushfire danger.	

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land	d Use
PO 1.1	DTS/DPF 1.1
Development that significantly increases the potential for fire outbreak as a result of the spontaneous combustion of materials, spark generation or through the magnification and reflection of light is not located in areas of unacceptable bushfire risk.	None are applicable.
PO 1.2	DTS/DPF 1.2
Pre-schools, educational establishments, hospitals, retirement and supported accommodation are sited away from areas of unacceptable bushfire risk and locations that:	None are applicable.
<ul> <li>(a) are remote from or require extended periods of travel to reach safer locations</li> <li>(b) don't have a safe path of travel to safer locations.</li> </ul>	
Sit	 ing
PO 2.1	DTS/DPF 2.1
Buildings and structures are located away from areas that pose an unacceptable bushfire risk as a result of vegetation cover and type, and terrain.	None are applicable.
Built	Form
PO 3.1	DTS/DPF 3.1
Buildings and structures are designed and configured to reduce the impact of bushfire through using designs that reduce the potential for trapping burning debris against or underneath the building or structure, or between the ground and building floor level in the case of transportable buildings and buildings on stilts.	None are applicable.
PO 3.2	DTS/DPF 3.2
Extensions to buildings, outbuildings and other ancillary structures are sited and constructed using materials to minimise the threat of fire spread to residential and tourist accommodation (including boarding houses, hostels, dormitory style accommodation, student accommodation and Workers' accommodation) in the event of bushfire.	Outbuildings and other ancillary structures are sited no closer than 6m from the habitable building.
Habitable	Buildings
PO 4.1	DTS/DPF 4.1
To minimise the threat, impact and potential exposure to bushfires on life and property, residential and tourist accommodation and habitable buildings for vulnerable communities (including boarding houses, hostels, dormitory style accommodation, student accommodation and workers' accommodation) is sited on the flatter portion of allotments away from steep slopes.	None are applicable.
PO 4.2	DTS/DPF 4.2

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Residential and tourist accommodation and habitable buildings for vulnerable communities (including boarding houses, hostels, dormitory style accommodation, student accommodation and workers' accommodation) is sited away from vegetated areas that pose an unacceptable bushfire risk.  PO 4.3	Residential and tourist accommodation and habitable buildings for vulnerable communities are provided with asset protection zone(s) in accordance with (a) and (b):  (a) the asset protection zone has a minimum width of at least:  (i) 50 metres to unmanaged grasslands  (ii) 100 metres to hazardous bushland vegetation  (b) the asset protection zone is contained wholly within the allotment of the development.
Residential and tourist accommodation and habitable buildings for vulnerable communities (including boarding houses, hostels, dormitory style accommodation, student accommodation and workers' accommodation) has a dedicated area available that:  (a) is capable of accommodating a bushfire protection system comprising firefighting equipment and water supply in accordance with Ministerial Building Standard MBS 008 - Designated bushfire prone areas - additional requirements  (b) includes the provision of an all-weather hardstand area in a location that:  (i) allows fire-fighting vehicles to safely access the dedicated water supply and exit the site in a forward direction  (ii) is no further than 6 metres from the dedicated water supply outlet(s) where required.	None are applicable.
Land I	Division T
Land division for residential and tourist accommodation and habitable buildings for vulnerable communities (including boarding houses, hostels, dormitory style accommodation, student accommodation and workers' accommodation) is limited to those areas specifically set aside for these uses.	None are applicable.
PO 5.2  Land division is designed and incorporates measures to minimise the danger of fire hazard to residents and occupants of buildings, and to protect buildings and property from physical damage in the event of a bush	DTS/DPF 5.2  None are applicable.
PO 5.3  Land division is designed to provide a continuous street pattern (avoiding the use of dead end roads/cul-de-sac road design) to facilitate the safe movement and evacuation of emergency vehicles, residents, occupants and visitors.  Where cul-de-sac / dead end roads are proposed, an alternative emergency evacuation route is provided.	DTS/DPF 5.3  None are applicable.
PO 5.4  Where 10 or more new allotments are proposed, land division includes at least two separate and safe exit points to enable multiple avenues of evacuation in the event of a bushfire.	DTS/DPF 5.4  None are applicable.
PO 5.5  Land division provides sufficient space for future asset protection zones and incorporates perimeter roads of adequate design in conjunction with bushfire buffer zones to achieve adequate separation between residential allotments and areas of unacceptable bushfire risk and to support safe access for the purposes of fire-fighting.	DTS/DPF 5.5  None are applicable.
Vehicle Access -Roads, I	Driveways and Fire Tracks
PO 6.1	DTS/DPF 6.1
(a) access, operation and evacuation of fire-fighting vehicles and emergency personnel  (b) evacuation of residents, occupants and visitors.	Roads:  (a) are constructed with a formed, all-weather surface (b) have a gradient of not more than 16 degrees (1-in-3.5) at any point along the road

point along the driveway  (v) have a crossfall of not more than 6 degrees (1-in-9.5) at any point along the driveway  (vi) have a minimum formed width of 3m (4m where the gradient of the driveway is steeper than 12 degrees (1-in-4.5)) plus 0.5 metres clearance either side of the driveway from overhanging branches or other obstructions, including buildings and/or structures (Figure 1)  (vii) incorporate passing bays with a minimum width of 6m and length of 17m every 200m (Figure 5)  (viii) provide overhead clearance of not less than 4.0m between the driveway surface and overhanging branches or other obstructions, including buildings and/or structures (Figure 1)  (ix) allow fire-fighting services (personnel and vehicles) to travel in a continuous forward movement around driveway curves by constructing the curves with a minimum external radius of 12.5m (Figure 2)  (x) allow fire-fighting vehicles to safely enter and exit an allotment in a forward direction by using a 'U' shaped drive through design or by incorporating at the end of the driveway either:  A. a loop road around the building or B. a turning area with a minimum radius of 12.5m (Figure 3)  or  C. a 'T' or 'Y' shaped turning area with a minimum	Policy24			P&D Code (in effect) Version 2023.3 16/02/2023
communication forward movement around road curves by constructing the curves with a minimum exemant addus of 125m (Figure 2).    2		(d) (e)	along the have a provide surface building	ne road minimum formed road width of 6m e overhead clearance of not less than 4.0m between the road and overhanging branches or other obstructions including gs and/or structures (Figure 1)
support fire fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes.    PO 6.2		(g)	continu the cur incorpo within a length a (i)	rous forward movement around road curves by constructing was with a minimum external radius of 12.5m (Figure 2) orating cul-de-sac endings or dead end roads are provided an alternative evacuation route and do not exceed 200m in and the end of the road has either:  a turning area with a minimum formed surface radius of 12.5m (Figure 3)  or  a 'T' or 'Y' shaped turning area with a minimum formed surface length of 11m and minimum internal radii of 9.5m (Figure 4)
Access to habitable buildings is designed and constructed to facilitate the safe and effective:  (a) use, operation and evacuation of fire-fighting and emergency personnel  (b) evacuation of residents, occupants and visitors.  (b) diverways:  (ii) do not exceed 600m in length  (iii) are constructed with a formed, all-weather surface  (iii) are connected to a formed, all-weather surface  (iii) are connected to a formed, all-weather public road with the transition are a between the road and driveway having a gradient of not more than 7 degrees (1-in-3.5) at any point along the driveway.  (v) have a crossfall of mot more than 16 degrees (1-in-3.5) at any point along the driveway.  (vi) have a minimum formed width of 3m draw here the gradient of the driveway surface and in the content of the driveway surface and in the content of the driveway surface.  (viii) in corporate passing bays with a minimum width of 6m and length of 17m every 200m (Figure 1)  (viii) corporate passing bays of structures (Figure 1)  (viii) corporate passing bays of structures (Figure 1)  (viii) corporate passing bays of structures (Figure 1)  (viii) corporate passing bays of the animum width of 6m and length of 17m every 200m (Figure 5)  (viii) provide overhead clearance of not less than 4.0m between the driveway surface and animum animum width of 6m and length of 17m every 200m (Figure 5)  (viii) corporate passing bays with a minimum width of 6m and length of 17m every 200m (Figure 3)  (viii) allow free fighting eventices to safely enter and exit an aliotment in a forward direction by using a U shaped drive through design or by Incorporating at the end of the driveway using a U shaped drive through design or by Incorporating at the end of the driveway either:  A a loop road around the building or  C a T or "shaped turning area with a minimum formed length of 11m and minimum internal radii of 9.5m (Figure 3)  (xi) incorporate solid, all-weather crossings over any watercourse that support fire-fighting vehicles to with a gross vehicle mass (G			suppor	t fire-fighting vehicles with a gross vehicle mass (GVM) of 21
and effective:  (a) use, operation and evacuation of fire-fighting and emergency personnel  (b) evacuation of residents, occupants and visitors.  (a) a clear and unobstructed vehicle or pedestrian pathway of not greater than 60 metres in length is available between the most distant part of the habitable building and the nearest part of a forme public access road of the wall and the nearest part of a forme public access road of the wall and the nearest part of a forme public access road of the wall and the nearest part of a forme public access road of the wall and the nearest part of a forme public access road of the wall and the nearest part of a forme public access road of the wall and the nearest part of a forme public access road of the wall and the public road with the transition area between the road and of writeway having a gradient of not more than 16 degrees (1-in-3.5) at any point along the driveway.  (v) have a gradient of not more than 16 degrees (1-in-9.5) at any point along the driveway.  (vi) have a minimum formed width of and my where the gradient of the driveway is steeper than 12 degrees (1-in-9.5) at any point along the driveway.  (vi) have a minimum formed width of and my where the gradient of the driveway is steeper than 12 degrees (1-in-9.5) at any point along the driveway.  (vii) have a minimum formed width of and my where the gradient of the driveway is steeper than 12 degrees (1-in-9.5) at any point along the driveway.  (vii) have a minimum formed degree of the driveway from the driveway is steeper than 12 degrees (1-in-9.5) at any point along the driveway.  (viii) have a minimum formed degree of the driveway from the driveway is steeper than 12 degrees (1-in-9.5) at any point along the driveway is steeper than 12 degrees (1-in-9.5) at any point along the driveway is steeper than 12 degrees (1-in-9.5) at any point along the driveway is steeper than 12 degrees (1-in-9.5) at any point along the driveway is steeper than 12 degrees (1-in-9.5) at any point along the driveway is steeper than 1	PO 6.2	DTS/DPF	6.2	
(a) use, operation and evacuation of fire-fighting and emergency personnel (b) evacuation of residents, occupants and visitors.  (b) evacuation of residents, occupants and visitors.  (c) do not exceed 600m in length (ii) are constructed with a formed, all-weather public road with the transition area between the road and driveway having a gradient of not more than 15 degrees (1-in-3.5) at any point along the driveway (v) have a gradient of not more than 16 degrees (1-in-3.5) at any point along the driveway (v) have a minimum formed width of 3m (4m where the gradient of the driveway is steeper than 12 degrees (1-in-4.5)) bus 0.5 metres cannee either side of the driveway from overhanging branches or other obstructions, including buildings and/or structife. Figure 1)  (vii) incorporate passing bays with a minimum width of 6m and length of 17m every 200m (Figure 5)  (viii) provide overhead clearance of not less than 4.0m between the driveway surface and overhanging branches or other obstructions, including buildings and/or structures (Figure 1)  (viii) incorporate passing bays with a minimum width of 6m and length of 17m every 200m (Figure 5)  (viii) provide overhead clearance of not less than 4.0m between the driveway surface and overhanging branches or other obstructions, including buildings and/or structures (Figure 1)  (viii) incorporate passing bays with a minimum external radius of 12.5m (Figure 2)  (viii) allow fire-fighting vehicles to safely enter and exit an allotment in a fromward direction by using a "U" shapped drive through design or by incorporating at the end of the driveway use ther:  A a loop road around the building or  C a "T or "' shapped turning area with a minimum formed length of 11m and minimum internal radii of 9.5m (Figure 4)  (xi) incorporate solid, all-weather crossings over any watercourse that support fire fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes.				
(b) driveways:  (i) do not exceed 600m in length  (ii) are constructed with a formed, all-weather surface  (iii) are constructed with a formed, all-weather surface  (iii) are constructed with a formed, all-weather surface  (iv) are constructed to a formed, all-weather surface  (v) have a gradient of not more than 7 degrees (1-in-3.5) at any point along the driveway  (v) have a crossfall of not more than 16 degrees (1-in-3.5) at any point along the driveway  (v) have a minimum formed width of 3m (4m where the gradient of the driveway is steeper than 12 degrees (1-in-4.5)) plus 0.5 metres clearance either side of the driveway from overhanging phraneses or other obstructions, including buildings and/or structures (Figure 1)  (vii) incorporate passing bays with a minimum width of 6m and length of 17m every 200m (Figure 5)  (viii) provide overhead clearance of not less than 4.0m between the driveway undersome and overhanging branches or other obstructions, including buildings and/or structures (Figure 1)  (x) allow fire-fighting services (personnel and vehicles) to other obstructions, including buildings and and vehicles) to capte of the driveway undersome overhead in a continuous forward movement around driveway curves by constructing this genyices (personnel and vehicles) to cycle of 12.5m (Figure 2)  (x) allow fire-fighting vehicles to safely enter and exit an allotment in a former direction by using a 'U' shaped drive through design or by incorporating at the end of the driveway either.  A a loop road around the building or  C a 'T' or' 'shaped turning area with a minimum formed length of 11m and minimum informed length of 11m and minimum internal radii o 9.5m (Figure 4)  (xi) incorporate solid, all-weather crossings over any watercourse that support fire-fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes.	personnel	(a)	greater distant	than 60 metres in length is available between the most part of the habitable building and the nearest part of a formed
(ii) are constructed with a formed, all-weather surface are connected to a formed, all-weather public road with the transition area between the road and driveway having a gradient of not more than 7 degrees (1-in-8) have a gradient of not more than 16 degrees (1-in-3.5) at any point along the driveway (V) have a crossfall of not more than 16 degrees (1-in-9.5) at any point along the driveway) (V) have a crossfall of not more than 6 degrees (1-in-9.5) at any point along the driveway) steeper than 12 degrees (1-in-4.5)) plus 0.5 metres clearance either side of the driveway from overhang branches or other obstructions, including buildings and/or structures (Figure 1) (Vii) incorporate passing bays with a minimum width of 6m and length of 17m every 200m (Figure 5) (Viii) provide overhead clearance of not less than 4.0m between the driveway surface and overhanging branches or other obstructions, including buildings and/or structures (Figure 1) (X) allow fire-fightes evices (personnel and vehicles) to travel in a continuous forward movement around driveway curves by constructing the curves with a minimum external radius of 12.5m (Figure 2) (X) allow fire-fighting vehicles to safely enter and exit an allotment in a forward direction by using a V5 shaped drive through design or by incorporating at the end of the driveway either.  A a loop road around the building or B a turning area with a minimum formed length of 11m and minimum internal radiu on 9.5m (Figure 3)  Or B. a turning area with a minimum internal radiu on 9.5m (Figure 3)  Incorporate sold, all-weather crossings over any watercourse that support fire-fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(b)		
transition area between the road and driveway having a gradient of not more than 7 degrees (1-in-8) have a gradient of not more than 16 degrees (1-in-9.5) at any point along the driveway  (v) have a croasfil of not more than 6 degrees (1-in-9.5) at any point along the driveway  (vi) have a minimum formed width of 3m (4m where the gradient of the vieway is steeper than 12 degrees (1-in-4.5)) plus 0.5 metres clearance either side of the driveway from overhangly branches or other obstructions, including buildings and/or structures (Figure 1)  (vii) incorporate passing bays with a minimum width of 6m and length of 17m every 200m (Figure 5)  (viii) provide overhead clearance of not less than 4.0m between the driveway surface and overhanging branches or other obstructions, including buildings and/or structures (Figure 1)  (ix) allow fire-fighting services (personnel and vehicles) to travel in a continuous forward movement around driveway ourves by constructing the curves with a minimum external radius of 12.5m (Figure 2)  (ix) allow fire-fighting vehicles to safely enter and exit an allotment in a forward direction by using a U' shaped drive through design or by incorporating at the end of the driveway either:  A a loop road around the building or  B. a turning area with a minimum radius of 12.5m (Figure 3)  or  C. a "To or "Y shaped turning area with a minimum formed length of 11m and minimum internal radii on 9.5m (Figure 4)  (ix) incorporate solid, all-weather crossings over any watercourse that support fire-fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes.				_
point along the driveway  (v) have a crossfall of not more than 6 degrees (1-in-9.5) at any point along the driveway  (vi) have a minimum formed width of 3m (4m where the gradient of the driveway is steeper than 12 degrees (1-in-4.5)) plus 0.5 metres clearance either side of the driveway from overhanging branches or other obstructions, including buildings and/or structures (Figure 1)  (vii) incorporate passing bays with a minimum width of 6m and length of 17m every 200m (Figure 5)  (viii) provide overhead clearance of not less than 4.0m between the driveway surface and overhanging branches or other obstructions, including buildings and/or structures (Figure 1)  (ix) allow fire-fighting services (personnel and vehicles) to travel in a continuous forward movement around driveway curves by constructing the curves with a minimum external radius of 12.5m (Figure 2)  (ix) allow fire-fighting vehicles to safely enter and exit an allotment in a forward direction by using a "U shaped drive through design or by incorporating at the end of the driveway either:  A a loop road around the building or  B. a turning area with a minimum radius of 12.5m (Figure 3)  or  C. a "T or "Y shaped turning area with a minimum formed length of 11m and minimum internal radii on 9.5m (Figure 4)  (xi) incorporate solid, all-weather crossings over any watercourse that support fire-fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes.				transition area between the road and driveway having a gradient of not more than 7 degrees (1-in-8)
point along the driveway  (vi) have a minimum formed width of 3m (4m where the gradient of the driveway is steeper than 12 degrees (1-in-4.5)) plus 0.5 metres clearance either side of the driveway from overhanging branches or other obstructions, including buildings and/or structures (Figure 1)  (vii) incorporate passing bays with a minimum width of 6m and length of 17m every 200m (Figure 5)  (viii) provide overhead clearance of not less than 4.0m between the driveway surface and overhanging branches or other obstructions, including buildings and/or structures (Figure 1)  (ix) allow fire-fighting services (personnel and vehicles) to travel in a continuous forward movement around driveway curves by constructing the curves with a minimum external radius of 12.5m (Figure 2)  (ix) allow fire-fighting vehicles to safely enter and exit an allotment in a forward direction by using a 'U' shaped drive through design or by incorporating at the end of the driveway either:  A. a loop road around the building or  B. a turning area with a minimum radius of 12.5m (Figure 3)  or  C. a 'T' or 'Y' shaped turning area with a minimum formed length of 11m and minimum internal radiu on 9.5m (Figure 3)  (xi) incorporate solid, all-weather crossings over any watercourse that support fire-fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes.				
gradient of the driveway is steeper than 12 degrees (1-in- 4.5) plus 0.5 metres clearance either side of the driveway from overhanging branches or other obstructions, including buildings and/or structures (Figure 1)  (vii) incorporate passing bays with a minimum width of 6m and length of 17m every 200m (Figure 5)  (viii) provide overhead clearance of not less than 4.0m between the driveway surface and overhanging branches or other obstructions, including buildings and/or structures (Figure 1)  (ix) allow fire-fighting services (personnel and vehicles) to travel in a continuous forward movement around driveway curves by constructing the curves with a minimum external radius of 12.5m (Figure 2)  (x) allow fire-fighting vehicles to safely enter and exit an allotment in a forward direction by using a 'U' shaped drive through design or by incorporating at the end of the driveway either:  A. a loop road around the building or  B. a turning area with a minimum radius of 12.5m (Figure 3) or  C. a 'T or 'Y' shaped turning area with a minimum formed length of 11m and minimum internal radii o 9.5m (Figure 4)  (xi) incorporate solid, all-weather crossings over any watercourse that support fire-fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes.				point along the driveway
length of 17m every 200m (Figure 5)  (viii) provide overhead clearance of not less than 4.0m between the driveway surface and overhanging branches or other obstructions, including buildings and/or structures (Figure 1)  (ix) allow fire-fighting services (personnel and vehicles) to travel in a continuous forward movement around driveway curves by constructing the curves with a minimum external radius of 12.5m (Figure 2)  (ix) allow fire-fighting vehicles to safely enter and exit an allotment in a forward direction by using a "U" shaped drive through design or by incorporating at the end of the driveway either:  A. a loop road around the building or  B. a turning area with a minimum radius of 12.5m (Figure 3)  or  C. a "T" or "Y" shaped turning area with a minimum formed length of 11m and minimum internal radii o 9.5m (Figure 4)  (xi) incorporate solid, all-weather crossings over any watercourse that support fire-fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes.			(VI)	gradient of the driveway is steeper than 12 degrees (1-in-4.5)) plus 0.5 metres clearance either side of the driveway from overhanging branches or other obstructions, including
the driveway surface and overhanging branches or other obstructions, including buildings and/or structures (Figure 1)  (ix) allow fire-fighting services (personnel and vehicles) to travel in a continuous forward movement around driveway curves by constructing the curves with a minimum external radius of 12.5m (Figure 2)  (x) allow fire-fighting vehicles to safely enter and exit an allotment in a forward direction by using a 'U' shaped drive through design or by incorporating at the end of the driveway either:  A. a loop road around the building or  B. a turning area with a minimum radius of 12.5m (Figure 3) or  C. a 'T' or 'Y' shaped turning area with a minimum formed length of 11m and minimum internal radii og 9.5m (Figure 4)  (xi) incorporate solid, all-weather crossings over any watercourse that support fire-fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes.			(vii)	
(ix) allow fire-fighting services (personnel and vehicles) to travel in a continuous forward movement around driveway curves by constructing the curves with a minimum external radius of 12.5m (Figure 2)  (x) allow fire-fighting vehicles to safely enter and exit an allotment in a forward direction by using a 'U' shaped drive through design or by incorporating at the end of the driveway either:  A. a loop road around the building or  B. a turning area with a minimum radius of 12.5m (Figure 3) or  C. a 'T' or 'Y' shaped turning area with a minimum formed length of 11m and minimum internal radii o 9.5m (Figure 4)  (xi) incorporate solid, all-weather crossings over any watercourse that support fire-fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes.			(viii)	the driveway surface and overhanging branches or other
allotment in a forward direction by using a "U" shaped drive through design or by incorporating at the end of the driveway either:  A. a loop road around the building or  B. a turning area with a minimum radius of 12.5m (Figure 3) or  C. a 'T' or 'Y' shaped turning area with a minimum formed length of 11m and minimum internal radii o 9.5m (Figure 4)  (Xi) incorporate solid, all-weather crossings over any watercourse that support fire-fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes.			(ix)	allow fire-fighting services (personnel and vehicles) to travel in a continuous forward movement around driveway curves by constructing the curves with a minimum external radius
or  B. a turning area with a minimum radius of 12.5m (Figure 3) or  C. a 'T' or 'Y' shaped turning area with a minimum formed length of 11m and minimum internal radii o 9.5m (Figure 4)  (xi) incorporate solid, all-weather crossings over any watercourse that support fire-fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes.			(x)	allotment in a forward direction by using a 'U' shaped drive through design or by incorporating at the end of the driveway either:
(Figure 3) or  C. a 'T' or 'Y' shaped turning area with a minimum formed length of 11m and minimum internal radii o 9.5m (Figure 4)  (xi) incorporate solid, all-weather crossings over any watercourse that support fire-fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes.				
formed length of 11m and minimum internal radii o 9.5m (Figure 4)  (xi) incorporate solid, all-weather crossings over any watercourse that support fire-fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes.				(Figure 3)
watercourse that support fire-fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes.				formed length of 11m and minimum internal radii of
PO 6.3 DTS/DPF 6.3			(xi)	watercourse that support fire-fighting vehicles with a gross
	PO 6.3	DTS/DPF	6.3	

Policy24		P&D Code (in effect) Version 2023.3 16/02/2023
Development does not rely on fire tracks as means of evacuation or access	None are applicable.	
for fire-fighting purposes unless there are no safe alternatives available.		

# Procedural Matters (PM) - Referrals


The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Except if a <i>relevant certificate</i> accompanies the application for planning consent in respect of the development, any of the following classes of development (including alterations and additions which increase the floor area of such buildings by 10% or more):  (a) land division creating one or more additional allotments (b) dwelling (c) ancillary accommodation (d) residential flat building (e) tourist accommodation (f) boarding home (g) dormitory style accommodation (h) workers' accommodation (i) student accommodation (j) pre-school (k) educational establishment (l) retirement village (m) supported accommodation (n) residential park (o) hospital (p) camp ground.	South Australian Country Fire Service.	To provide expert assessment and direction to the relevant authority on the potential impacts of bushfire on the development.	Development of a class to which Schedule 9 clause 3 item 2 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

# Figures and Diagrams

F	ire Appliance Clearances				
---	--------------------------	--	--	--	--

Figure 1 - Overhead and Side Clearances



#### Roads and Driveway Design

Figure 2 - Road and Driveway Curves




Figure 3 - Full Circle Turning Area





Figure 4 - 'T' or 'Y' Shaped Turning Head



"T" shaped turning area for fire trucks to reverse into so they can turn around

- minimum length 11m.





Figure 5 - Driveway Passing Bays

Passing bay for fire trucks - minimum width 6 metres, minimum length 17 metres.



Hazards (Flooding - Evidence Required) Overlay

**Assessment Provisions (AP)** 

Desired Outcome (DO)

# Desired Outcome Development adopts a precautionary approach to mitigate potential impacts on people, property, infrastructure and the environment from potential flood risk through the appropriate siting and design of development.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Flood R	esilience	
PO 1.1  Development is sited, designed and constructed to minimise the risk of entry of potential floodwaters where the entry of flood waters is likely to result in undue damage to or compromise ongoing activities within buildings.	DTS/DPF 1.1  Habitable buildings, commercial and industrial buildings, and buildings used for animal keeping incorporate a finished floor level at least 300mm above:  (a) the highest point of top of kerb of the primary street or  (b) the highest point of natural ground level at the primary street boundary where there is no kerb	
PO 2.1	tal Protection  DTS/DPF 2.1	
Buildings and structures used either partly or wholly to contain or store hazardous materials are designed to prevent spills or leaks leaving the confines of the building.	Development does not involve the storage of hazardous materials.	

#### Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
None	None	None	None

#### Heritage Adjacency Overlay

#### Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Development adjacent to State and Local Heritage Places maintains the heritage and cultural values of those Places.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Buil	t Form
PO 1.1 DTS/DPF 1.1	

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Development adjacent to a State or Local Heritage Place does not dominate, encroach on or unduly impact on the setting of the Place.	None are applicable.
Land	Division
PO 2.1	DTS/DPF 2.1
Land division adjacent to a State or Local Heritage Place creates allotments that are of a size and dimension that enables the siting and setbacks of new buildings from allotment boundaries so that they do not dominate, encroach or unduly impact on the setting of the Place.	None are applicable.

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Development that may materially affect the context of a State Heritage Place.	Minister responsible for the administration of the Heritage Places Act 1993.	To provide expert assessment and direction to the relevant authority on the potential impacts of development adjacent State Heritage Places.	Development of a class to which Schedule 9 clause 3 item 17 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

#### **Limited Land Division Overlay**

#### Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome	
DO 1	The long term use of land for primary production is maintained by minimising fragmentation through division of land.	

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Ger	neral
PO 1.1	DTS/DPF 1.1
Land division does not result in the creation of an additional allotment.	No additional allotments are created.
PO 1.2	DTS/DPF 1.2
Land division involving boundary realignments occurs only where the number of resulting allotments with a site area less than that specified in the relevant Zone is not greater than the number that existed prior to the realignment.	None are applicable.

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
None	None	None	None

#### **Native Vegetation Overlay**

#### Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Areas of native vegetation are protected, retained and restored in order to sustain biodiversity, threatened species and vegetation communities, fauna habitat, ecosystem services, carbon storage and amenity values.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Environmen	tal Protection
PO 1.1	DTS/DPF 1.1
Development avoids, or where it cannot be practically avoided, minimises the clearance of native vegetation taking into account the siting of buildings, access points, bushfire protection measures and building maintenance.	An application is accompanied by:  (a) a declaration stating that the proposal will not, or would not, involve clearance of native vegetation under the Native Vegetation Act 1991, including any clearance that may occur:  (i) in connection with a relevant access point and / or driveway  (ii) within 10m of a building (other than a residential building or tourist accommodation)  (iii) within 20m of a dwelling or addition to an existing dwelling for fire prevention and control  (iv) within 50m of residential or tourist accommodation in connection with a requirement under a relevant overlay to establish an asset protection zone in a bushfire prone area  or  (b) a report prepared in accordance with Regulation 18(2)(a) of the Native Vegetation Regulations 2017 that establishes that the clearance is categorised as 'Level 1 clearance'.
PO 1.2	DTS/DPF 1.2
Native vegetation clearance in association with development avoids the following:	None are applicable.
<ul> <li>(a) significant wildlife habitat and movement corridors</li> <li>(b) rare, vulnerable or endangered plants species</li> <li>(c) native vegetation that is significant because it is located in an area which has been extensively cleared</li> </ul>	

Policy24	P&D Code (in effect) Version 2023.3 16/02/202
(d) native vegetation that is growing in, or in association with, a wetland environment.	
01.3	DTS/DPF 1.3
ntensive animal husbandry and agricultural activities are sited, set back and designed to minimise impacts on native vegetation, including impacts on native vegetation in an adjacent State Significant Native Vegetation Area, from:  (a) the spread of pest plants and phytophthora (b) the spread of non-indigenous plants species (c) excessive nutrient loading of the soil or loading arising from surface water runoff (d) soil compaction (e) chemical spray drift.	Development within 500 metres of a boundary of a State Significant Native Vegetation Area does not involve any of the following:  (a) horticulture (b) intensive animal husbandry (c) dairy (d) commercial forestry (e) aquaculture.
01.4	DTS/DPF 1.4
Development restores and enhances biodiversity and habitat values through revegetation using locally indigenous plant species.	None are applicable.
Land o	livision
PO 2.1	DTS/DPF 2.1
Land division does not result in the fragmentation of land containing native vegetation, or necessitate the clearance of native vegetation, unless such clearance is considered minor, taking into account the location of allotment boundaries, access ways, fire breaks, boundary fencing and potential building siting or the like.	Land division where:  (a) an application is accompanied by one of the following:  (i) a declaration stating that none of the allotments in the proposed plan of division contain native vegetation under the Native Vegetation Act 1991  (ii) a declaration stating that no native vegetation clearance under the Native Vegetation Act 1991 will be required as a result of the division of land  (iii) a report prepared in accordance with Regulation 18(2)(a) of the Native Vegetation Regulations 2017 that establishes that the vegetation to be cleared is categorised as 'Level 1 clearance'
	or  (b) an application for land division which is being considered concurrently with a proposal to develop each allotment which will satisfy, or would satisfy, the requirements of DTS/DPF 1.1, including any clearance that may occur or  (c) the division is to support a Heritage Agreement under the Native Vegetation Act 1991 or the Heritage Places Act 1993.

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Development that is the subject of a report prepared in accordance with Regulation 18(2)(a) of the <i>Native Vegetation Regulations 2017</i> that categorises the clearance, or potential clearance, as 'Level 3 clearance' or 'Level 4 clearance'.	Native Vegetation Council	To provide expert assessment and direction to the relevant authority on the potential impacts of development on native vegetation.	Development of a class to which Schedule 9 clause 3 item 11 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

#### Prescribed Wells Area Overlay

#### Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Sustainable water use in prescribed wells areas.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1  All development, but in particular involving any of the following:	DTS/DPF 1.1  Development satisfies either of the following:
(a) horticulture (b) activities requiring irrigation (c) aquaculture (d) industry (e) intensive animal husbandry (f) commercial forestry  has a lawful, sustainable and reliable water supply that does not place undue strain on water resources in prescribed wells areas.	<ul> <li>(a) the applicant has a current water licence in which sufficient spare capacity exists to accommodate the water needs of the proposed use or</li> <li>(b) the proposal does not involve the taking of water for which a licence would be required under the Landscape South Australia Act 2019.</li> </ul>

#### Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
Any of the following classes of development that require or may require water to be taken in addition to any allocation that has already been granted under the Landscape South Australia Act 2019:  (a) horticulture (b) activities requiring irrigation (c) aquaculture (d) industry (e) intensive animal husbandry (f) commercial forestry.  Commercial forestry that requires a forest water licence under Part 8 Division 6 of the Landscape South Australia Act 2019.	The Chief Executive of the Department of the Minister responsible for the administration of the Landscape South Australia Act 2019.	To provide expert technical assessment and direction to the relevant authority on the taking of water to ensure development is undertaken sustainably.	Development of a class to which Schedule 9 clause 3 item 13 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

#### **Traffic Generating Development Overlay**

#### Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	DO 1 Safe and efficient operation of Urban Transport Routes and Major Urban Transport Routes for all road users.	
DO 2	Provision of safe and efficient access to and from urban transport routes and major urban transport routes.	

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

Performance Outcome	Deemed-to-Satisfy Criteria /		
	Designated Performance Feature		
Traffic Generati	ing Development		
PO 1.1	DTS/DPF 1.1		
Development designed to minimise its potential impact on the safety, efficiency and functional performance of the State Maintained Road network.	Access is obtained directly from a State Maintained Road where it involves any of the following types of development:		
	<ul> <li>(a) land division creating 50 or more additional allotments</li> <li>(b) commercial development with a gross floor area of 10,000m2 or more</li> <li>(c) retail development with a gross floor area of 2,000m2 or more</li> <li>(d) a warehouse or transport depot with a gross leasable floor area of 8,000m2 or more</li> <li>(e) industry with a gross floor area of 20,000m2 or more</li> <li>(f) educational facilities with a capacity of 250 students or more.</li> </ul>		
PO 1.2	DTS/DPF 1.2		
Access points sited and designed to accommodate the type and volume of traffic likely to be generated by development.	Access is obtained directly from a State Maintained Road where it involves any of the following types of development:		
	<ul> <li>(a) land division creating 50 or more additional allotments</li> <li>(b) commercial development with a gross floor area of 10,000m2 or more</li> <li>(c) retail development with a gross floor area of 2,000m2 or more</li> <li>(d) a warehouse or transport depot with a gross leasable floor area of 8,000m2 or more</li> <li>(e) industry with a gross floor area of 20,000m2 or more</li> <li>(f) educational facilities with a capacity of 250 students or more.</li> </ul>		
PO 1.3	DTS/DPF 1.3		
Sufficient accessible on-site queuing provided to meet the needs of the development so that queues do not impact on the State Maintained Road network.	Access is obtained directly from a State Maintained Road where it involves any of the following types of development:  (a) land division creating 50 or more additional allotments		
	(b) commercial development with a gross floor area of 10,000m2 or more		
	(c) retail development with a gross floor area of 2,000m2 or more (d) a warehouse or transport depot with a gross leasable floor area of 8,000m2 or more		
	(e) industry with a gross floor area of 20,000m2 or more (f) educational facilities with a capacity of 250 students or more.		

#### Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of

the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class o	f Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
met, any of the following proposed within 250m  (a) land division or (b) commercial de 10,000m² or more  (c) retail developm or more  (d) a warehouse of floor area of 8, (e) industry with a	relevant deemed-to-satisfy criteria are ng classes of development that are of a State Maintained Road: reating 50 or more additional allotments evelopment with a gross floor area of nore ment with a gross floor area of 2,000m <sup>2</sup> or transport depot with a gross leasable 000m <sup>2</sup> or more gross floor area of 20,000m <sup>2</sup> or more dilities with a capacity of 250 students or	Commissioner of Highways.	To provide expert technical assessment and direction to the Relevant Authority on the safe and efficient operation and management of all roads relevant to the Commissioner of Highways as described in the Planning and Design Code.	Development of a class to which Schedule 9 clause 3 item 7 of the Planning, Development and Infrastructure (General) Regulations 2017 applies.

#### Water Resources Overlay

#### Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome		
DO 1	Protection of the quality of surface waters considering adverse water quality impacts associated with projected reductions in rainfall and warmer air temperatures as a result of climate change.		
DO 2	Maintain the conveyance function and natural flow paths of watercourses to assist in the management of flood waters and stormwater runoff.		

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Water C	atchment
PO 1.1	DTS/DPF 1.1
Watercourses and their beds, banks, wetlands and floodplains (1% AEP flood extent) are not damaged or modified and are retained in their natural state, except where modification is required for essential access or maintenance purposes.	None are applicable.
PO 1.2	DTS/DPF 1.2
Development avoids interfering with the existing hydrology or water regime of swamps and wetlands other than to improve the existing conditions to enhance environmental values.	None are applicable.
PO 1.3	DTS/DPF 1.3
Wetlands and low-lying areas providing habitat for native flora and fauna are not drained, except temporarily for essential management purposes to enhance environmental values.	None are applicable.

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 1.4	DTS/DPF 1.4
Watercourses, areas of remnant native vegetation, or areas prone to erosion that are capable of natural regeneration are fenced off to limit stock access.	None are applicable.
PO 1.5	DTS/DPF 1.5
Development that increases surface water run-off includes a suitably sized strip of vegetated land on each side of a watercourse to filter runoff to:	A strip of land 20m or more wide measured from the top of existing banks on each side of the watercourse is free from development, livestock use and revegetated with locally indigenous vegetation.
<ul><li>(a) reduce the impacts on native aquatic ecosystems</li><li>(b) minimise soil loss eroding into the watercourse.</li></ul>	revegetated with locally indigenous vegetation.
PO 1.6	DTS/DPF 1.6
Development resulting in the depositing or placing of an object or solid material in a watercourse or lake occurs only where it involves any of the following:	None are applicable.
<ul> <li>(a) the construction of an erosion control structure</li> <li>(b) devices or structures used to extract or regulate water flowing in a watercourse</li> <li>(c) devices used for scientific purposes</li> <li>(d) the rehabilitation of watercourses.</li> </ul>	
PO 1.7	DTS/DPF 1.7
Watercourses, floodplains (1% AEP flood extent) and wetlands protected and enhanced by retaining and protecting existing native vegetation.	None are applicable.
PO 1.8	DTS/DPF 1.8
Watercourses, floodplains (1% AEP flood extent) and wetlands are protected and enhanced by stabilising watercourse banks and reducing sediments and nutrients entering the watercourse.	None are applicable.
PO 1.9	DTS/DPF 1.9
Dams, water tanks and diversion drains are located and constructed to maintain the quality and quantity of flows required to meet environmental and downstream needs.	None are applicable.

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

Class of Development / Activity	Referral Body	Purpose of Referral	Statutory Reference
None	None	None	None

## Part 4 - General Development Policies

#### **Advertisements**

#### Assessment Provisions (AP)

Desired Outcome (DO)

# DO 1 Advertisements and advertising hoardings are appropriate to context, efficient and effective in communicating with the public, limited in number to avoid clutter, and do not create hazard.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
	arance
Advertisements are compatible and integrated with the design of the building	DTS/DPF 1.1  Advertisements attached to a building satisfy all of the following:
and/or land they are located on.	(a) are not located in a Neighbourhood-type zone (b) where they are flush with a wall: (i) if located at canopy level, are in the form of a fascia sign (ii) if located above canopy level: A. do not have any part rising above parapet height B. are not attached to the roof of the building
	(c) where they are not flush with a wall:  (i) if attached to a verandah, no part of the advertisement protrudes beyond the outer limits of the verandah structure  (ii) if attached to a two-storey building:  A. has no part located above the finished floor level of the second storey of the building  B. does not protrude beyond the outer limits of any verandah structure below  C. does not have a sign face that exceeds 1m2 per side.
	(d) if located below canopy level, are flush with a wall  (e) if located at canopy level, are in the form of a fascia sign  (f) if located above a canopy:  (i) are flush with a wall  (ii) do not have any part rising above parapet height  (iii) are not attached to the roof of the building.  (g) if attached to a verandah, no part of the advertisement protrudes beyond the outer limits of the verandah structure
	(h) if attached to a two-storey building, have no part located above the finished floor level of the second storey of the building  (i) where they are flush with a wall, do not, in combination with any other existing sign, cover more than 15% of the building facade to which they are attached.
PO 1.2  Advertising hoardings do not disfigure the appearance of the land upon which	DTS/DPF 1.2  Where development comprises an advertising hoarding, the supporting
they are situated or the character of the locality.	structure is:  (a) concealed by the associated advertisement and decorative detailing or  (b) not visible from an adjacent public street or thoroughfare, other than a support structure in the form of a single or dual post design.
PO 1.3	DTS/DPF 1.3
Advertising does not encroach on public land or the land of an adjacent allotment.	Advertisements and/or advertising hoardings are contained within the boundaries of the site.
PO 1.4	DTS/DPF 1.4
Where possible, advertisements on public land are integrated with existing	Advertisements on public land that meet at least one of the following:

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
structures and infrastructure.	(2)
	(a) achieves Advertisements DTS/DPF 1.1 (b) are integrated with a bus shelter.
	are integrated with a bus shelter.
PO 1.5	DTS/DPF 1.5
Advertisements and/or advertising hoardings are of a scale and size appropriate to the character of the locality.	None are applicable.
Proliferation of	Advertisements
PO 2.1	DTS/DPF 2.1
Proliferation of advertisements is minimised to avoid visual clutter and untidiness.	No more than one freestanding advertisement is displayed per occupancy.
PO 2.2	DTS/DPF 2.2
Multiple business or activity advertisements are co-located and coordinated to avoid visual clutter and untidiness.	Advertising of a multiple business or activity complex is located on a single advertisement fixture or structure.
PO 2.3	DTS/DPF 2.3
Proliferation of advertisements attached to buildings is minimised to avoid visual clutter and untidiness.	Advertisements satisfy all of the following:
	<ul> <li>(a) are attached to a building</li> <li>(b) other than in a Neighbourhood-type zone, where they are flush with a wall, cover no more than 15% of the building facade to which they are attached</li> <li>(c) do not result in more than one sign per occupancy that is not flush with a wall.</li> </ul>
	With a Wall.
Advertisir	g Content
PO 3.1	DTS/DPF 3.1
Advertisements are limited to information relating to the lawful use of land they are located on to assist in the ready identification of the activity or activities on the land and avoid unrelated content that contributes to visual clutter and untidiness.	Advertisements contain information limited to a lawful existing or proposed activity or activities on the same site as the advertisement.
Amenity	Impacts
PO 4.1	DTS/DPF 4.1
Light spill from advertisement illumination does not unreasonably compromise the amenity of sensitive receivers.	Advertisements do not incorporate any illumination.
Sat	ety
PO 5.1	DTS/DPF 5.1
Advertisements and/or advertising hoardings erected on a verandah or projecting from a building wall are designed and located to allow for safe and convenient pedestrian access.	Advertisements have a minimum clearance of 2.5m between the top of the footpath and base of the underside of the sign.
PO 5.2	DTS/DPF 5.2
Advertisements and/or advertising hoardings do not distract or create a hazard to drivers through excessive illumination.	No advertisement illumination is proposed.
PO 5.3	DTS/DPF 5.3
Advertisements and/or advertising hoardings do not create a hazard to	Advertisements satisfy all of the following:
drivers by:	-
<ul> <li>(a) being liable to interpretation by drivers as an official traffic sign or signal</li> <li>(b) obscuring or impairing drivers' view of official traffic signs or signals</li> <li>(c) obscuring or impairing drivers' view of features of a road that are</li> </ul>	(a) are not located in a public road or rail reserve  (b) are located wholly outside the land shown as 'Corner Cut-Off Area' in the following diagram
potentially hazardous (such as junctions, bends, changes in width and traffic control devices) or other road or rail vehicles at/or approaching level crossings.	Corner Cut- Off Area  Allotment Boundary  Allotment Boundary  Road Reserve

Policy24 P&D Code (in effect) Version 2023.3 16	
PO 5.4	DTS/DPF 5.4
Advertisements and/or advertising hoardings do not create a hazard by distracting drivers from the primary driving task at a location where the demands on driver concentration are high.	Advertisements and/or advertising hoardings are not located along or adjacent to a road having a speed limit of 80km/h or more.
PO 5.5	DTS/DPF 5.5
Advertisements and/or advertising hoardings provide sufficient clearance from the road carriageway to allow for safe and convenient movement by all road users.	<ul> <li>(a) on a kerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 0.6m from the roadside edge of the kerb</li> <li>(b) on an unkerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 5.5m from the edge of the seal</li> <li>(c) on any other kerbed or unkerbed road, the advertisement or advertising hoarding is located a minimum of the following distance from the roadside edge of the kerb or the seal:</li> <li>(a) 110 km/h road - 14m</li> <li>(b) 100 km/h road - 13m</li> <li>(c) 90 km/h road - 10m</li> <li>(d) 70 or 80 km/h road - 8.5m.</li> </ul>
PO 5.6 Advertising near signalised intersections does not cause unreasonable distraction to road users through illumination, flashing lights, or moving or changing displays or messages.	DTS/DPF 5.6  Advertising:  (a) is not illuminated  (b) does not incorporate a moving or changing display or message  (c) does not incorporate a flashing light(s).

### Animal Keeping and Horse Keeping

#### Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome
Animals are kept at a density that is not beyond the carrying capacity of the land and in a manner that minimises their adverse effects on the environment, local amenity and surrounding development.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Siting an	d Design
PO 1.1	DTS/DPF 1.1
Animal keeping, horse keeping and associated activities do not create adverse impacts on the environment or the amenity of the locality.	None are applicable.
PO 1.2	DTS/DPF 1.2
Animal keeping and horse keeping is located and managed to minimise the potential transmission of disease to other operations where animals are kept.	None are applicable.
Horse Keeping	
PO 2.1	DTS/DPF 2.1

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Water from stable wash-down areas is directed to appropriate absorption areas and/or drainage pits to minimise pollution of land and water.	None are applicable.
PO 2.2	DTS/DPF 2.2
Stables, horse shelters or associated yards are sited appropriate distances away from sensitive receivers and/or allotments in other ownership to avoid adverse impacts from dust, erosion and odour.	Stables, horse shelters and associated yards are sited in accordance with all of the following:  (a) 30m or more from any sensitive receivers (existing or approved) on land in other ownership  (b) where an adjacent allotment is vacant and in other ownership, 30m or more from the boundary of that allotment.
PO 2.3	DTS/DPF 2.3
All areas accessible to horses are separated from septic tank effluent disposal areas to protect the integrity of that system. Stable flooring is constructed with an impervious material to facilitate regular cleaning.	Septic tank effluent disposal areas are enclosed with a horse-proof barrier such as a fence to exclude horses from this area.
PO 2.4	DTS/DPF 2.4
To minimise environmental harm and adverse impacts on water resources, stables, horse shelters and associated yards are appropriately set back from a watercourse.	Stables, horse shelters and associated yards are set back 50m or more from a watercourse.
PO 2.5	DTS/DPF 2.5
Stables, horse shelters and associated yards are located on slopes that are stable to minimise the risk of soil erosion and water runoff.	Stables, horse shelters and associated yards are not located on land with a slope greater than 10% (1-in-10).
Ker	nnels
PO 3.1	DTS/DPF 3.1
Kennel flooring is constructed with an impervious material to facilitate regular cleaning.	The floors of kennels satisfy all of the following:  (a) are constructed of impervious concrete  (b) are designed to be self-draining when washed down.
PO 3.2	DTS/DPF 3.2
Kennels and exercise yards are designed and sited to minimise noise nuisance to neighbours through measures such as:	Kennels are sited 500m or more from the nearest sensitive receiver on land in other ownership.
<ul><li>(a) adopting appropriate separation distances</li><li>(b) orientating openings away from sensitive receivers.</li></ul>	
PO 3.3	DTS/DPF 3.3
Dogs are regularly observed and managed to minimise nuisance impact on adjoining sensitive receivers from animal behaviour.	Kennels are sited in association with a permanent dwelling on the land.
Wa	istes
PO 4.1	DTS/DPF 4.1
Storage of manure, used litter and other wastes (other than wastewater lagoons) is designed, constructed and managed to minimise attracting and harbouring vermin.	None are applicable.
PO 4.2	DTS/DPF 4.2
Facilities for the storage of manure, used litter and other wastes (other than wastewater lagoons) are located to minimise the potential for polluting water resources.	Waste storage facilities (other than wastewater lagoons) are located outside the 1% AEP flood event areas.

### Aquaculture

#### Assessment Provisions (AP)

Desired Outcome (DO)

# Desired Outcome DO 1 Aquaculture facilities are developed in an ecologically, economically and socially sustainable manner to support an equitable sharing of marine, coastal and inland resources and mitigate conflict with other water-based and land-based uses.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Land-based	Aquaculture	
PO 1.1	DTS/DPF 1.1	
Land-based aquaculture and associated components are sited and designed to mitigate adverse impacts on nearby sensitive receivers.	Land-based aquaculture and associated components are located to satisfy all of the following:	
	<ul> <li>(a) 200m or more from a sensitive receiver in other ownership</li> <li>(b) 500m or more from the boundary of a zone primarily intended to accommodate sensitive receivers.</li> </ul>	
PO 1.2	DTS/DPF 1.2	
Land-based aquaculture and associated components are sited and designed to prevent surface flows from entering ponds in a 1% AEP sea flood level event.	None are applicable.	
PO 1.3	DTS/DPF 1.3	
Land-based aquaculture and associated components are sited and designed to prevent pond leakage that would pollute groundwater.	None are applicable.	
PO 1.4	DTS/DPF 1.4	
Land-based aquaculture and associated components are sited and designed to prevent farmed species escaping and entering into any waters.	None are applicable.	
PO 1.5	DTS/DPF 1.5	
Land-based aquaculture and associated components, including intake and discharge pipes, are designed to minimise the need to traverse sensitive areas to minimise impact on the natural environment.	None are applicable.	
PO 1.6	DTS/DPF 1.6	
Pipe inlets and outlets associated with land-based aquaculture are sited and designed to minimise the risk of disease transmission.	None are applicable.	
PO 1.7	DTS/DPF 1.7	
Storage areas associated with aquaculture activity are integrated with the use of the land and sited and designed to minimise their visual impact on the surrounding environment.	None are applicable.	
Marine Based Aquaculture		
PO 2.1	DTS/DPF 2.1	
Marine aquaculture is sited and designed to minimise its adverse impacts on sensitive ecological areas including:	None are applicable.	
(a) creeks and estuaries		
(b) wetlands		
<ul> <li>significant seagrass and mangrove communities</li> <li>marine habitats and ecosystems.</li> </ul>		
PO 2.2	DTS/DPF 2.2	
Marine aquaculture is sited in areas with adequate water current to disperse	None are applicable.	

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
sediments and dissolve particulate wastes to prevent the build-up of waste that may cause environmental harm.	
PO 2.3	DTS/DPF 2.3
Marine aquaculture is designed to not involve discharge of human waste on the site, on any adjacent land or into nearby waters.	None are applicable.
PO 2.4	DTS/DPF 2.4
Marine aquaculture (other than inter-tidal aquaculture) is located an appropriate distance seaward of the high water mark.	Marine aquaculture development is located 100m or more seaward of the high water mark.
PO 2.5	DTS/DPF 2.5
Marine aquaculture is sited and designed to not obstruct or interfere with:	None are applicable.
<ul> <li>(a) areas of high public use</li> <li>(b) areas, including beaches, used for recreational activities such as swimming, fishing, skiing, sailing and other water sports</li> <li>(c) areas of outstanding visual or environmental value</li> <li>(d) areas of high tourism value</li> <li>(e) areas of important regional or state economic activity, including commercial ports, wharfs and jetties</li> <li>(f) the operation of infrastructure facilities including inlet and outlet pipes associated with the desalination of sea water.</li> </ul>	
PO 2.6	DTS/DPF 2.6
Marine aquaculture is sited and designed to minimise interference and obstruction to the natural processes of the coastal and marine environment.	None are applicable.
PO 2.7	DTS/DPF 2.7
Marine aquaculture is designed to be as unobtrusive as practicable by incorporating measures such as:	None are applicable.
<ul> <li>(a) using feed hoppers painted in subdued colours and suspending them as close as possible to the surface of the water</li> <li>(b) positioning structures to protrude the minimum distance practicable above the surface of the water</li> <li>(c) avoiding the use of shelters and structures above cages and platforms unless necessary to exclude predators and protected species from interacting with the farming structures and/or stock inside the cages, or for safety reasons</li> <li>(d) positioning racks, floats and other farm structures in unobtrusive locations landward from the shoreline.</li> </ul>	
PO 2.8	DTS/DPF 2.8
Access, launching and maintenance facilities utilise existing established roads, tracks, ramps and paths to or from the sea where possible to minimise environmental and amenity impacts.	None are applicable.
PO 2.9	DTS/DPF 2.9
Access, launching and maintenance facilities are developed as common user facilities and are co-located where practicable to mitigate adverse impacts on coastal areas.	None are applicable.
PO 2.10	DTS/DPF 2.10
Marine aquaculture is sited to minimise potential impacts on, and to protect the integrity of, reserves under the <i>National Parks and Wildlife Act 1972</i> .	Marine aquaculture is located 1000m or more seaward of the boundary of any reserve under the <i>National Parks and Wildlife Act 1972</i> .
PO 2.11	DTS/DPF 2.11
Onshore storage, cooling and processing facilities do not impair the coastline and its visual amenity by:	None are applicable.
<ul> <li>(a) being sited, designed, landscaped and of a scale to reduce the overall bulk and appearance of buildings and complement the coastal landscape</li> <li>(b) making provision for appropriately sited and designed vehicular access arrangements, including using existing vehicular access arrangements as far as practicable</li> </ul>	

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
(c) incorporating appropriate waste treatment and disposal.		
Navigation	and Safety	
PO 3.1	DTS/DPF 3.1	
Marine aquaculture sites are suitably marked to maintain navigational safety.	None are applicable.	
PO 3.2	DTS/DPF 3.2	
Marine aquaculture is sited to provide adequate separation between farms for safe navigation.	None are applicable.	
Environmental Management		
PO 4.1	DTS/DPF 4.1	
Marine aquaculture is maintained to prevent hazards to people and wildlife, including breeding grounds and habitats of native marine mammals and terrestrial fauna, especially migratory species.	None are applicable.	
PO 4.2	DTS/DPF 4.2	
Marine aquaculture is designed to facilitate the relocation or removal of structures in the case of emergency such as oil spills, algal blooms and altered water flows.	None are applicable.	
PO 4.3	DTS/DPF 4.3	
Marine aquaculture provides for progressive or future reclamation of disturbed areas ahead of, or upon, decommissioning.	None are applicable.	
PO 4.4	DTS/DPF 4.4	
Aquaculture operations incorporate measures for the removal and disposal of litter, disused material, shells, debris, detritus, dead animals and animal waste to prevent pollution of waters, wetlands, or the nearby coastline.	None are applicable.	

### **Beverage Production in Rural Areas**

#### Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Mitigation of potential amenity and environmental impacts of value-adding beverage production facilities such as wineries, distilleries, cideries and breweries.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Odour a	and Noise
PO 1.1	DTS/DPF 1.1
Beverage production activities are designed and sited to minimise odour impacts on rural amenity.	None are applicable.
PO 1.2	DTS/DPF 1.2
Beverage production activities are designed and sited to minimise noise	None are applicable.

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
impacts on sensitive receivers.	
PO 1.3	DTS/DPF 1.3
Fermentation, distillation, manufacturing, storage, packaging and bottling activities occur within enclosed buildings to improve the visual appearance within a locality and manage noise associated with these activities.	None are applicable.
PO 1.4	DTS/DPF 1.4
Breweries are designed to minimise odours emitted during boiling and fermentation stages of production.	Brew kettles are fitted with a vapour condenser.
PO 1.5	DTS/DPF 1.5
Beverage production solid wastes are stored in a manner that minimises odour impacts on sensitive receivers in other ownership.	Solid waste from beverage production is collected and stored in sealed containers and removed from the site within 48 hours.
Water	Quality
PO 2.1	DTS/DPF 2.1
Beverage production wastewater management systems (including wastewater irrigation) are set back from watercourses to minimise adverse impacts on water resources.	Wastewater management systems are set back 50m or more from the banks of watercourses and bores.
PO 2.2	DTS/DPF 2.2
The storage or disposal of chemicals or hazardous substances is undertaken in a manner to prevent pollution of water resources.	None are applicable.
PO 2.3	DTS/DPF 2.3
Stormwater runoff from areas that may cause contamination due to beverage production activities (including vehicle movements and machinery operations) is drained to an onsite stormwater treatment system to manage potential environmental impacts.	None are applicable.
PO 2.4	DTS/DPF 2.4
Stormwater runoff from areas unlikely to cause contamination by beverage production and associated activities (such as roof catchments and clean hard-paved surfaces) is diverted away from beverage production areas and wastewater management systems.	None are applicable.
Wastewate	er Irrigation
PO 3.1	DTS/DPF 3.1
Beverage production wastewater irrigation systems are designed and located to not contaminate soil and surface and ground water resources or damage crops.	None are applicable.
PO 3.2	DTS/DPF 3.2
Beverage production wastewater irrigation systems are designed and located to minimise impact on amenity and avoid spray drift onto adjoining land.	Beverage production wastewater is not irrigated within 50m of any dwelling in other ownership.
PO 3.3	DTS/DPF 3.3
Beverage production wastewater is not irrigated onto areas that pose an undue risk to the environment or amenity such as:	None are applicable.
(a) waterlogged areas (b) land within 50m of a creek, swamp or domestic or stock water bore (c) land subject to flooding (d) steeply sloping land (c)	
(e) rocky or highly permeable soil overlaying an unconfined aquifer.	

### **Bulk Handling and Storage Facilities**

**Assessment Provisions (AP)** 

Desired Outcome (DO)

# DO 1 Facilities for the bulk handling and storage of agricultural, mineral, petroleum, rock, ore or other similar commodities are designed to minimise adverse impacts on transport networks, the landscape and surrounding land uses.

Performance Outcome	Deemed-to-Satisfy Criteria /
	Designated Performance Feature
Siting ar	nd Design
PO 1.1	DTS/DPF 1.1
Bulk handling and storage facilities are sited and designed to minimise risks of adverse air quality and noise impacts on sensitive receivers.	Facilities for the handling, storage and dispatch of commodities in bulk (excluding processing) meet the following minimum separation distances from sensitive receivers:  (a) bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility (including sea-port grain terminals), where the handling of these materials into or from vessels does not exceed 100 tonnes per day: 300m or more from residential premises not associated with the facility  (b) bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility: 300m or more from residential premises not associated with the facility  (c) bulk petroleum storage involving individual containers with a capacit up to 200 litres and a total on-site storage capacity not exceeding 1,000 cubic metres: 500m or more  (d) coal handling with: a. capacity up to 1 tonne per day or a storage capacity up to 50 tonnes: 500m or more b. capacity exceeding 1 tonne per day but not exceeding 100 tonnes per day or a storage capacity exceeding 50 tonnes but not exceeding 5000 tonnes: 1000m or more.
Buffers and	Landscaping
PO 2.1  Bulk handling and storage facilities incorporate a buffer area for the establishment of dense landscaping adjacent road frontages to enhance the appearance of land and buildings from public thoroughfares.	DTS/DPF 2.1  None are applicable.
PO 2.2	DTS/DPF 2.2
Bulk handling and storage facilities incorporate landscaping to assist with screening and dust filtration.	None are applicable.
Access ar	nd Parking
PO 3.1	DTS/DPF 3.1
Roadways and vehicle parking areas associated with bulk handling and storage facilities are designed and surfaced to control dust emissions and prevent drag out of material from the site.	Roadways and vehicle parking areas are sealed with an all-weather surface.
Slipways, Wharv	res and Pontoons
PO 4.1	DTS/DPF 4.1
Slipways, wharves and pontoons used for the handling of bulk materials (such as fuel, oil, catch, bait and the like) incorporate catchment devices to avoid the release of materials into adjacent waters.	None are applicable.

#### Clearance from Overhead Powerlines

#### **Assessment Provisions (AP)**

Desired Outcome (DO)

Desired Outcome		
DO 1	Protection of human health and safety when undertaking development in the vicinity of overhead transmission powerlines.	

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Buildings are adequately separated from aboveground powerlines to minimise potential hazard to people and property.	One of the following is satisfied:     a declaration is provided by or on behalf of the applicant to the effect that the proposal would not be contrary to the regulations prescribed for the purposes of section 86 of the <i>Electricity Act 1996</i> there are no aboveground powerlines adjoining the site that are the subject of the proposed development.

#### Design

#### Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Development is:	
	(a) (b) (c)	contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributes to the character of the immediate area durable - fit for purpose, adaptable and long lasting inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access, and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors
	(d)	sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

# Performance Outcome Deemed-to-Satisfy Criteria / Designated Performance Feature

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
(b) maximise shade and shelter	
(c) maximise stormwater infiltration	
(d) enhance the appearance of land and streetscapes	
(e) contribute to biodiversity.	
PO 3.2	DTS/DPF 3.2
Soft landscaping and tree planting maximises the use of locally indigenous	None are applicable.
plant species, incorporates plant species best suited to current and future	
climate conditions and avoids pest plant and weed species.	
Environmenta	al Performance
PO 4.1	DTS/DPF 4.1
Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.	None are applicable.
PO 4.2	DTS/DPF 4.2
Buildings are sited and designed to maximise passive environmental	None are applicable.
performance and minimise energy consumption and reliance on mechanical	
systems, such as heating and cooling.	
PO 4.3	DTS/DPF 4.3
Buildings incorporate climate-responsive techniques and features such as	None are applicable.
building and window orientation, use of eaves, verandahs and shading	
structures, water harvesting, at ground landscaping, green walls, green roofs	
and photovoltaic cells.	
Water Sens	itive Design
PO 5.1	DTS/DPF 5.1
Development is sited and designed to maintain natural hydrological systems	None are applicable.
without negatively impacting:	
(a) the quantity and quality of surface water and groundwater	
(b) the depth and directional flow of surface water and groundwater	
(C) the quality and function of natural springs.	
On-site Waste Tr	reatment Systems
PO 6.1	DTS/DPF 6.1
Dedicated on-site effluent disposal areas do not include any areas to be used	Effluent disposal drainage areas do not:
for, or could be reasonably foreseen to be used for, private open space,	
driveways or car parking.	(a) encroach within an area used as private open space or result in less private open space than that specified in Design Table 1 - Private
	Open Space
	(b) use an area also used as a driveway
	(c) encroach within an area used for on-site car parking or result in less
	on-site car parking than that specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or
	Table 2 - Off-Street Car Parking Requirements in Designated Areas.
Carparking	Appearance
PO 7.1	DTS/DPF 7.1
Development facing the street is designed to minimise the negative impacts	None are applicable.
of any semi-basement and undercroft car parking on the streetscapes through techniques such as:	
unough teamiques such as.	
(a) limiting protrusion above finished ground level	
(b) screening through appropriate planting, fencing and mounding	
(C) limiting the width of openings and integrating them into the building structure.	
PO 7.2	DTS/DPF 7.2
Vehicle parking areas are appropriately located, designed and constructed to	None are applicable.
minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and	
the like.	

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 7.3	DTS/DPF 7.3
Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development.	None are applicable.
PO 7.4	DTS/DPF 7.4
Street level vehicle parking areas incorporate tree planting to provide shade and reduce solar heat absorption and reflection.	None are applicable.
PO 7.5	DTS/DPF 7.5
Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public places.	None are applicable.
PO 7.6	DTS/DPF 7.6
Vehicle parking areas and associated driveways are landscaped to provide shade and positively contribute to amenity.	None are applicable.
PO 7.7	DTS/DPF 7.7
Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping.	None are applicable.
Earthworks ar	nd sloping land
PO 8.1	DTS/DPF 8.1
Development, including any associated driveways and access tracks,	Development does not involve any of the following:
minimises the need for earthworks to limit disturbance to natural topography.	(a) excavation exceeding a vertical height of 1m
	(b) filling exceeding a vertical height of 1m
	(c) a total combined excavation and filling vertical height of 2m or more.
PO 8.2	DTS/DPF 8.2
Driveways and access tracks are designed and constructed to allow safe and convenient access on sloping land (with a gradient exceeding 1 in 8).	Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8) satisfy (a) and (b):
	<ul> <li>(a) do not have a gradient exceeding 25% (1-in-4) at any point along the driveway</li> <li>(b) are constructed with an all-weather trafficable surface.</li> </ul>
PO 8.3	DTS/DPF 8.3
Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8):	None are applicable.
<ul> <li>(a) do not contribute to the instability of embankments and cuttings</li> <li>(b) provide level transition areas for the safe movement of people and goods to and from the development</li> <li>(c) are designed to integrate with the natural topography of the land.</li> </ul>	
PO 8.4	DTS/DPF 8.4
Development on sloping land (with a gradient exceeding 1 in 8) avoids the alteration of natural drainage lines and includes on-site drainage systems to minimise erosion.	None are applicable.
PO 8.5	DTS/DPF 8.5
Development does not occur on land at risk of landslip nor increases the potential for landslip or land surface instability.	None are applicable.
Fences a	and Walls
PO 9.1	DTS/DPF 9.1
Fences, walls and retaining walls are of sufficient height to maintain privacy and security without unreasonably impacting the visual amenity and adjoining land's access to sunlight or the amenity of public places.	None are applicable.
PO 9.2	DTS/DPF 9.2

Policy24	P&D Code (in effect) Version 2023.3 16/02/202
Landscaping incorporated on the low side of retaining walls is visible from public roads and public open space to minimise visual impacts.	A vegetated landscaped strip 1m wide or more is provided against the low side of a retaining wall.
Overlooking / Visual Privacy	(in building 3 storeys or less)
PO 10.1	DTS/DPF 10.1
Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses.	Upper level windows facing side or rear boundaries shared with a residential allotment/site satisfy one of the following:
	(a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm
	(b) have sill heights greater than or equal to 1.5m above finished floor level
	(c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level.
PO 10.2	DTS/DPF 10.2
Development mitigates direct overlooking from balconies, terraces and decks	One of the following is satisfied:
to habitable rooms and private open space of adjoining residential uses.	(a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or
	(b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of:  (i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or
	(ii) 1.7m above finished floor level in all other cases
All Residentia	al development
Front elevations an	d passive surveillance
PO 11.1	DTS/DPF 11.1
Dwellings incorporate windows along primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.	Each dwelling with a frontage to a public street:
	<ul> <li>(a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4r</li> <li>(b) has an aggregate window area of at least 2m<sup>2</sup> facing the primary street.</li> </ul>
PO 11.2	DTS/DPF 11.2
Dwellings incorporate entry doors within street frontages to address the street and provide a legible entry point for visitors.	Dwellings with a frontage to a public street have an entry door visible from the primary street boundary.
Outlook a	and amenity
PO 12.1	DTS/DPF 12.1
Living rooms have an external outlook to provide a high standard of amenity for occupants.	A living room of a dwelling incorporates a window with an outlook towards th street frontage or private open space, public open space, or waterfront areas
PO 12.2	DTS/DPF 12.2
Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	None are applicable.
	Development
PO 13.1	DTS/DPF 13.1
Residential ancillary buildings and structures are sited and designed to not detract from the streetscape or appearance of buildings on the site or neighbouring properties.	Ancillary buildings:  (a) are ancillary to a dwelling erected on the same site  (b) have a floor area not exceeding 60m2  (c) are not constructed, added to or altered so that any part is situated:
lownloaded on 2/03/2023 Generated	By Policy24 Page 38 of 10

Policy24	P&D Code (in effect) Version 2023.3 16/02/20
	<ul> <li>in front of any part of the building line of the dwelling to which it is ancillary</li> <li>or</li> <li>within 900mm of a boundary of the allotment with a</li> </ul>
	secondary street (if the land has boundaries on two or more roads)
	(d) in the case of a garage or carport, the garage or carport:  (i) is set back at least 5.5m from the boundary of the primary street  (ii) when facing a primary street or secondary street, has a total
	door / opening not exceeding:  A. for dwellings of single building level - 7m in width or 50% of the site frontage, whichever is the lesser
	B. for dwellings comprising two or more building level: at the building line fronting the same public street - 7m in width
	(e) if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m unless:  (i) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary and
	(ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent
	(f) if situated on a boundary of the allotment (not being a boundary wit a primary street or secondary street), all walls or structures on the boundary will not exceed 45% of the length of that boundary
	(g) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the
	<ul> <li>(h) have a wall height or post height not exceeding 3m above natural ground level (and not including a gable end)</li> <li>(i) have a roof height where no part of the roof is more than 5m above</li> </ul>
	the natural ground level  (i) if clad in sheet metal, is pre-colour treated or painted in a non-reflective colour
	(k) retains a total area of soft landscaping in accordance with (i) or (ii), whichever is less:  (i) a total area as determined by the following table:
	Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m <sup>2</sup> )  Minimum percentage of site
	<150 10%
	150-200 15%
	201-450 20%
	>450 25%
	(ii) the amount of existing soft landscaping prior to the development occurring.
PO 13.2	DTS/DPF 13.2
Ancillary buildings and structures do not impede on-site functional	Ancillary buildings and structures do not result in:  (a) less private open space than specified in Design in Urban Areas Tabl
requirements such as private open space provision or car parking requirements and do not result in over-development of the site.	1 - Private Open Space     (b) less on-site car parking than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.
PO 13.3	DTS/DPF 13.3
Fixed plant and equipment in the form of pumps and/or filtration systems for	The pump and/or filtration system is ancillary to a dwelling erected on the

#### Private Open Space

PO 17.1

DTS/DPF 17.1

Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.

Private open space is provided in accordance with Design Table 1 - Private Open Space.

Water Sensitive Design

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 18.1	DTS/DPF 18.1
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	Residential development creating a common driveway / access that services 5 or more dwellings achieves the following stormwater runoff outcomes:  (a) 80 per cent reduction in average annual total suspended solids (b) 60 per cent reduction in average annual total phosphorus (c) 45 per cent reduction in average annual total nitrogen.
Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	DTS/DPF 18.2  Development creating a common driveway / access that services 5 or more dwellings:  (a) maintains the pre-development peak flow rate from the site based upon a 0.35 runoff coefficient for the 18.1% AEP 30-minute storm and the stormwater runoff time to peak is not increased or captures and retains the difference in pre-development runoff volume (based upon a 0.35 runoff coefficient) vs post development runoff volume from the site for an 18.1% AEP 30-minute storm; and  (b) manages site generated stormwater runoff up to and including the 1% AEP flood event to avoid flooding of buildings.
	and manoeuvrability
PO 19.1  Enclosed parking spaces are of a size and dimensions to be functional, accessible and convenient.	DTS/DPF 19.1  Residential car parking spaces enclosed by fencing, walls or other structures have the following internal dimensions (separate from any waste storage area):  (a) single width car parking spaces:
	(i) a minimum length of 5.4m per space (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m  (b) double width car parking spaces (side by side): (i) a minimum length of 5.4m (ii) a minimum width of 5.4m (iii) minimum garage door width of 2.4m per space.
PO 19.2	DTS/DPF 19.2
Uncovered parking spaces are of a size and dimensions to be functional, accessible and convenient.	Uncovered car parking spaces have:  (a) a minimum length of 5.4m (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m
PO 19.3	DTS/DPF 19.3
Driveways are located and designed to facilitate safe access and egress while maximising land available for street tree planting, landscaped street frontages, domestic waste collection and on-street parking.	Driveways and access points on sites with a frontage to a public road of 10m or less have a width between 3.0 and 3.2 metres measured at the property boundary and are the only access point provided on the site.
PO 19.4	DTS/DPF 19.4
Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees.	(a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land  (b) where newly proposed:  (i) is set back 6m or more from the tangent point of an intersection of 2 or more roads  (ii) is set back outside of the marked lines or infrastructure
	dedicating a pedestrian crossing  (iii) does not involve the removal, relocation or damage to of mature street trees, street furniture or utility infrastructure services.

Policy24	P&D Code (in effect) Version 2023.3 16/02/202
PO 19.5	DTS/DPF 19.5
Driveways are designed to enable safe and convenient vehicle movements	Driveways are designed and sited so that:
from the public road to on-site parking spaces.	<ul> <li>(a) the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the garage or carport is not steeper than 1:4 on average</li> <li>(b) they are aligned relative to the street boundary so that there is no more than a 20 degree deviation from 90 degrees between the centreline of any dedicated car parking space to which it provides access (measured from the front of that space) and the street boundary</li> <li>(c) if located to provide access from an alley, lane or right of way - the alley, land or right or way is at least 6.2m wide along the boundary of the allotment / site</li> </ul>
PO 19.6	DTS/DPF 19.6
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	<ul> <li>Where on-street parking is available abutting the site's street frontage, onstreet parking is retained in accordance with the following requirements:</li> <li>(a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number)</li> <li>(b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly</li> <li>(c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.</li> </ul>
	storage
PO 20.1	DTS/DPF 20.1
Provision is made for the adequate and convenient storage of waste bins in a location screened from public view.	None are applicable.
Design of Transp	portable Dwellings
PO 21.1	DTS/DPF 21.1
The sub-floor space beneath transportable buildings is enclosed to give the appearance of a permanent structure.	Buildings satisfy (a) or (b):  (a) are not transportable or  (b) the sub-floor space between the building and ground level is clad in a material and finish consistent with the building.
Group dwelling, residential flat bu	ildings and battle-axe development
	enity
PO 22.1  Dwellings are of a suitable size to accommodate a layout that is well organised and provides a high standard of amenity for occupants.	DTS/DPF 22.1  Dwellings have a minimum internal floor area in accordance with the following table:
	Number of bedrooms Minimum internal floor area
	Studio 35m <sup>2</sup>
	1 bedroom 50m <sup>2</sup>
	2 bedroom 65m <sup>2</sup>
	3+ bedrooms  80m² and any dwelling over 3 bedrooms provides an additional 15m² for every additional bedroom
PO 22.2	DTS/DPF 22.2
The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours.	None are applicable.
•	•

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 22.3	DTS/DPF 22.3
Development maximises the number of dwellings that face public open space and public streets and limits dwellings oriented towards adjoining properties.	None are applicable.
PO 22.4	DTS/DPF 22.4
Battle-axe development is appropriately sited and designed to respond to the existing neighbourhood context.	Dwelling sites/allotments are not in the form of a battle-axe arrangement.
Communal	Open Space
PO 23.1	DTS/DPF 23.1
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.
PO 23.2	DTS/DPF 23.2
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorporates a minimum dimension of 5 metres.
PO 23.3	DTS/DPF 23.3
Communal open space is designed and sited to:	None are applicable.
(a) be conveniently accessed by the dwellings which it services (b) have regard to acoustic, safety, security and wind effects.	
PO 23.4	DTS/DPF 23.4
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.
PO 23.5	DTS/DPF 23.5
Communal open space is designed and sited to:	None are applicable.
<ul> <li>(a) in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings</li> <li>(b) in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.</li> </ul>	
Carparking, access	and manoeuvrability
PO 24.1	DTS/DPF 24.1
Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:
	(a) minimum 0.33 on-street car parks per proposed dwellings (rounded up to the nearest whole number)
	(b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly
	(c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
PO 24.2	DTS/DPF 24.2
The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.	Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.
PO 24.3	DTS/DPF 24.3
Residential driveways that service more than one dwelling are designed to allow safe and convenient movement.	Driveways that service more than 1 dwelling or a dwelling on a battle-axe site:  (a) have a minimum width of 3m
	<ul> <li>(a) have a minimum width of 3m</li> <li>(b) for driveways servicing more than 3 dwellings:         <ul> <li>(i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street</li> <li>(ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m.</li> </ul> </li> </ul>

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 24.4	DTS/DPF 24.4
Residential driveways in a battle-axe configuration are designed to allow safe and convenient movement.	Where in a battle-axe configuration, a driveway servicing one dwelling has a minimum width of 3m.
PO 24.5	DTS/DPF 24.5
Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site and manoeuvre within the site in a safe and convenient manner.	Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre.
PO 24.6	DTS/DPF 24.6
Dwellings are adequately separated from common driveways and manoeuvring areas.	Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.
Soft Lan	dscaping
PO 25.1	DTS/DPF 25.1
Soft landscaping is provided between dwellings and common driveways to improve the outlook for occupants and appearance of common areas.	Other than where located directly in front of a garage or a building entry, soft landscaping with a minimum dimension of 1m is provided between a dwelling and common driveway.
PO 25.2	DTS/DPF 25.2
Soft landscaping is provided that improves the appearance of common driveways.	Where a common driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Site Facilities /	Waste Storage
PO 26.1	DTS/DPF 26.1
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.
PO 26.2	DTS/DPF 26.2
Provision is made for suitable external clothes drying facilities.	None are applicable.
PO 26.3	DTS/DPF 26.3
Provision is made for suitable household waste and recyclable material storage facilities which are:	None are applicable.
located away, or screened, from public view, and     conveniently located in proximity to dwellings and the waste collection point.	
PO 26.4	DTS/DPF 26.4
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 26.5	DTS/DPF 26.5
Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles.	None are applicable.
PO 26.6	DTS/DPF 26.6
Services including gas and water meters are conveniently located and screened from public view.	None are applicable.
Supported accommodation	n and retirement facilities
Siting and C	onfiguration
PO 27.1	DTS/DPF 27.1
Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly	None are applicable.

Policy24 P&D Code (in effect) Version 2023.3 16/02/20		
restricted by the slope of the land.		
Movement	and Access	
PO 28.1	DTS/DPF 28.1	
Development is designed to support safe and convenient access and movement for residents by providing:	None are applicable.	
<ul> <li>(a) ground-level access or lifted access to all units</li> <li>(b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places</li> <li>(c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair manoeuvrability</li> <li>(d) kerb ramps at pedestrian crossing points.</li> </ul>		
Communal	Open Space	
PO 29.1  Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors.	DTS/DPF 29.1  None are applicable.	
PO 29.2	DTS/DPF 29.2	
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.	
PO 29.3	DTS/DPF 29.3	
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorporates a minimum dimension of 5 metres.	
PO 29.4	DTS/DPF 29.4	
Communal open space is designed and sited to:	None are applicable.	
(a) be conveniently accessed by the dwellings which it services (b) have regard to acoustic, safety, security and wind effects.		
PO 29.5  Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	DTS/DPF 29.5  None are applicable.	
PO 29.6	DTS/DPF 29.6	
Communal open space is designed and sited to:	None are applicable.	
in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings     in relation to ground floor communal space, be overlooked by		
habitable rooms to facilitate passive surveillance.		
Site Facilities /	Waste Storage	
PO 30.1	DTS/DPF 30.1	
Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric powered vehicles.	None are applicable.	
PO 30.2	DTS/DPF 30.2	
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.	
PO 30.3	DTS/DPF 30.3	
Provision is made for suitable external clothes drying facilities.	None are applicable.	
PO 30.4	DTS/DPF 30.4	
Provision is made for suitable household waste and recyclable material	None are applicable.	

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023		
storage facilities conveniently located and screened from public view.			
PO 30.5	DTS/DPF 30.5		
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.		
PO 30.6	DTS/DPF 30.6		
Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time.	None are applicable.		
PO 30.7	DTS/DPF 30.7		
Services including gas and water meters are conveniently located and screened from public view.	None are applicable.		
All non-residen	tial development		
Water Sens	itive Design		
PO 31.1	DTS/DPF 31.1		
Development likely to result in significant risk of export of litter, oil or grease includes stormwater management systems designed to minimise pollutants entering stormwater.	None are applicable.		
PO 31.2	DTS/DPF 31.2		
Water discharged from a development site is of a physical, chemical and biological condition equivalent to or better than its pre-developed state.	None are applicable.		
Wash-down and Waste	Loading and Unloading		
PO 32.1	DTS/DPF 32.1		
Areas for activities including loading and unloading, storage of waste refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, vessels, plant or equipment are:	None are applicable.		
(a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off			
(b) paved with an impervious material to facilitate wastewater collection			
(c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area			
(d) designed to drain wastewater to either:			
(i) a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or			
(ii) a holding tank and its subsequent removal off-site on a regular basis.			

Table 1 - Private Open Space

Dwelling Type	Minimum Rate
Dwelling (at ground level)	Total private open space area:  (a) Site area <301m2: 24m2 located behind the building line.  (b) Site area ≥ 301m2: 60m2 located behind the building line.  Minimum directly accessible from a living room: 16m2 / with a minimum dimension 3m.
Dwelling (above ground level)	Studio (no separate bedroom): $4m^2$ with a minimum dimension 1.8m  One bedroom: $8m^2$ with a minimum dimension 2.1m  Two bedroom dwelling: $11m^2$ with a minimum dimension 2.4m  Three + bedroom dwelling: $15m^2$ with a minimum dimension 2.6m

#### Design in Urban Areas

#### Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome				
DO	Development is:				
		(a)	contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributing to the character of the locality		
	(b) durable - fit for purpose, adaptable		durable - fit for purpose, adaptable and long lasting		
		(c)	inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors		
		(d)	sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption.		

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature			
All Deve	lopment			
External A	ppearance			
PO 1.1	DTS/DPF 1.1			
Buildings reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope).	None are applicable.			
PO 1.2	DTS/DPF 1.2			
Where zero or minor setbacks are desirable, development provides shelter over footpaths (in the form of verandahs, awnings, canopies and the like, with adequate lighting) to positively contribute to the walkability, comfort and safety of the public realm.	None are applicable.			
PO 1.3	DTS/DPF 1.3			
Building elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape.	None are applicable.			
PO 1.4	DTS/DPF 1.4			
Plant, exhaust and intake vents and other technical equipment are integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by:	Development does not incorporate any structures that protrude beyond the roofline.			
<ul> <li>(a) positioning plant and equipment discretely, in unobtrusive locations as viewed from public roads and spaces</li> <li>(b) screening rooftop plant and equipment from view</li> </ul>				

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
(c) when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses.	
PO 1.5	DTS/DPF 1.5
The negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form), taking into account the form of development contemplated in the relevant zone.	None are applicable.
Sa	rety
PO 2.1	DTS/DPF 2.1
Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable.	None are applicable.
PO 2.2	DTS/DPF 2.2
Development is designed to differentiate public, communal and private areas.	None are applicable.
PO 2.3	DTS/DPF 2.3
Buildings are designed with safe, perceptible and direct access from public street frontages and vehicle parking areas.	None are applicable.
PO 2.4	DTS/DPF 2.4
Development at street level is designed to maximise opportunities for passive surveillance of the adjacent public realm.	None are applicable.
PO 2.5	DTS/DPF 2.5
Common areas and entry points of buildings (such as the foyer areas of residential buildings) and non-residential land uses at street level, maximise passive surveillance from the public realm to the inside of the building at pight	None are applicable.
night.	
	caping
	caping DTS/DPF 3.1
Lands	
PO 3.1	DTS/DPF 3.1
PO 3.1  Soft landscaping and tree planting are incorporated to:  (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes.	DTS/DPF 3.1
PO 3.1  Soft landscaping and tree planting are incorporated to:  (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes.	DTS/DPF 3.1  None are applicable.
PO 3.1  Soft landscaping and tree planting are incorporated to:  (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes.	DTS/DPF 3.1  None are applicable.  Performance
PO 3.1  Soft landscaping and tree planting are incorporated to:  (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes.  Environmental PO 4.1  Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas	DTS/DPF 3.1  None are applicable.  I Performance  DTS/DPF 4.1
PO 3.1  Soft landscaping and tree planting are incorporated to:  (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes.  Environmenta PO 4.1  Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.	DTS/DPF 3.1  None are applicable.  I Performance  DTS/DPF 4.1  None are applicable.
PO 3.1  Soft landscaping and tree planting are incorporated to:  (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes.  Environmental PO 4.1  Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.  PO 4.2  Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical	DTS/DPF 3.1  None are applicable.  I Performance  DTS/DPF 4.1  None are applicable.  DTS/DPF 4.2
PO 3.1  Soft landscaping and tree planting are incorporated to:  (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes.  Environmental PO 4.1  Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.  PO 4.2  Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.	DTS/DPF 3.1  None are applicable.  Performance  DTS/DPF 4.1  None are applicable.  DTS/DPF 4.2  None are applicable.
PO 3.1  Soft landscaping and tree planting are incorporated to:  (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes.  Environmental Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.  PO 4.2  Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.  PO 4.3  Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.	DTS/DPF 4.3  None are applicable.  I Performance  DTS/DPF 4.1  None are applicable.  DTS/DPF 4.2  None are applicable.
PO 3.1  Soft landscaping and tree planting are incorporated to:  (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes.  Environmental Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open spaces.  PO 4.2  Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling.  PO 4.3  Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells.	DTS/DPF 3.1  None are applicable.  I Performance  DTS/DPF 4.1  None are applicable.  DTS/DPF 4.2  None are applicable.  DTS/DPF 4.3  None are applicable.

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023			
without negatively impacting:				
<ul> <li>the quantity and quality of surface water and groundwater</li> <li>the depth and directional flow of surface water and groundwater</li> <li>the quality and function of natural springs.</li> </ul>				
On-site Waste Tro	eatment Systems			
PO 6.1	DTS/DPF 6.1			
Dedicated on-site effluent disposal areas do not include any areas to be used for, or could be reasonably foreseen to be used for, private open space, driveways or car parking.	Effluent disposal drainage areas do not:  (a) encroach within an area used as private open space or result in less private open space than that specified in Design in Urban Areas Table 1 - Private Open Space (b) use an area also used as a driveway (c) encroach within an area used for on-site car parking or result in less on-site car parking than that specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas.			
Car parking				
Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on streetscapes through techniques such as:  (a) limiting protrusion above finished ground level  (b) screening through appropriate planting, fencing and mounding  (c) limiting the width of openings and integrating them into the building structure.	DTS/DPF 7.1  None are applicable.			
PO 7.2	DTS/DPF 7.2			
Vehicle parking areas appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like.	None are applicable.			
PO 7.3	DTS/DPF 7.3			
Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development.	None are applicable.			
PO 7.4	DTS/DPF 7.4			
Street-level vehicle parking areas incorporate tree planting to provide shade, reduce solar heat absorption and reflection.	Vehicle parking areas that are open to the sky and comprise 10 or more car parking spaces include a shade tree with a mature canopy of 4m diameter spaced for each 10 car parking spaces provided and a landscaped strip on ar road frontage of a minimum dimension of 1m.			
PO 7.5	DTS/DPF 7.5			
Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public places.	Vehicle parking areas comprising 10 or more car parking spaces include soft landscaping with a minimum dimension of:  (a) 1m along all public road frontages and allotment boundaries (b) 1m between double rows of car parking spaces.			
PO 7.6	DTS/DPF 7.6			
Vehicle parking areas and associated driveways are landscaped to provide shade and positively contribute to amenity.	None are applicable.			
PO 7.7	DTS/DPF 7.7			
Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping.	None are applicable.			
Earthworks an	d sloping land			
PO 8.1	DTS/DPF 8.1			
·				

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023				
minimises the need for earthworks to limit disturbance to natural					
topography.	(a) excavation exceeding a vertical height of 1m				
	(b) filling exceeding a vertical height of 1m				
	(c) a total combined excavation and filling vertical height of 2m or more.				
PO 8.2	DTS/DPF 8.2				
Driveways and access tracks designed and constructed to allow safe and	Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8)				
convenient access on sloping land.	satisfy (a) and (b):				
	(a) do not have a gradient exceeding 25% (1-in-4) at any point along the driveway				
	(b) are constructed with an all-weather trafficable surface.				
PO 8.3	DTS/DPF 8.3				
Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8):	None are applicable.				
(a) do not contribute to the instability of embankments and cuttings					
(b) provide level transition areas for the safe movement of people and					
goods to and from the development					
(c) are designed to integrate with the natural topography of the land.					
PO 8.4	DTS/DPF 8.4				
Development on sloping land (with a gradient exceeding 1 in 8) avoids the	None are applicable.				
alteration of natural drainage lines and includes on site drainage systems to minimise erosion.					
PO 8.5	DTS/DPF 8.5				
Development does not occur on land at risk of landslip or increase the	None are applicable.				
potential for landslip or land surface instability.	Note are applicable.				
Fences	and walls				
PO 9.1	DTS/DPF 9.1				
Fences, walls and retaining walls of sufficient height maintain privacy and	None are applicable.				
security without unreasonably impacting visual amenity and adjoining land's access to sunlight or the amenity of public places.					
PO 9.2	DTS/DPF 9.2				
Landscaping is incorporated on the low side of retaining walls that are visible from public roads and public open space to minimise visual impacts.	A vegetated landscaped strip 1m wide or more is provided against the low side of a retaining wall.				
Overlooking / Visual Pr	ivacy (low rise buildings)				
PO 10.1	DTS/DPF 10.1				
Development mitigates direct overlooking from upper level windows to	Upper level windows facing side or rear boundaries shared with a residential				
habitable rooms and private open spaces of adjoining residential uses in neighbourhood-type zones.	use in a neighbourhood-type zone:				
neignbournood-type zones.	(a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than				
	(b) have sill heights greater than or equal to 1.5m above finished floor				
	level				
	(c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface				
	and sited adjacent to any part of the window less than 1.5 m above the finished floor level.				
PO 10.2	DTS/DPF 10.2				
Development mitigates direct overlooking from balconies to habitable rooms	One of the following is satisfied:				
and private open space of adjoining residential uses in neighbourhood type zones.	(a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all				
	places faced by the balcony or terrace or				
	(b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of:  (i) 1.5m above finished floor level where the balcony is located				
	at least 15 metres from the nearest habitable window of a dwelling on adjacent land				

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023			
	or  (ii) 1.7m above finished floor level in all other cases			
	1.7111 above finished floor level iff all other cases			
Site Facilities / Waste Storage (exclud	ling low rise residential development)			
PO 11.1	DTS/DPF 11.1			
Development provides a dedicated area for on-site collection and sorting of recyclable materials and refuse, green organic waste and wash bay facilities for the ongoing maintenance of bins that is adequate in size considering the number and nature of the activities they will serve and the frequency of collection.	None are applicable.			
PO 11.2	DTS/DPF 11.2			
Communal waste storage and collection areas are located, enclosed and designed to be screened from view from the public domain, open space and dwellings.	None are applicable.			
PO 11.3	DTS/DPF 11.3			
Communal waste storage and collection areas are designed to be well ventilated and located away from habitable rooms.	None are applicable.			
PO 11.4	DTS/DPF 11.4			
Communal waste storage and collection areas are designed to allow waste and recycling collection vehicles to enter and leave the site without reversing.	None are applicable.			
PO 11.5	DTS/DPF 11.5			
For mixed use developments, non-residential waste and recycling storage areas and access provide opportunities for on-site management of food waste through composting or other waste recovery as appropriate.	None are applicable.			
	edium and High Rise			
External A	ppearance			
PO 12.1	DTS/DPF 12.1			
Buildings positively contribute to the character of the local area by responding to local context.	None are applicable.			
PO 12.2	DTS/DPF 12.2			
Architectural detail at street level and a mixture of materials at lower building levels near the public interface are provided to reinforce a human scale.	None are applicable.			
PO 12.3	DTS/DPF 12.3			
Buildings are designed to reduce visual mass by breaking up building elevations into distinct elements.	None are applicable.			
PO 12.4	DTS/DPF 12.4			
Boundary walls visible from public land include visually interesting treatments to break up large blank elevations.	None are applicable.			
PO 12.5	DTS/DPF 12.5			
External materials and finishes are durable and age well to minimise ongoing maintenance requirements.	Buildings utilise a combination of the following external materials and finishes:			
	<ul> <li>(a) masonry</li> <li>(b) natural stone</li> <li>(c) pre-finished materials that minimise staining, discolouring or deterioration.</li> </ul>			
PO 12.6	DTS/DPF 12.6			
Street-facing building elevations are designed to provide attractive, high quality and pedestrian-friendly street frontages.	Building street frontages incorporate:  (a) active uses such as shops or offices (b) prominent entry areas for multi-storey buildings (where it is a common entry)  (c) habitable rooms of dwellings (d) areas of communal public realm with public art or the like, where consistent with the zone and/or subzone provisions.			
PO 12.7	DTS/DPF 12.7			
Entrances to multi-storey buildings are safe, attractive, welcoming, functional and contribute to streetscape character.	Entrances to multi-storey buildings are:  (a) oriented towards the street			
Downloaded on 2/03/2023  Generated	(a) oriented towards the street  By Policy24  Page 51 of 106			

Policy24		P&D Code (ir	n effect) Version	2023.3 16/02/2023	
	(b) clearly visible and easily identifiable from the street and vehicle parking areas				
	(c) designed to be prominent, accentuated and a welcoming feature if there are no active or occupied ground floor uses				
	(d) designed to provide shelter, a sense of personal address and transitional space around the entry				
	(e) located as close as practicable to the lift and / or lobby access to minimise the need for long access corridors				
	(f) designed to avoid the creation of potential areas of entrapment.				
PO 12.8	DTS/DPF 12.8				
Building services, plant and mechanical equipment are screened from the public realm.	None are applicable.				
	scaping				
PO 13.1  Development facing a street provides a well landscaped area that contains a	DTS/DPF 13.1  Buildings provide a 4m by 4m deep soil space in front of the building that				
deep soil space to accommodate a tree of a species and size adequate to provide shade, contribute to tree canopy targets and soften the appearance of buildings.	accommodates a medium to large tree, except where no building setback from front property boundaries is desired.				
PO 13.2	DTS/DPF 13.2				
Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance of multi-storey buildings.	Multi-storey development provides deep soil zones and incorporates trees not less than the following rates, except in a location or zone where full site coverage is desired.				
	Site area	Minimum deep soil area	Minimum dimension	Tree / deep soil zones	
	<300 m <sup>2</sup>	10 m <sup>2</sup>	1.5m	1 small tree / 10 m <sup>2</sup>	
	300-1500 m <sup>2</sup>	7% site area	3m	1 medium tree / 30 m <sup>2</sup>	
	>1500 m <sup>2</sup>	7% site area	6m	1 large or medium tree / 60 m <sup>2</sup>	
	Tree size and si	ite area definitions		1	
	Small tree	4-6m mature heigh	4-6m mature height and 2-4m canopy spread		
	Medium tree	6-12m mature height and 4-8m canopy spread  12m mature height and >8m canopy spread  The total area for development site, not average area per dwelling		by spread	
	Large tree			spread	
	Site area			ot average area	
PO 13.3	DTS/DPF 13.3				
Deep soil zones with access to natural light are provided to assist in maintaining vegetation health.	None are applicab	le.			
PO 13.4	DTS/DPF 13.4				
Unless separated by a public road or reserve, development sites adjacent to any zone that has a primary purpose of accommodating low-rise residential development incorporate a deep soil zone along the common boundary to enable medium to large trees to be retained or established to assist in screening new buildings of 3 or more building levels in height.	Building elements of 3 or more building levels in height are set back at least 6m from a zone boundary in which a deep soil zone area is incorporated.				
Enviro	nmental				
	1				

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 14.1	DTS/DPF 14.1
Development minimises detrimental micro-climatic impacts on adjacent land and buildings.	None are applicable.
PO 14.2	DTS/DPF 14.2
Development incorporates sustainable design techniques and features such as window orientation, eaves and shading structures, water harvesting and use, green walls and roof designs that enable the provision of rain water tanks (where they are not provided elsewhere on site), green roofs and photovoltaic cells.	None are applicable.
PO 14.3	DTS/DPF 14.3
Development of 5 or more building levels, or 21m or more in height (as measured from natural ground level and excluding roof-mounted mechanical plant and equipment) is designed to minimise the impacts of wind through measures such as:	None are applicable.
<ul> <li>(a) a podium at the base of a tall tower and aligned with the street to deflect wind away from the street</li> <li>(b) substantial verandahs around a building to deflect downward travelling wind flows over pedestrian areas</li> <li>(c) the placement of buildings and use of setbacks to deflect the wind at ground level</li> <li>(d) avoiding tall shear elevations that create windy conditions at street level.</li> </ul>	
Car P	arking
PO 15.1	DTS/DPF 15.1
Multi-level vehicle parking structures are designed to contribute to active street frontages and complement neighbouring buildings.	<ul> <li>(a) provide land uses such as commercial, retail or other non-car parking uses along ground floor street frontages</li> <li>(b) incorporate facade treatments in building elevations facing along major street frontages that are sufficiently enclosed and detailed to complement adjacent buildings.</li> </ul>
PO 15.2	DTS/DPF 15.2
Multi-level vehicle parking structures within buildings complement the surrounding built form in terms of height, massing and scale.	None are applicable.
Overlooking	Visual Privacy
PO 16.1	DTS/DPF 16.1
Development mitigates direct overlooking of habitable rooms and private open spaces of adjacent residential uses in neighbourhood-type zones through measures such as:  (a) appropriate site layout and building orientation (b) off-setting the location of balconies and windows of habitable rooms or areas with those of other buildings so that views are oblique rather than direct to avoid direct line of sight (c) building setbacks from boundaries (including building boundary to boundary where appropriate) that interrupt views or that provide a spatial separation between balconies or windows of habitable rooms	None are applicable.
(d) screening devices that are integrated into the building design and have minimal negative effect on residents' or neighbours' amenity.	
All residentia	l development
Front elevations and	passive surveillance
PO 17.1  Dwellings incorporate windows facing primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.	DTS/DPF 17.1  Each dwelling with a frontage to a public street:  (a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m  (b) has an aggregate window area of at least 2m <sup>2</sup> facing the primary street.
PO 17.2	DTS/DPF 17.2

olicy24 P&D Code (in effect) Version 2023.3 16/02/20			
Dwellings incorporate entry doors within street frontages to address the street and provide a legible entry point for visitors.	Dwellings with a frontage to a public street have an entry door visible from the primary street boundary.		
Outlook a	ind Amenity		
PO 18.1	DTS/DPF 18.1		
Living rooms have an external outlook to provide a high standard of amenity for occupants.	A living room of a dwelling incorporates a window with an external outlook of the street frontage, private open space, public open space, or waterfront areas.		
PO 18.2	DTS/DPF 18.2		
Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	None are applicable.		
Ancillary D	Development Development		
PO 19.1	DTS/DPF 19.1		
Residential ancillary buildings are sited and designed to not detract from the streetscape or appearance of primary residential buildings on the site or neighbouring properties.	Ancillary buildings:  (a) are ancillary to a dwelling erected on the same site  (b) have a floor area not exceeding 60m2  (c) are not constructed, added to or altered so that any part is situated:  (i) in front of any part of the building line of the dwelling to which it is ancillary  or  (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads)  (d) in the case of a garage or carport, the garage or carport:  (i) is set back at least 5.5m from the boundary of the primary street  (ii) when facing a primary street or secondary street, has a total door / opening not exceeding:  A. for dwellings of single building level - 7m in width or 50% of the site frontage, whichever is the lesser  B. for dwellings comprising two or more building levels at the building line fronting the same public street - 7m in width  (e) if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m unless:  (i) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary and  (ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent  (f) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary will not exceed 45% of the length of that boundary  (g) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure		
	<ul> <li>(h) have a wall height or post height not exceeding 3m above natural ground level (and not including a gable end)</li> <li>(i) have a roof height where no part of the roof is more than 5m above the natural ground level</li> </ul>		
	(j) if clad in sheet metal, is pre-colour treated or painted in a non-		
	reflective colour  (k) retains a total area of soft landscaping in accordance with (i) or (ii), whichever is less:  (i) a total area as determined by the following table:		
	Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m²)  <150  Minimum percentage of site  10%		
I			

Policy24		P&D Code (in effe	ct) Version 2023.3 16/02/202
		150-200	15%
		201-450	20%
		>450	25%
	(ii)	the amount of existing soft I development occurring.	landscaping prior to the
PO 19.2 Ancillary buildings and structures do not impede on-site functional	DTS/DPF 19.2 Ancillary buildir	ngs and structures do not resi	ult in:
requirements such as private open space provision, car parking requirements or result in over-development of the site.		vate open space than specificate Open Space	ed in Design in Urban Areas Table
	Parking		d in Transport, Access and Car Parking Requirements or uirements in Designated Areas.
PO 19.3	DTS/DPF 19.3		
Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers.	The pump and/ same site and is	•	y to a dwelling erected on the
noise nuisance to adjacent sensitive receivers.		ed in a solid acoustic structure rest habitable room located (	e that is located at least 5m from on an adjoining allotment
		at least 12m from the neare ng allotment.	st habitable room located on an
Residential Devel	opment - Low Rise		
External a	ppearance		
PO 20.1	DTS/DPF 20.1		
Garaging is designed to not detract from the streetscape or appearance of a dwelling.	Garages and ca	rports facing a street:	
	any par	t of the building line of the d	arage or carport will be in front of welling boundary of the primary street
	(c) have a	garage door / opening width	not exceeding 7m
	frontag		not exceeding 50% of the site or more building levels at the c street.
PO 20.2	DTS/DPF 20.2		
Dwelling elevations facing public streets and common driveways make a positive contribution to the streetscape and the appearance of common driveway areas.	building elevation	ncludes at least 3 of the follow on facing a primary street, an within the building elevation neway) or a common drivewa	facing any other public road
	300mm	num of 30% of the building w n from the building line n or portico projects at least 1	
	(c) a balco (d) a veran	ny projects from the building dah projects at least 1m fron	wall
	front el	evation	extend along the width of the upper level projects forward
	from th <sup>(g)</sup> a minin the wal	ie lower level primary buildin num of two different materia	g line by at least 300mm Is or finishes are incorporated or ion, with a maximum of 80% of

Policy24	P&D Code (in effect) Vers	sion 2023.3 16/02/202
PO 20.3	DTS/DPF 20.3	
The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	None are applicable	
Private O	pen Space	
PO 21.1	DTS/DPF 21.1	
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space is provided in accordance with Do Table 1 - Private Open Space.	esign in Urban Areas
PO 21.2	DTS/DPF 21.2	
Private open space is positioned to provide convenient access from internal living areas.	Private open space is directly accessible from a habi	table room.
Lands	caping	
PO 22.1	DTS/DPF 22.1	
(a) minimise heat absorption and reflection (b) contribute shade and shelter	Residential development incorporates soft landscap dimension of 700mm provided in accordance with (a  (a) a total area as determined by the following to	a) and (b):
<ul> <li>(c) provide for stormwater infiltration and biodiversity</li> <li>(d) enhance the appearance of land and streetscapes.</li> </ul>	Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m <sup>2</sup> )	Minimum percentage of site
	<150	10%
	150-200	15%
	>200-450	20%
	>450	25%
	(b) at least 30% of any land between the primar the primary building line.	ry street boundary and
Car parking, access	and manoeuvrability	
PO 23.1	DTS/DPF 23.1	
Enclosed car parking spaces are of dimensions to be functional, accessible and convenient.	Residential car parking spaces enclosed by fencing, which have the following internal dimensions (separate fro area):	
	(a) single width car parking spaces:  (i) a minimum length of 5.4m per space  (ii) a minimum width of 3.0m  (iii) a minimum garage door width of 2.4	
	(b) double width car parking spaces (side by sid  (i) a minimum length of 5.4m  (ii) a minimum width of 5.4m  (iii) minimum garage door width of 2.4r	
PO 23.2	DTS/DPF 23.2	
Uncovered car parking space are of dimensions to be functional, accessible and convenient.	Uncovered car parking spaces have:  (a) a minimum length of 5.4m	
	(b) a minimum width of 2.4m (c) a minimum width between the centre line o fence, wall or other obstruction of 1.5m.	f the space and any
PO 23.3	DTS/DPF 23.3	

Design of Transportable Buildings

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 25.1	DTS/DPF 25.1
The sub-floor space beneath transportable buildings is enclosed to give the	Buildings satisfy (a) or (b):
appearance of a permanent structure.	
	(a) are not transportable (b) the sub-floor space between the building and ground level is clad in a
	(b) the sub-floor space between the building and ground level is clad in a material and finish consistent with the building.
Residential Development - Medium and I	High Rise (including serviced apartments)
Outlook and V	Visual Privacy
PO 26.1	DTS/DPF 26.1
Ground level dwellings have a satisfactory short range visual outlook to public,	Buildings:
communal or private open space.	(5)
	<ul> <li>(a) provide a habitable room at ground or first level with a window facing toward the street</li> </ul>
	(b) limit the height / extent of solid walls or fences facing the street to
	1.2m high above the footpath level or, where higher, to 50% of the
	site frontage.
PO 26.2	DTS/DPF 26.2
The visual privacy of ground level dwellings within multi-level buildings is	The finished floor level of ground level dwellings in multi-storey
protected.	developments is raised by up to 1.2m.
Private Op	pen Space
PO 27.1	DTS/DPF 27.1
Dwellings are provided with suitable sized areas of usable private open space	Private open space provided in accordance with Design in Urban Areas Table
to meet the needs of occupants.	1 - Private Open Space.
Residential amenity ir	n multi-level buildings
PO 28.1	DTS/DPF 28.1
Residential accommodation within multi-level buildings have habitable rooms,	Habitable rooms and balconies of independent dwellings and accommodation
windows and balconies designed and positioned to be separated from those	are separated by at least 6m from one another where there is a direct line of
of other dwellings and accommodation to provide visual and acoustic privacy and allow for natural ventilation and the infiltration of daylight into interior	sight between them and 3m or more from a side or rear property boundary.
and outdoor spaces.	
PO 28.2	DTS/DPF 28.2
Balconies are designed, positioned and integrated into the overall	Balconies utilise one or a combination of the following design elements:
architectural form and detail of the development to:	balconies utilise one of a combination of the following design elements.
(-)	(a) sun screens
<ul> <li>(a) respond to daylight, wind, and acoustic conditions to maximise comfort and provide visual privacy</li> </ul>	(b) pergolas
(b) allow views and casual surveillance of the street while providing for	(c) louvres (d) green facades
safety and visual privacy of nearby living spaces and private outdoor	(e) openable walls.
areas.	
PO 28.3	DTS/DPF 28.3
Balconies are of sufficient size and depth to accommodate outdoor seating	Balconies open directly from a habitable room and incorporate a minimum
and promote indoor / outdoor living.	dimension of 2m.
PO 28.4	DTS/DPF 28.4
Dwellings are provided with sufficient space for storage to meet likely	Dwellings (not including student accommodation or serviced apartments) are
occupant needs.	provided with storage at the following rates with at least 50% or more of the
	storage volume to be provided within the dwelling:
	(a) studio: not less than 6m <sup>3</sup>
	(b) 1 bedroom dwelling / apartment: not less than 8m <sup>3</sup>
	(c) 2 bedroom dwelling / apartment: not less than 10m <sup>3</sup>
	(d) 3+ bedroom dwelling / apartment: not less than 12m <sup>3</sup> .
PO 28.5	DTS/DPF 28.5
Dwellings that use light wells for access to daylight, outlook and ventilation for	Light wells:
habitable rooms, are designed to ensure a reasonable living amenity is	
provided.	(a) are not used as the primary source of outlook for living rooms
	(a) are not used as the primary source of outlook for living rooms (b) up to 18m in height have a minimum horizontal dimension of 3m, or

Policy24	P&D Code (ir	n effect) Version 2023.3 16/02/2023
	(c) above 18m in height have a m 9m if overlooked by bedroom	inimum horizontal dimension of 6m, or s.
PO 28.6	DTS/DPF 28.6	
Attached or abutting dwellings are designed to minimise the transmission of sound between dwellings and, in particular, to protect bedrooms from possible noise intrusions.	None are applicable.	
PO 28.7	DTS/DPF 28.7	
Dwellings are designed so that internal structural columns correspond with the position of internal walls to ensure that the space within the dwelling/apartment is useable.	None are applicable.	
Dwelling C	onfiguration	
PO 29.1	DTS/DPF 29.1	
Buildings containing in excess of 10 dwellings provide a variety of dwelling sizes and a range in the number of bedrooms per dwelling to contribute to housing diversity.	Buildings containing in excess of 10 dv the following:  (a) studio (where there is no separate of the studio)	
	(1)	ent with a floor area of at least 50m <sup>2</sup>
	(c) 2 bedroom dwelling / apartme (d) 3+ bedroom dwelling / apartm	ent with a floor area of at least 65m <sup>2</sup> nent with a floor area of at least 80m <sup>2</sup> , oms provides an additional 15m <sup>2</sup> for
PO 29.2	DTS/DPF 29.2	
Dwellings located on the ground floor of multi-level buildings with 3 or more bedrooms have the windows of their habitable rooms overlooking internal courtyard space or other public space, where possible.	None are applicable.	
	on Areas	
PO 30.1  The size of lifts, lobbies and corridors is sufficient to accommodate movement of bicycles, strollers, mobility aids and visitor waiting areas.	DTS/DPF 30.1  Common corridor or circulation areas:	
	<ul> <li>(a) have a minimum ceiling height of 2.7m</li> <li>(b) provide access to no more than 8 dwellings</li> <li>(c) incorporate a wider section at apartment entries where the corridors exceed 12m in length from a core.</li> </ul>	
Group Dwellings, Residential Flat B	uildings and Battle axe Development	
Am	enity	
PO 31.1	DTS/DPF 31.1	
Dwellings are of a suitable size to provide a high standard of amenity for occupants.	Dwellings have a minimum internal flo following table:	or area in accordance with the
	Number of bedrooms	Minimum internal floor area
	Studio	35m <sup>2</sup>
	1 bedroom	50m <sup>2</sup>
	2 bedroom	65m <sup>2</sup>
	3+ bedrooms	80m <sup>2</sup> and any dwelling over 3 bedrooms provides an additional 15m <sup>2</sup> for every additional bedroom
PO 31.2	DTS/DPF 31.2	ı
The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours.	None are applicable.	
PO 31.3	DTS/DPF 31.3	

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Development maximises the number of dwellings that face public open space and public streets and limits dwellings oriented towards adjoining properties.	None are applicable.
PO 31.4	DTS/DPF 31.4
Battle-axe development is appropriately sited and designed to respond to the existing neighbourhood context.	
Communal	Open Space
PO 32.1	DTS/DPF 32.1
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.
PO 32.2	DTS/DPF 32.2
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorporates a minimum dimension of 5 metres.
PO 32.3	DTS/DPF 32.3
Communal open space is designed and sited to:	None are applicable.
<ul> <li>(a) be conveniently accessed by the dwellings which it services</li> <li>(b) have regard to acoustic, safety, security and wind effects.</li> </ul>	
PO 32.4	DTS/DPF 32.4
Communal open space contains landscaping and facilities that are functional,	None are applicable.
attractive and encourage recreational use. PO 32.5	DTS/DPF 32.5
Communal open space is designed and sited to:	None are applicable.
Confinding open space is designed and sited to.	
<ul> <li>in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings</li> <li>in relation to ground floor communal space, be overlooked by</li> </ul>	
habitable rooms to facilitate passive surveillance.	
	and manoeuvrability
	and manoeuvrability  DTS/DPF 33.1
Car parking, access	
Car parking, access PO 33.1 Driveways and access points are designed and distributed to optimise the	DTS/DPF 33.1  Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following
Car parking, access PO 33.1 Driveways and access points are designed and distributed to optimise the	Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:  (a) minimum 0.33 on-street car parks per proposed dwelling (rounded up to the nearest whole number)  (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly
Car parking, access PO 33.1 Driveways and access points are designed and distributed to optimise the	Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:  (a) minimum 0.33 on-street car parks per proposed dwelling (rounded up to the nearest whole number)  (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly
Car parking, access PO 33.1 Driveways and access points are designed and distributed to optimise the	Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:  (a) minimum 0.33 on-street car parks per proposed dwelling (rounded up to the nearest whole number)  (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly  (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where
Car parking, access PO 33.1  Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.	Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:  (a) minimum 0.33 on-street car parks per proposed dwelling (rounded up to the nearest whole number)  (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly  (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
PO 33.2  The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety	DTS/DPF 33.1  Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:  (a) minimum 0.33 on-street car parks per proposed dwelling (rounded up to the nearest whole number)  (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly  (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.  DTS/DPF 33.2  Access to group dwellings or dwellings within a residential flat building is
PO 33.1  Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.  PO 33.2  The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.	DTS/DPF 33.1  Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:  (a) minimum 0.33 on-street car parks per proposed dwelling (rounded up to the nearest whole number)  (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly  (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.  DTS/DPF 33.2  Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.  DTS/DPF 33.3  Driveways that service more than 1 dwelling or a dwelling on a battle-axe site:
PO 33.1  Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.  PO 33.2  The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.  PO 33.3  Residential driveways that service more than one dwelling are designed to	DTS/DPF 33.1  Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:  (a) minimum 0.33 on-street car parks per proposed dwelling (rounded up to the nearest whole number)  (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly  (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.  DTS/DPF 33.2  Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.  DTS/DPF 33.3  Driveways that service more than 1 dwelling or a dwelling on a battle-axe site:  (a) have a minimum width of 3m
PO 33.1  Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.  PO 33.2  The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.  PO 33.3  Residential driveways that service more than one dwelling are designed to	DTS/DPF 33.1  Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:  (a) minimum 0.33 on-street car parks per proposed dwelling (rounded up to the nearest whole number)  (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly  (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.  DTS/DPF 33.2  Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.  DTS/DPF 33.3  Driveways that service more than 1 dwelling or a dwelling on a battle-axe site:  (a) have a minimum width of 3m  (b) for driveways servicing more than 3 dwellings:
PO 33.1  Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.  PO 33.2  The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.  PO 33.3  Residential driveways that service more than one dwelling are designed to	Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:  (a) minimum 0.33 on-street car parks per proposed dwelling (rounded up to the nearest whole number)  (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly  (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.  DTS/DPF 33.2  Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.  DTS/DPF 33.3  Driveways that service more than 1 dwelling or a dwelling on a battle-axe site:  (a) have a minimum width of 3m  (b) for driveways servicing more than 3 dwellings:  (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street
PO 33.1  Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.  PO 33.2  The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.  PO 33.3  Residential driveways that service more than one dwelling are designed to	Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:  (a) minimum 0.33 on-street car parks per proposed dwelling (rounded up to the nearest whole number)  (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly  (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.  DTS/DPF 33.2  Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.  DTS/DPF 33.3  Driveways that service more than 1 dwelling or a dwelling on a battle-axe site:  (a) have a minimum width of 3m  (b) for driveways servicing more than 3 dwellings:  (i) have a width of 5.5m or more and a length of 6m or more at
PO 33.1  Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking.  PO 33.2  The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability.  PO 33.3  Residential driveways that service more than one dwelling are designed to	DTS/DPF 33.1  Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements:  (a) minimum 0.33 on-street car parks per proposed dwelling (rounded up to the nearest whole number)  (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly  (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.  DTS/DPF 33.2  Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway.  DTS/DPF 33.3  Driveways that service more than 1 dwelling or a dwelling on a battle-axe site:  (a) have a minimum width of 3m  (b) for driveways servicing more than 3 dwellings:  (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street  (ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Residential driveways that service more than one dwelling or a dwelling on a battle-axe site are designed to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner.	Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre.
PO 33.5	DTS/DPF 33.5
Dwellings are adequately separated from common driveways and manoeuvring areas.	Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.
Soft lan	dscaping
PO 34.1	DTS/DPF 34.1
Soft landscaping is provided between dwellings and common driveways to improve the outlook for occupants and appearance of common areas.	Other than where located directly in front of a garage or building entry, soft landscaping with a minimum dimension of 1m is provided between a dwelling and common driveway.
PO 34.2	DTS/DPF 34.2
Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater management.	Battle-axe or common driveways satisfy (a) and (b):  (a) are constructed of a minimum of 50% permeable or porous material (b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).
Site Facilities /	Waste Storage
PO 35.1	DTS/DPF 35.1
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.
PO 35.2	DTS/DPF 35.2
Provision is made for suitable external clothes drying facilities.	None are applicable.
PO 35.3	DTS/DPF 35.3
Provision is made for suitable household waste and recyclable material storage facilities which are:	None are applicable.
located away, or screened, from public view, and     conveniently located in proximity to dwellings and the waste collection point.	
PO 35.4	DTS/DPF 35.4
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.
PO 35.5	DTS/DPF 35.5
Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles.	None are applicable.
PO 35.6	DTS/DPF 35.6
Services including gas and water meters are conveniently located and screened from public view.	None are applicable.
	e urban design
PO 36.1	DTS/DPF 36.1
Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	None are applicable.
PO 36.2	DTS/DPF 36.2
Residential development creating a common driveway / access includes a	None are applicable.

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	
Supported Accommodation	on and retirement facilities
Siting, Configur	ation and Design
PO 37.1	DTS/DPF 37.1
Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land.	None are applicable.
PO 37.2	DTS/DPF 37.2
Universal design features are incorporated to provide options for people living with disabilities or limited mobility and / or to facilitate ageing in place.	None are applicable.
	t and Access
PO 38.1	DTS/DPF 38.1
Development is designed to support safe and convenient access and movement for residents by providing:	None are applicable.
<ul> <li>(a) ground-level access or lifted access to all units</li> <li>(b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places</li> <li>(c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability</li> <li>(d) kerb ramps at pedestrian crossing points.</li> </ul>	
Communal	Open Space
PO 39.1	DTS/DPF 39.1
Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors.	None are applicable.
PO 39.2	DTS/DPF 39.2
Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents.	None are applicable.
PO 39.3	DTS/DPF 39.3
Communal open space is of sufficient size and dimensions to cater for group recreation.	Communal open space incorporates a minimum dimension of 5 metres.
PO 39.4	DTS/DPF 39.4
Communal open space is designed and sited to:	None are applicable.
<ul><li>(a) be conveniently accessed by the dwellings which it services</li><li>(b) have regard to acoustic, safety, security and wind effects.</li></ul>	
PO 39.5	DTS/DPF 39.5
Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use.	None are applicable.
PO 39.6	DTS/DPF 39.6
Communal open space is designed and sited to:	None are applicable.
in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings  (b)  In relation to reverse discussion and the content of the property of the content of	
(b) in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance.	
Site Facilities /	/ Waste Storage
PO 40.1	DTS/DPF 40.1
Development is designed to provide storage areas for personal items and	None are applicable.

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric-powered vehicles.		
PO 40.2	DTS/DPF 40.2	
Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants.	None are applicable.	
PO 40.3	DTS/DPF 40.3	
Provision is made for suitable external clothes drying facilities.	None are applicable.	
PO 40.4	DTS/DPF 40.4	
Provision is made for suitable household waste and recyclable material storage facilities conveniently located away, or screened, from view.	None are applicable.	
PO 40.5	DTS/DPF 40.5	
Waste and recyclable material storage areas are located away from dwellings.	Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window.	
PO 40.6	DTS/DPF 40.6	
Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time.	None are applicable.	
PO 40.7	DTS/DPF 40.7	
Services, including gas and water meters, are conveniently located and screened from public view.	None are applicable.	
Student Acc	ommodation	
PO 41.1	DTS/DPF 41.1	
Student accommodation is designed to provide safe, secure, attractive, convenient and comfortable living conditions for residents, including an internal layout and facilities that are designed to provide sufficient space and amenity for the requirements of student life and promote social interaction.	Student accommodation provides:  (a) a range of living options to meet a variety of accommodation needs, such as one-bedroom, two-bedroom and disability access units (b) common or shared facilities to enable a more efficient use of space, including:  (i) shared cooking, laundry and external drying facilities (ii) internal and external communal and private open space provided in accordance with Design in Urban Areas Table 1 - Private Open Space (iii) common storage facilities at the rate of 8m³ for every 2 dwellings or students (iv) common on-site parking in accordance with Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas (v) bicycle parking at the rate of one space for every 2 students.	
PO 41.2	DTS/DPF 41.2	
Student accommodation is designed to provide easy adaptation of the building to accommodate an alternative use of the building in the event it is no longer required for student housing.	None are applicable.	
All non-residen	tial development	
Water Sens	sitive Design	
PO 42.1  Development likely to result in risk of export of sediment, suspended solids, organic matter, nutrients, oil and grease include stormwater management systems designed to minimise pollutants entering stormwater.	DTS/DPF 42.1  None are applicable.	
PO 42.2	DTS/DPF 42.2	
Water discharged from a development site is of a physical, chemical and biological condition equivalent to or better than its pre-developed state.	None are applicable.	
PO 42.3	DTS/DPF 42.3	

Policy	/24	P&D Code (in effect) Version 2023.3 16/02/2023
flows a	opment includes stormwater management systems to mitigate peak and manage the rate and duration of stormwater discharges from the ensure that development does not increase peak flows in downstreamns.	None are applicable.
	Wash-down and Waste	Loading and Unloading
PO 43.1		DTS/DPF 43.1
bins in	for activities including loading and unloading, storage of waste refuse commercial and industrial development or wash-down areas used for eaning of vehicles, plant or equipment are:	None are applicable.
(a)	designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off	
(b)	paved with an impervious material to facilitate wastewater collection	
(c)	of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area	
(d)	are designed to drain wastewater to either:	
	<ul> <li>a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or</li> </ul>	
	(ii) a holding tank and its subsequent removal off-site on a regular basis.	
	Laneway D.	evelopment
		re and Access
PO 44.1		DTS/DPF 44.1
Develo	opment with a primary street comprising a laneway, alley, lane, right of r similar minor thoroughfare only occurs where:	Development with a primary street frontage that is not an alley, lane, right of way or similar public thoroughfare.
(a)	existing utility infrastructure and services are capable of accommodating the development	
(b)	the primary street can support access by emergency and regular service vehicles (such as waste collection)	
(c)	it does not require the provision or upgrading of infrastructure on public land (such as footpaths and stormwater management systems)	
(d)	and the second and the second	1

#### Table 1 - Private Open Space

safety of pedestrians or vehicle movement is maintained

any necessary grade transition is accommodated within the site of the development to support an appropriate development intensity and orderly development of land fronting minor thoroughfares.

(d)

Dwelling Type	Dwelling / Site Configuration	Minimum Rate
Dwelling (at ground level, other than a residential flat building that includes above ground dwellings)		Total private open space area:  (a) Site area <301m2: 24m2 located behind the building line.  (b) Site area ≥ 301m2: 60m2 located behind the building line.  Minimum directly accessible from a living room: 16m2 / with a minimum dimension 3m.
Cabin or caravan (permanently fixed to the ground) in a residential park or caravan and tourist park		Total area: 16m <sup>2</sup> , which may be uses as second car parking space, provided on each site intended for residential occupation.
Dwelling in a residential flat building or mixed use building which incorporate above	Dwellings at ground level:	15m <sup>2</sup> / minimum dimension 3m
ground level dwellings	Dwellings above ground level:	

Policy24			P&D Code (in effect) Version 2023.3 16/02/2023	
		Studio (no separate bedroom)	4m <sup>2</sup> / minimum dimension 1.8m	
		One bedroom dwelling	8m <sup>2</sup> / minimum dimension 2.1m	
		<u> </u>	11 m <sup>2</sup> / minimum dimension 2.4m	
		Two bedroom dwelling	11m-7 minimum dimension 2.4m	
		Three + bedroom dwelling	15 m <sup>2</sup> / minimum dimension 2.6m	

## Forestry

#### Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Commercial forestry is designed and sited to maximise economic benefits whilst managing potential negative impacts on the environment, transport networks, surrounding land uses and landscapes.	

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Sit	ing
PO 1.1	DTS/DPF 1.1
Commercial forestry plantations are established where there is no detrimental effect on the physical environment or scenic quality of the rural landscape.	None are applicable.
PO 1.2	DTS/DPF 1.2
Commercial forestry plantations are established on slopes that are stable to minimise the risk of soil erosion.	Commercial forestry plantations are not located on land with a slope exceeding 20% (1-in-5).
PO 1.3	DTS/DPF 1.3
Commercial forestry plantations and operations associated with their establishment, management and harvesting are appropriately set back from any sensitive receiver to minimise fire risk and noise disturbance.	Commercial forestry plantations and operations associated with their establishment, management and harvesting are set back 50m or more from any sensitive receiver.
PO 1.4	DTS/DPF 1.4
Commercial forestry plantations are separated from reserves gazetted under the <i>National Parks and Wildlife Act 1972</i> and/or <i>Wilderness Protection Act 1992</i> to minimise fire risk and potential for weed infestation.	Commercial forestry plantations and operations associated with their establishment, management and harvesting are set back 50m or more from a reserve gazetted under the <i>National Parks and Wildlife Act 1972</i> and/or <i>Wilderness Protection Act 1992</i> .
Water P	rotection
PO 2.1	DTS/DPF 2.1
Commercial forestry plantations incorporate artificial drainage lines (i.e. culverts, runoffs and constructed drains) integrated with natural drainage lines to minimise concentrated water flows onto or from plantation areas.	None are applicable.
PO 2.2	DTS/DPF 2.2

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Appropriate siting, layout and design measures are adopted to minimise the impact of commercial forestry plantations on surface water resources.	Commercial forestry plantations:  (a) do not involve cultivation (excluding spot cultivation) in drainage lines (b) are set back 20m or more from the banks of any major watercourse (a third order or higher watercourse), lake, reservoir, wetland or sinkhole (with direct connection to an aquifer)  (c) are set back 10m or more from the banks of any first or second order watercourse or sinkhole ( with no direct connection to an aquifer).
Fire Mar	agement
PO 3.1  Commercial forestry plantations incorporate appropriate firebreaks and fire management design elements.	DTS/DPF 3.1  Commercial forestry plantations provide:  (a) 7m or more wide external boundary firebreaks for plantations of 40ha or less  (b) 10m or more wide external boundary firebreaks for plantations of between 40ha and 100ha  (c) 20m or more wide external boundary firebreaks, or 10m with an additional 10m or more of fuel-reduced plantation, for plantations of 100ha or greater.
PO 3.2  Commercial forestry plantations incorporate appropriate fire management access tracks.	DTS/DPF 3.2  Commercial forestry plantation fire management access tracks:  (a) are incorporated within all firebreaks (b) are 7m or more wide with a vertical clearance of 4m or more (c) are aligned to provide straight through access at junctions, or if they are a no through access track are appropriately signposted and provide suitable turnaround areas for fire-fighting vehicles (d) partition the plantation into units of 40ha or less in area.
Power-line	Clearances
PO 4.1  Commercial forestry plantations achieve and maintain appropriate clearances from aboveground powerlines.	DTS/DPF 4.1  Commercial forestry plantations incorporating trees with an expected mature height of greater than 6m meet the clearance requirements listed in the following table:
	Voltage of transmission line
	500 kV Tower 38m
	275 kV Tower 25m
	132 kV Tower 30m
	132 kV Pole 20m
	66 kV Pole 20m
	Less than 66 kV Pole 20m

Housing Renewal

# DO 1 Renewed residential environments replace older social housing and provide new social housing infrastructure and other housing options and tenures to enhance the residential amenity of the local area.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Land Use a	and Intensity	
PO 1.1	DTS/DPF 1.1	
Residential development provides a range of housing choices.	Development comprises one or more of the following:	
	<ul> <li>(a) detached dwellings</li> <li>(b) semi-detached dwellings</li> <li>(c) row dwellings</li> <li>(d) group dwellings</li> <li>(e) residential flat buildings.</li> </ul>	
PO 1.2	DTS/DPF 1.2	
Medium-density housing options or higher are located in close proximity to public transit, open space and/or activity centres.	None are applicable.	
Buildin	g Height	
PO 2.1	DTS/DPF 2.1	
Buildings generally do not exceed 3 building levels unless in locations close to public transport, centres and/or open space.	Building height (excluding garages, carports and outbuildings) does not exceed 3 building levels and 12m and wall height does not exceed 9m (not including a gable end).	
PO 2.2	DTS/DPF 2.2	
Medium or high rise residential flat buildings located within or at the interface with zones which restrict heights to a maximum of 2 building levels transition down in scale and height towards the boundary of that zone, other than where it is a street boundary.	None are applicable.	
Primary Sti	reet Setback	
PO 3.1	DTS/DPF 3.1	
Buildings are set back from the primary street boundary to contribute to an attractive streetscape character.	Buildings are no closer to the primary street (excluding any balcony, verandah, porch, awning or similar structure) than 3m.	
Secondary Street Setback		
PO 4.1	DTS/DPF 4.1	
Buildings are set back from secondary street boundaries to maintain separation between building walls and public streets and contribute to a suburban streetscape character.	Buildings are set back at least 900mm from the boundary of the allotment with a secondary street frontage.	
Boundary Walls		
PO 5.1	DTS/DPF 5.1	
Boundary walls are limited in height and length to manage visual impacts and access to natural light and ventilation.	Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b):  (a) adjoin or abut a boundary wall of a building on adjoining land for the	
	same length and height (b) do not:	

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 5.2  Dwellings in a semi-detached, row or terrace arrangement maintain space between buildings consistent with a suburban streetscape character.	(i) exceed 3.2m in height from the lower of the natural or finished ground level (ii) exceed 11.5m in length (iii) when combined with other walls on the boundary of the subject development site, a maximum 45% of the length of the boundary (iv) encroach within 3 metres of any other existing or proposed boundary walls on the subject land.  DTS/DPF 5.2  Dwellings in a semi-detached or row arrangement are set back 900mm or more from side boundaries shared with allotments outside the development site, except for a carport or garage.
	site, except for a carport of garage.
Side Bound	lary Setback T
P0 6.1  Buildings are set back from side boundaries to provide:  (a) separation between dwellings in a way that contributes to a suburban character	Other than walls located on a side boundary, buildings are set back from side boundaries:  (a) at least 900mm where the wall height is up to 3m
(b) access to natural light and ventilation for neighbours.	<ul> <li>(b) other than for a wall facing a southern side boundary, at least 900mm plus 1/3 of the wall height above 3m</li> <li>(c) at least 1.9m plus 1/3 of the wall height above 3m for walls facing a southern side boundary.</li> </ul>
Rear Bound	dary Setback T
PO 7.1  Buildings are set back from rear boundaries to provide:	DTS/DPF 7.1  Dwellings are set back from the rear boundary:
<ul> <li>(a) separation between dwellings in a way that contributes to a suburban character</li> <li>(b) access to natural light and ventilation for neighbours</li> <li>(c) private open space</li> <li>(d) space for landscaping and vegetation.</li> </ul>	(a) 3m or more for the first building level (b) 5m or more for any subsequent building level.
Buildings ele	evation design
Dwelling elevations facing public streets and common driveways make a positive contribution to the streetscape and common driveway areas.	Each dwelling includes at least 3 of the following design features within the building elevation facing a primary street, and at least 2 of the following design features within the building elevation facing any other public road (other than a laneway) or a common driveway:  (a) a minimum of 30% of the building elevation is set back an additional 300mm from the building line (b) a porch or portico projects at least 1m from the building elevation (c) a balcony projects from the building elevation (d) a verandah projects at least 1m from the building elevation (e) eaves of a minimum 400mm width extend along the width of the front elevation (f) a minimum 30% of the width of the upper level projects forward from the lower level primary building line by at least 300mm. (g) a minimum of two different materials or finishes are incorporated on the walls of the building elevation, with a maximum of 80% of the building elevation in a single material or finish.
PO 8.2  Dwellings incorporate windows along primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape.	Each dwelling with a frontage to a public street:  (a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m  (b) has an aggregate window area of at least 2m <sup>2</sup> facing the primary street
PO 8.3  The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets.	DTS/DPF 8.3  None are applicable.

Policy24		P&D Code (in effect) \	Version 2023.3 16/02/2023
PO 8.4	DTS/DPF 8.4		
Built form considers local context and provides a quality design response through scale, massing, materials, colours and architectural expression.	None are applicable.		
PO 8.5	DTS/DPF 8.5		
Entrances to multi-storey buildings are:	None are applicable.		
(a) oriented towards the street (b) visible and easily identifiable from the street (c) designed to include a common mail box structure.			
Outlook a	nd amenity		
PO 9.1	DTS/DPF 9.1		
Living rooms have an external outlook to provide a high standard of amenity for occupants.	_	lling incorporates a windowntage or private open space	w with an external outlook ce.
PO 9.2	DTS/DPF 9.2		
Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion.	None are applicable.		
Private O	pen Space		
PO 10.1	DTS/DPF 10.1		
Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants.	Private open space is provided in accordance with the following table:		h the following table:
	Dwelling Type	Dwelling / Site	Minimum Rate
		Configuration	
	Dwelling (at ground level)		Total area: 24m <sup>2</sup> located behind the building line
			Minimum adjacent to a living room: 16m <sup>2</sup> with a minimum dimension 3m
	Dwelling (above ground level)	Studio	4m² / minimum dimension 1.8m
		One bedroom dwelling	8m² / minimum dimension 2.1m
		Two bedroom dwelling	11m <sup>2</sup> / minimum dimension 2.4m
		Three + bedroom dwelling	15 m <sup>2</sup> / minimum dimension 2.6m
PO 10.2	DTS/DPF 10.2	•	•
Private open space positioned to provide convenient access from internal living areas.	At least 50% of the required area of private open space is accessible from a habitable room.		
PO 10.3 DTS/DPF 10.3			
Private open space is positioned and designed to:	None are applicable.		
<ul> <li>(a) provide useable outdoor space that suits the needs of occupants;</li> <li>(b) take advantage of desirable orientation and vistas; and</li> <li>(c) adequately define public and private space.</li> </ul>			
Visual	privacy		
PO 11.1	DTS/DPF 11.1		
Development mitigates direct overlooking from upper level windows to	Upper level windows f	acing side or rear boundar	ries shared with another

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
habitable rooms and private open spaces of adjoining residential uses.	residential allotment/site satisfy one of the following:	
	<ul> <li>(a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm</li> <li>(b) have sill heights greater than or equal to 1.5m above finished floor level</li> <li>(c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5m above the finished floor.</li> </ul>	
PO 11.2	DTS/DPF 11.2	
Development mitigates direct overlooking from upper level balconies and terraces to habitable rooms and private open space of adjoining residential uses.	One of the following is satisfied:  (a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or  (b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of:  (i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or  (ii) 1.7m above finished floor level in all other cases	
Land	scaping	
PO 12.1	DTS/DPF 12.1	
Soft landscaping is incorporated into development to:  (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration and biodiversity (d) enhance the appearance of land and streetscapes.	Residential development incorporates pervious areas for soft landscaping with a minimum dimension of 700mm provided in accordance with (a) and (b):  (a) a total area as determined by the following table:  Dwelling site area (or in the case of residential flat building or group dwelling(s), average site area) (m²)  C150  C150  C200  Dish  Di	
Water Sen	L sitive Design	
PO 13.1  Residential development is designed to capture and use stormwater to:  (a) maximise efficient use of water resources  (b) manage peak stormwater runoff flows and volume to ensure the carrying capacities of downstream systems are not overloaded  (c) manage runoff quality to maintain, as close as practical, predevelopment conditions.	DTS/DPF 13.1  None are applicable.	
Car I	Parking	
PO 14.1  On-site car parking is provided to meet the anticipated demand of residents, with less on-site parking in areas in close proximity to public transport.	On-site car parking is provided at the following rates per dwelling:  (a) 2 or fewer bedrooms - 1 car parking space (b) 3 or more bedrooms - 2 car parking spaces.	
PO 14.2 Enclosed car parking spaces are of dimensions to be functional, accessible and convenient.	DTS/DPF 14.2  Residential parking spaces enclosed by fencing, walls or other obstructions with the following internal dimensions (separate from any waste storage area):	

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	(a) single parking spaces:  (i) a minimum length of 5.4m  (ii) a minimum width of 3.0m  (iii) a minimum garage door width of 2.4m  (b) double parking spaces (side by side):  (i) a minimum length of 5.4m  (ii) a minimum width of 5.5m  (iii) minimum garage door width of 2.4m per space.
PO 14.3	DTS/DPF 14.3
Uncovered car parking spaces are of dimensions to be functional, accessible and convenient.	Uncovered car parking spaces have:  (a) a minimum length of 5.4m (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m.
PO 14.4	DTS/DPF 14.4
Residential flat buildings and group dwelling developments provide sufficient on-site visitor car parking to cater for anticipated demand.	Visitor car parking for group and residential flat buildings incorporating 4 or more dwellings is provided on-site at a minimum ratio of 0.25 car parking spaces per dwelling.
PO 14.5	DTS/DPF 14.5
Residential flat buildings provide dedicated areas for bicycle parking.	Residential flat buildings provide one bicycle parking space per dwelling.
Oversha	adowing
PO 15.1	DTS/DPF 15.1
Development minimises overshadowing of the private open spaces of adjoining land by ensuring that ground level open space associated with residential buildings receive direct sunlight for a minimum of 2 hours between 9am and 3pm on 21 June.	None are applicable.
Wa	ste
PO 16.1  Provision is made for the convenient storage of waste bins in a location screened from public view.	DTS/DPF 16.1  A waste bin storage area is provided behind the primary building line that:  (a) has a minimum area of 2m² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space).; and  (b) has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage area and the street.
PO 16.2	DTS/DPF 16.2
Residential flat buildings provide a dedicated area for the on-site storage of waste which is:	None are applicable.
<ul> <li>(a) easily and safely accessible for residents and for collection vehicles</li> <li>(b) screened from adjoining land and public roads</li> <li>(c) of sufficient dimensions to be able to accommodate the waste storage needs of the development considering the intensity and nature of the development and the frequency of collection.</li> </ul>	
<ul> <li>(b) screened from adjoining land and public roads</li> <li>(c) of sufficient dimensions to be able to accommodate the waste storage needs of the development considering the intensity and nature of the development and the frequency of collection.</li> </ul>	Access
<ul> <li>(b) screened from adjoining land and public roads</li> <li>(c) of sufficient dimensions to be able to accommodate the waste storage needs of the development considering the intensity and nature of the development and the frequency of collection.</li> </ul>	Access DTS/DPF 17.1
screened from adjoining land and public roads     of sufficient dimensions to be able to accommodate the waste storage needs of the development considering the intensity and nature of the development and the frequency of collection.   Vehicle	
(b) screened from adjoining land and public roads (c) of sufficient dimensions to be able to accommodate the waste storage needs of the development considering the intensity and nature of the development and the frequency of collection.  Vehicle PO 17.1  Driveways are located and designed to facilitate safe access and egress while maximising land available for street tree planting, landscaped street	DTS/DPF 17.1

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
public roads and does not interfere with street infrastructure or street trees.	
	<ul> <li>(a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land</li> </ul>
	(b) where newly proposed, is set back:
	(i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner
	(ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance  (iii) 6m or more from the tangent point of an intersection of 2 or
	more roads
	(iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing.
PO 17.3	DTS/DPF 17.3
Driveways are designed to enable safe and convenient vehicle movements	Driveways are designed and sited so that:
from the public road to on-site parking spaces.	(a) the gradient from the place of access on the boundary of the allotment to the finished floor level at the front of the garage or carport is not more than 1-in-4 on average
	(b) they are aligned relative to the street so that there is no more than a 20 degree deviation from 90 degrees between the centreline of any dedicated car parking space to which it provides access (measured from the front of that space) and the road boundary.
	(c) if located so as to provide access from an alley, lane or right of way the alley, lane or right or way is at least 6.2m wide along the boundary of the allotment / site.
PO 17.4	DTS/DPF 17.4
Driveways and access points are designed and distributed to optimise the provision of on-street parking.	Where on-street parking is available abutting the site's street frontage, on- street parking is retained in accordance with the following requirements:
	minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number)
	<ol> <li>Minimum car park length of 5.4m where a vehicle can enter or exit a space directly</li> <li>minimum car park length of 6m for an intermediate space located</li> </ol>
	between two other parking spaces.
PO 17.5	DTS/DPF 17.5
Residential driveways that service more than one dwelling of a dimension to allow safe and convenient movement.	Where on-street parking is available abutting the site's street frontage, on- street parking is retained in accordance with the following requirements:
	<ul> <li>(a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number)</li> <li>(b) minimum car park length of 5.4m where a vehicle can enter or exit a</li> </ul>
	space directly
	(C) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented.
PO 17.6	DTS/DPF 17.6
Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site and manoeuvre within the site in a safe and convenient manner.	Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre
PO 17.7	DTS/DPF 17.7
Dwellings are adequately separated from common driveways and manoeuvring areas.	Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles.
Sto	rage
PO 18.1	DTS/DPF 18.1
Dwellings are provided with sufficient and accessible space for storage to meet likely occupant needs.	Dwellings are provided with storage at the following rates and 50% or more of the storage volume is provided within the dwelling:

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	(a) studio: not less than 6m <sup>3</sup>
	(b) 1 bedroom dwelling / apartment: not less than 8m <sup>3</sup>
	(c) 2 bedroom dwelling / apartment: not less than 10m <sup>3</sup>
	<sup>(d)</sup> 3+ bedroom dwelling / apartment: not less than 12m <sup>3</sup> .
Earth	works
PO 19.1	DTS/DPF 19.1
Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural	The development does not involve:
topography.	(a) excavation exceeding a vertical height of 1m or
	(b) filling exceeding a vertical height of 1m or
	(c) a total combined excavation and filling vertical height exceeding 2m.
Service connection	s and infrastructure
PO 20.1	DTS/DPF 20.1
Dwellings are provided with appropriate service connections and infrastructure.	The site and building:
IIIII asti uctui e.	<ul> <li>(a) have the ability to be connected to a permanent potable water supply</li> <li>(b) have the ability to be connected to a sewerage system, or a wastewater system approved under the South Australian Public Health Act 2011</li> </ul>
	(c) have the ability to be connected to electricity supply
	<ul> <li>(d) have the ability to be connected to an adequate water supply (and pressure) for fire-fighting purposes</li> </ul>
	(e) would not be contrary to the Regulations prescribed for the purposes of Section 86 of the <i>Electricity Act 1996</i> .
Site cont.	I amination
PO 21.1	DTS/DPF 21.1
Land that is suitable for sensitive land uses to provide a safe environment.	Development satisfies (a), (b), (c) or (d):
	(a) does not involve a change in the use of land
	(b) involves a change in the use of land that does not constitute a change to a more sensitive use
	(c) involves a change in the use of land to a <u>more sensitive use</u> on land at which <u>site contamination</u> does not exist (as demonstrated in a <u>site</u> <u>contamination declaration form</u> )
	(d) involves a change in the use of land to a <u>more sensitive use</u> on land at which <u>site contamination</u> exists, or may exist (as demonstrated in a site contamination declaration form), and satisfies both of the following:
	(i) <u>a site contamination audit report</u> has been prepared under Part 10A of the <i>Environment Protection Act 1993</i> in relation to the land within the previous 5 years which states that
	A. <u>site contamination</u> does not exist (or no longer exists) at the land or
	B. the land is suitable for the proposed use or range of uses (without the need for any further <u>remediation</u> ) or
	C. where <u>remediation</u> is, or remains, necessary for the proposed use (or range of uses), <u>remediation work</u> has been carried out or will be carried out (and the applicant has provided a written undertaking that the remediation works will be implemented in association with the development)
	and  (ii) no other <u>class 1 activity</u> or <u>class 2 activity</u> has taken place at the land since the preparation of the site contamination audit report (as demonstrated in a <u>site contamination declaration form</u> ).

## Infrastructure and Renewable Energy Facilities

#### Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Efficient provision of infrastructure networks and services, renewable energy facilities and ancillary development in a manner that minimises hazard, is environmentally and culturally sensitive and manages adverse visual impacts on natural and rural landscapes and residential amenity.	

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
G	eneral
PO 1.1	DTS/DPF 1.1
Development is located and designed to minimise hazard or nuisance to adjacent development and land uses.	None are applicable.
Visua	I Amenity
PO 2.1	DTS/DPF 2.1
The visual impact of above-ground infrastructure networks and services (excluding high voltage transmission lines), renewable energy facilities (excluding wind farms), energy storage facilities and ancillary development is minimised from townships, scenic routes and public roads by:	None are applicable.
<ul> <li>(a) utilising features of the natural landscape to obscure views where practicable</li> <li>(b) siting development below ridgelines where practicable</li> <li>(c) avoiding visually sensitive and significant landscapes</li> <li>(d) using materials and finishes with low-reflectivity and colours that complement the surroundings</li> <li>(e) using existing vegetation to screen buildings</li> <li>(f) incorporating landscaping or landscaped mounding around the perimeter of a site and between adjacent allotments accommodating or zoned to primarily accommodate sensitive receivers.</li> </ul>	
PO 2.2	DTS/DPF 2.2
Pumping stations, battery storage facilities, maintenance sheds and other ancillary structures incorporate vegetation buffers to reduce adverse visual impacts on adjacent land.	None are applicable.
PO 2.3	DTS/DPF 2.3
Surfaces exposed by earthworks associated with the installation of storage facilities, pipework, penstock, substations and other ancillary plant are reinstated and revegetated to reduce adverse visual impacts on adjacent land.	None are applicable.
Reha	bilitation
PO 3.1	DTS/DPF 3.1
Progressive rehabilitation (incorporating revegetation) of disturbed areas, ahead of or upon decommissioning of areas used for renewable energy facilities and transmission corridors.	None are applicable.
Hazard I	Management

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 4.1	DTS/DPF 4.1
Infrastructure and renewable energy facilities and ancillary development	None are applicable.
located and operated to not adversely impact maritime or air transport safety, including the operation of ports, airfields and landing strips.	
PO 4.2	DTS/DPF 4.2
Facilities for energy generation, power storage and transmission are	None are applicable.
separated as far as practicable from dwellings, tourist accommodation and frequently visited public places (such as viewing platforms / lookouts) to	
reduce risks to public safety from fire or equipment malfunction.	
PO 4.3	DTS/DPF 4.3
Bushfire hazard risk is minimised for renewable energy facilities by	None are applicable.
providing appropriate access tracks, safety equipment and water tanks and	
establishing cleared areas around substations, battery storage and operations compounds.	
	and Battery Storage Facilities  DTS/DPF 5.1
PO 5.1	
Electricity infrastructure is located to minimise visual impacts through techniques including:	None are applicable.
(a) siting utilities and services:	
(i) on areas already cleared of native vegetation	
(ii) where there is minimal interference or disturbance to existing native vegetation or biodiversity	
(b) grouping utility buildings and structures with non-residential development, where practicable.	
PO 5.2	DTS/DPF 5.2
Electricity supply (excluding transmission lines) serving new development in urban areas and townships installed underground, excluding lines having a capacity exceeding or equal to 33kV.	None are applicable.
PO 5.3	DTS/DPF 5.3
Battery storage facilities are co-located with substation infrastructure where	None are applicable.
practicable to minimise the development footprint and reduce	
environmental impacts.	
Telecommur	ication Facilities
PO 6.1	DTS/DPF 6.1
The proliferation of telecommunications facilities in the form of towers/monopoles in any one locality is managed, where technically	None are applicable.
feasible, by co-locating a facility with other communications facilities to	
mitigate impacts from clutter on visual amenity.	
PO 6.2	DTS/DPF 6.2
Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity.	None are applicable.
Salactares to manage over an burk and midgate impacts on visual amenity.	
PO 6.3	DTS/DPF 6.3
Telecommunications facilities, particularly towers/monopoles, are located and sized to mitigate visual impacts by the following methods:	None are applicable.
(a) where technically feasible, incorporating the facility within an existing structure that may serve another purpose	
or all of the following:	
(b) using existing buildings and landscape features to obscure or interrupt views of a facility from nearby public roads, residential areas and places of high public amenity to the extent practical without unduly hindering the effective provision of telecommunications services	
Constitution of the Consti	ı

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
(c) using materials and finishes that complement the environment (d) screening using landscaping and vegetation, particularly for equipment shelters and huts.		
Renewable	Energy Facilities	
PO 7.1	DTS/DPF 7.1	
Renewable energy facilities are located as close as practicable to existing transmission infrastructure to facilitate connections and minimise environmental impacts as a result of extending transmission infrastructure.	None are applicable.	
Renewable Energ	/ Facilities (Wind Farm)	
PO 8.1	DTS/DPF 8.1	
Visual impact of wind turbine generators on the amenity of residential and tourist development is reduced through appropriate separation.	Wind turbine generators are:	
	<ul> <li>(a) set back at least 2000m from the base of a turbine to any of the following zones:         <ul> <li>(i) Rural Settlement Zone</li> <li>(ii) Township Zone</li> <li>(iii) Rural Living Zone</li> <li>(iv) Rural Neighbourhood Zone</li> </ul> </li> </ul>	
	with an additional 10m setback per additional metre over 150m overall turbine height (measured from the base of the turbine).  (b) set back at least 1500m from the base of the turbine to non-associated (non-stakeholder) dwellings and tourist accommodation	
PO 8.2	DTS/DPF 8.2	
The visual impact of wind turbine generators on natural landscapes is managed by:	None are applicable.	
<ul> <li>(a) designing wind turbine generators to be uniform in colour, size and shape</li> <li>(b) coordinating blade rotation and direction</li> <li>(c) mounting wind turbine generators on tubular towers as opposed to lattice towers.</li> </ul>		
PO 8.3	DTS/DPF 8.3	
Wind turbine generators and ancillary development minimise potential for bird and bat strike.	None are applicable.	
PO 8.4	DTS/DPF 8.4	
Wind turbine generators incorporate recognition systems or physical markers to minimise the risk to aircraft operations.	No Commonwealth air safety (CASA / ASA) or Defence requirement is applicable.	
PO 8.5	DTS/DPF 8.5	
Meteorological masts and guidewires are identifiable to aircraft through the use of colour bands, marker balls, high visibility sleeves or flashing strobes.	None are applicable.	
Renewable Energy	Facilities (Solar Power)	
PO 9.1	DTS/DPF 9.1	
Ground mounted solar power facilities generating 5MW or more are not located on land requiring the clearance of areas of intact native vegetation or on land of high environmental, scenic or cultural value.	None are applicable.	
PO 9.2	DTS/DPF 9.2	
Ground mounted solar power facilities allow for movement of wildlife by:	None are applicable.	
<ul> <li>(a) incorporating wildlife corridors and habitat refuges</li> <li>(b) avoiding the use of extensive security or perimeter fencing or incorporating fencing that enables the passage of small animals without unreasonably compromising the security of the facility.</li> </ul>		
PO 9.3	DTS/DPF 9.3	
Amenity impacts of solar power facilities are minimised through separation from conservation areas and sensitive receivers in other ownership.	Ground mounted solar power facilities are set back from land boundaries, conservation areas and relevant zones in accordance with the following	

Policy24		P&D C	ode (in eff	ect) Version 2	023.3 16/02/2023
	criteria:				
	Generation Capacity	Approximate size of array	Setback from adjoining land boundary	Setback from conservation areas	Setback from Township, Rural Settlement, Rural Neighbourhood and Rural Living Zones <sup>1</sup>
	50MW>	80ha+	30m	500m	2km
	10MW<50MW	16ha-<80ha	25m	500m	1.5km
	5MW<10MW	8ha to <16ha	20m	500m	1km
	1MW<5MW	1.6ha to <8ha	15m	500m	500m
	100kW<1MW	0.5ha<1.6ha	10m	500m	100m
	<100kW	<0.5ha	5m	500m	25m
		•		osed ground mo	unted solar power
	facility is located	d within one of th	hese zones.		
PO 9.4  Ground mounted solar power facilities incorporate landscaping within setbacks from adjacent road frontages and boundaries of adjacent allotments accommodating non-host dwellings, where balanced with infrastructure access and bushfire safety considerations.	DTS/DPF 9.4 None are applic	able.			
Hydropower / Pump	ed Hydropower Faci	lities			
PO 10.1	DTS/DPF 10.1				
Hydropower / pumped hydropower facility storage is designed and operated to minimise the risk of storage dam failure.	None are applic	able.			
PO 10.2  Hydropower / pumped hydropower facility storage is designed and operated to minimise water loss through increased evaporation or system leakage, with the incorporation of appropriate liners, dam covers, operational measures or detection systems.	DTS/DPF 10.2  None are applicable.				
PO 10.3	DTS/DPF 10.3				
Hydropower / pumped hydropower facilities on existing or former mine sites minimise environmental impacts from site contamination, including from mine operations or water sources subject to such processes, now or in the future.	None are applicable.				
Wate	r Supply				
PO 11.1	DTS/DPF 11.1				
Development is connected to an appropriate water supply to meet the ongoing requirements of the intended use.	Development is connected, or will be connected, to a reticulated water schem or mains water supply with the capacity to meet the on-going requirements of the development.				
PO 11.2	DTS/DPF 11.2				
Dwellings are connected to a reticulated water scheme or mains water supply with the capacity to meet the requirements of the intended use. Where this is not available an appropriate rainwater tank or storage system for domestic use is provided.	A dwelling is connected, or will be connected, to a reticulated water scheme mains water supply with the capacity to meet the requirements of the development. Where this is not available it is serviced by a rainwater tank or tanks capable of holding at least 50,000 litres of water which is:			ents of the ainwater tank or	

Policy24	P&D Code (in effect) Version 2023.3 16/02/202
	<ul><li>(a) exclusively for domestic use</li><li>(b) connected to the roof drainage system of the dwelling.</li></ul>
Wastewa	tter Services
PO 12.1	DTS/DPF 12.1
Development is connected to an approved common wastewater disposal service with the capacity to meet the requirements of the intended use.  Where this is not available an appropriate on-site service is provided to meet the ongoing requirements of the intended use in accordance with the following:  (a) it is wholly located and contained within the allotment of the development it will service  (b) in areas where there is a high risk of contamination of surface, ground, or marine water resources from on-site disposal of liquid wastes, disposal systems are included to minimise the risk of pollution to those water resources  (c) septic tank effluent drainage fields and other wastewater disposal areas are located away from watercourses and flood prone, sloping, saline or poorly drained land to minimise environmental harm.	Development is connected, or will be connected, to an approved common wastewater disposal service with the capacity to meet the requirements of the development. Where this is not available it is instead capable of being serviced by an on-site waste water treatment system in accordance with the following:  (a) the system is wholly located and contained within the allotment of development it will service; and  (b) the system will comply with the requirements of the South Australian Public Health Act 2011.
PO 12.2	DTS/DPF 12.2
Effluent drainage fields and other wastewater disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment.	Development is not built on, or encroaches within, an area that is, or will be, required for a sewerage system or waste control system.
Tempor	l ary Facilities
PO 13.1	DTS/DPF 13.1
In rural and remote locations, development that is likely to generate significant waste material during construction, including packaging waste, makes provision for a temporary on-site waste storage enclosure to minimise the incidence of wind-blown litter.	A waste collection and disposal service is used to dispose of the volume of waste at the rate it is generated.
PO 13.2	DTS/DPF 13.2
Temporary facilities to support the establishment of renewable energy facilities (including borrow pits, concrete batching plants, laydown, storage, access roads and worker amenity areas) are sited and operated to minimise environmental impact.	None are applicable.

## Intensive Animal Husbandry and Dairies

#### Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Development of intensive animal husbandry and dairies in locations that are protected from encroachment by sensitive receivers and in a manner that minimises their adverse effects on amenity and the environment.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

## Performance Outcome Deemed-to-Satisfy Criteria / Designated Performance Feature Siting and Design

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023		
PO 1.1	DTS/DPF 1.1		
Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to not unreasonably impact on the environment or amenity of the locality.	None are applicable.		
PO 1.2	DTS/DPF 1.2		
Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to prevent the potential transmission of disease to other operations where animals are kept.	None are applicable.		
PO 1.3	DTS/DPF 1.3		
Intensive animal husbandry and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions.	None are applicable.		
PO 1.4	DTS/DPF 1.4		
Dairies and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions.	Dairies, associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities are located 500m or more from the nearest sensitive receiver in other ownership.		
PO 1.5	DTS/DPF 1.5		
Lagoons for the storage or treatment of milking shed effluent is adequately separated from roads to minimise impacts from odour on the general public.	Lagoons for the storage or treatment of milking shed effluent are set back 20m or more from public roads.		
W	aste		
PO 2.1	DTS/DPF 2.1		
Storage of manure, used litter and other wastes (other than waste water lagoons) is sited, designed, constructed and managed to:	None are applicable.		
(a) avoid attracting and harbouring vermin			
(b) avoid polluting water resources			
(c) be located outside 1% AEP flood event areas.			
Soil and Wa	ter Protection		
PO 3.1	DTS/DPF 3.1		
To avoid environmental harm and adverse effects on water resources, intensive animal husbandry operations are appropriately set back from:	Intensive animal husbandry operations are set back:  (a) 800m or more from a public water supply reservoir		
(a) public water supply reservoirs (b) major watercourses (third order or higher stream)	(b) 200m or more from a major watercourse (third order or higher stream)		
<ul> <li>(b) major watercourses (third order or higher stream)</li> <li>(c) any other watercourse, bore or well used for domestic or stock water supplies.</li> </ul>	(c) 100m or more from any other watercourse, bore or well used for domestic or stock water supplies.		
PO 3.2	DTS/DPF 3.2		
Intensive animal husbandry operations and dairies incorporate appropriately designed effluent and run-off facilities that:	None are applicable.		
(a) have sufficient capacity to hold effluent and runoff from the operations on site			
(b) ensure effluent does not infiltrate and pollute groundwater, soil or other water resources.			

## Interface between Land Uses

Desired Outcome		
DO 1	Development is located and designed to mitigate adverse effects on or from neighbouring and proximate land uses.	

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature		
General Land U	se Compatibility		
PO 1.1	DTS/DPF 1.1		
Sensitive receivers are designed and sited to protect residents and occupants from adverse impacts generated by lawfully existing land uses (or lawfully approved land uses) and land uses desired in the zone.	None are applicable.		
PO 1.2	DTS/DPF 1.2		
Development adjacent to a site containing a sensitive receiver (or lawfully approved sensitive receiver) or zone primarily intended to accommodate sensitive receivers is designed to minimise adverse impacts.	None are applicable.		
Hours of	Operation		
PO 2.1	DTS/DPF 2.1		
Non-residential development does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) or an adjacent	Development operating withir	n the following hours:	
zone primarily for sensitive receivers through its hours of operation having regard to:	Class of Development	Hours of operation	
(a) the nature of the development	Consulting room	7am to 9pm, Monday to Friday	
<ul> <li>(b) measures to mitigate off-site impacts</li> <li>(c) the extent to which the development is desired in the zone</li> <li>(d) measures that might be taken in an adjacent zone primarily for</li> </ul>		8am to 5pm, Saturday	
sensitive receivers that mitigate adverse impacts without	Office	7am to 9pm, Monday to Friday	
unreasonably compromising the intended use of that land.		8am to 5pm, Saturday	
	Shop, other than any one or	7am to 9pm, Monday to Friday	
	combination of the	8am to 5pm, Saturday and Sunday	
	following:	oam to spin, saturday and sunday	
	(a) restaurant		
	(b) cellar door in the Productive Rural Landscape Zone, Rural Zone or Rural Horticulture Zone		
Oversh	IL adowing		
PO 3.1	DTS/DPF 3.1		
Overshadowing of habitable room windows of adjacent residential land uses in:	North-facing windows of habitable rooms of adjacent residential land uses a neighbourhood-type zone receive at least 3 hours of direct sunlight between 9.00am and 3.00pm on 21 June.		
a. a neighbourhood-type zone is minimised to maintain access to direct winter sunlight			
b. other zones is managed to enable access to direct winter sunlight.			
PO 3.2	DTS/DPF 3.2		
Overshadowing of the primary area of private open space or communal open space of adjacent residential land uses in:	Development maintains 2 hours of direct sunlight between 9.00 am and 3.00 pm on 21 June to adjacent residential land uses in a neighbourhood-type zor in accordance with the following:		
a. a neighbourhood type zone is minimised to maintain access to direct	accordance with the following	··o·	

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
winter sunlight b. other zones is managed to enable access to direct winter sunlight.	<ul> <li>a. for ground level private open space, the smaller of the following:</li> <li>i. half the existing ground level open space</li> <li>or</li> <li>ii. 35m2 of the existing ground level open space (with at least one of the area's dimensions measuring 2.5m)</li> <li>b. for ground level communal open space, at least half of the existing ground level open space.</li> </ul>
PO 3.3  Development does not unduly reduce the generating capacity of adjacent rooftop solar energy facilities taking into account:  (a) the form of development contemplated in the zone (b) the orientation of the solar energy facilities (c) the extent to which the solar energy facilities are already overshadowed.	DTS/DPF 3.3  None are applicable.
PO 3.4  Development that incorporates moving parts, including windmills and wind farms, are located and operated to not cause unreasonable nuisance to nearby dwellings and tourist accommodation caused by shadow flicker.	DTS/DPF 3.4  None are applicable.
PO 4.1  Development that emits noise (other than music) does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers).	DTS/DPF 4.1  Noise that affects sensitive receivers achieves the relevant Environment Protection (Noise) Policy criteria.
PO 4.2  Areas for the on-site manoeuvring of service and delivery vehicles, plant and equipment, outdoor work spaces (and the like) are designed and sited to not unreasonably impact the amenity of adjacent sensitive receivers (or lawfully approved sensitive receivers) and zones primarily intended to accommodate sensitive receivers due to noise and vibration by adopting techniques including:  (a) locating openings of buildings and associated services away from the interface with the adjacent sensitive receivers and zones primarily intended to accommodate sensitive receivers  (b) when sited outdoors, locating such areas as far as practicable from adjacent sensitive receivers and zones primarily intended to accommodate sensitive receivers  (c) housing plant and equipment within an enclosed structure or acoustic enclosure  (d) providing a suitable acoustic barrier between the plant and / or equipment and the adjacent sensitive receiver boundary or zone.	None are applicable.
PO 4.3  Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa are positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers (or lawfully approved sensitive receivers).	DTS/DPF 4.3  The pump and/or filtration system ancillary to a dwelling erected on the same site is:  (a) enclosed in a solid acoustic structure located at least 5m from the nearest habitable room located on an adjoining allotment or  (b) located at least 12m from the nearest habitable room located on an adjoining allotment.
PO 4.4  External noise into bedrooms is minimised by separating or shielding these rooms from service equipment areas and fixed noise sources located on the same or an adjoining allotment.	DTS/DPF 4.4 Adjacent land is used for residential purposes.
PO 4.5  Outdoor areas associated with licensed premises (such as beer gardens or dining areas) are designed and/or sited to not cause unreasonable noise impact on existing adjacent sensitive receivers (or lawfully approved sensitive	DTS/DPF 4.5  None are applicable.

Policy24	Pad Code (in effect) version 2023.3 16/02/2020
receivers).	
PO 4.6	DTS/DPF 4.6
Development incorporating music achieves suitable acoustic amenity when measured at the boundary of an adjacent sensitive receiver (or lawfully approved sensitive receiver) or zone primarily intended to accommodate	Development incorporating music includes noise attenuation measures that will achieve the following noise levels:
sensitive receivers.	Assessment location Music noise level
	Externally at the nearest existing or envisaged noise sensitive location  Less than 8dB above the level of background noise (L <sub>90,15min</sub> ) in any octave band of the sound spectrum (LOCT10,15 < LOCT90,15 + 8dB)
Air C	Quality
PO 5.1	DTS/DPF 5.1
Development with the potential to emit harmful or nuisance-generating air pollution incorporates air pollution control measures to prevent harm to human health or unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) within the locality and zones primarily intended to accommodate sensitive receivers.	None are applicable.
PO 5.2	DTS/DPF 5.2
Development that includes chimneys or exhaust flues (including cafes, restaurants and fast food outlets) is designed to minimise nuisance or adverse health impacts to sensitive receivers (or lawfully approved sensitive receivers) by:	None are applicable.
(a) incorporating appropriate treatment technology before exhaust emissions are released	
(b) locating and designing chimneys or exhaust flues to maximise the dispersion of exhaust emissions, taking into account the location of sensitive receivers.	
Ligh	t Spill
PO 6.1	DTS/DPF 6.1
External lighting is positioned and designed to not cause unreasonable light spill impact on adjacent sensitive receivers (or lawfully approved sensitive receivers).	None are applicable.
PO 6.2	DTS/DPF 6.2
External lighting is not hazardous to motorists and cyclists.	None are applicable.
Solar Refle	ctivity / Glare
PO 7.1	DTS/DPF 7.1
Development is designed and comprised of materials and finishes that do not unreasonably cause a distraction to adjacent road users and pedestrian areas or unreasonably cause heat loading and micro-climatic impacts on adjacent buildings and land uses as a result of reflective solar glare.	None are applicable.
Electrical I	nterference
PO 8.1	DTS/DPF 8.1
Development in rural and remote areas does not unreasonably diminish or result in the loss of existing communication services due to electrical	The building or structure:
interference.	(a) is no greater than 10m in height, measured from existing ground level or
	(b) is not within a line of sight between a fixed transmitter and fixed receiver (antenna) other than where an alternative service is available via a different fixed transmitter or cable.
Interface with	Rural Activities
PO 9.1	DTS/DPF 9.1
Sensitive receivers are located and designed to mitigate impacts from lawfully existing horticultural and farming activities (or lawfully approved horticultural	None are applicable.

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
and farming activities), including spray drift and noise and do not prejudice the continued operation of these activities.		
PO 9.2	DTS/DPF 9.2	
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing intensive animal husbandry activities and do not prejudice the continued operation of these activities.	None are applicable.	
PO 9.3	DTS/DPF 9.3	
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing land-based aquaculture activities and do not prejudice the continued operation of these activities.	Sensitive receivers are located at least 200m from the boundary of a site used for land-based aquaculture and associated components in other ownership.	
PO 9.4	DTS/DPF 9.4	
Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing dairies including associated wastewater lagoons and liquid/solid waste storage and disposal facilities and do not prejudice the continued operation of these activities.	Sensitive receivers are sited at least 500m from the boundary of a site used for a dairy and associated wastewater lagoon(s) and liquid/solid waste stora and disposal facilities in other ownership.	
PO 9.5	DTS/DPF 9.5	
Sensitive receivers are located and designed to mitigate the potential impacts from lawfully existing facilities used for the handling, transportation and storage of bulk commodities (recognising the potential for extended hours of operation) and do not prejudice the continued operation of these activities.	Sensitive receivers are located away from the boundary of a site used for the handling, transportation and/or storage of bulk commodities in other ownership in accordance with the following:  (a) 300m or more, where it involves the handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility (b) 300m or more, where it involves the handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility (including sea-port grain terminals) where the handling of these materials into or from vessels does not exceed 100 tonnes per day  (c) 500m or more, where it involves the storage of bulk petroleum in individual containers with a capacity up to 200 litres and a total on-site storage capacity not exceeding 1000 cubic metres  (d) 500m or more, where it involves the handling of coal with a capacity up to 1 tonne per day or a storage capacity up to 50 tonnes  (e) 1000m or more, where it involves the handling of coal with a capacity exceeding 1 tonne per day but not exceeding 100 tonnes per day or a storage capacity exceeding 50 tonnes but not exceeding 5000 tonnes.	
PO 9.6	DTS/DPF 9.6	
Setbacks and vegetation plantings along allotment boundaries should be incorporated to mitigate the potential impacts of spray drift and other impacts associated with agricultural and horticultural activities.	None are applicable.	
PO 9.7	DTS/DPF 9.7	
Urban development does not prejudice existing agricultural and horticultural activities through appropriate separation and design techniques.	None are applicable.	
Interface with Mines and Qua	rries (Rural and Remote Areas)	
PO 10.1	DTS/DPF 10.1	
Sensitive receivers are separated from existing mines to minimise the adverse impacts from noise, dust and vibration.	Sensitive receivers are located no closer than 500m from the boundary of a Mining Production Tenement under the <i>Mining Act 1971</i> .	

## Land Division

Desired Outcome				
DO 1	Land division:			
	<ul> <li>(a) creates allotments with the appropriate dimensions and shape for their intended use</li> <li>(b) allows efficient provision of new infrastructure and the optimum use of underutilised infrastructure</li> <li>(c) integrates and allocates adequate and suitable land for the preservation of site features of value, including significant vegetation, watercourses, water bodies and other environmental features</li> <li>(d) facilitates solar access through allotment orientation</li> <li>(e) creates a compact urban form that supports active travel, walkability and the use of public transport</li> <li>(f) avoids areas of high natural hazard risk.</li> </ul>			

Designated Performance Feature
vision
iguration
TS/DPF 1.1
ivision of land satisfies (a) or (b):
<ul> <li>(a) reflects the site boundaries illustrated and approved in an operative or existing development authorisation for residential development under the <i>Development Act 1993</i> or <i>Planning, Development and Infrastructure Act 2016</i> where the allotments are used or are proposed to be used solely for residential purposes</li> <li>(b) is proposed as part of a combined land division application with deemed-to-satisfy dwellings on the proposed allotments.</li> </ul>
TS/DPF 1.2
one are applicable.
Layout
TS/DPF 2.1
one are applicable.
TS/DPF 2.2
one are applicable.
TS/DPF 2.3
one are applicable.
TS/DPF 2.4
one are applicable.
TS/DPF 2.5
one are applicable.
TS/DPF 2.6
one are applicable.

FO22 OTSOFF 3.1 Land division results in legible street patterns connected to the surrounding street network.  FO2.8 Land division is designed to preserve existing vegetation of value including native vegetation and regulated and significant trees.  FO3.1 Land division provides allotments with access to an all-weather public road. None are applicable.  FO3.2 Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  FO3.3 Land division does not impede access to publicly owned open space and/or recreation facilities.  FO3.4 Land division does not impede access to publicly owned open space and/or recreation facilities.  FO3.4 Land division does not impede access to publicly owned open space and/or recreation facilities.  FO3.4 Land division does not impede access to publicly owned open space and/or recreation facilities.  FO3.4 Land division does not impede access to publicly owned open space and/or recreation facilities.  FO3.5 ROAD TOSOFF.3.4  None are applicable.  FO3.6  FO3.7  FO3.6  FO3.6  FO3.7  FO3.6  FO3.6  FO3.6  FO3.7  FO3.9  FO3.7  FO3.9  FO3.7  FO3.9  FO3.7  FO3.9  FO3.10  FO3	16/02/2023
Street network.  1015/0PF 2.8  Land division is designed to preserve existing vegetation of value including native vegetation and regulated and significant trees.  1015/0PF 2.8  None are applicable.  1015/0PF 3.1  Land division provides allotments with access to an all-weather public road.  1015/0PF 3.2  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  103.3  Land division does not impede access to publicly owned open space and/or recreation fracilities.  103.4  Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.  103.6  Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.  103.6  Road reserves accommodate stormwater drainage and public utilities.  103.7  105/0PF 3.8  None are applicable.  105/0PF 3.10  None are applicable.	
Roads and Access  10.3.1 Land division provides allotments with access to an all-weather public road.  None are applicable.  10.3.7 None are applicable.  10.3.9 Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  10.3.9 Land division does not impede access to publicly owned open space and/or recreation facilities.  10.3.4 Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.  10.3.5 Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.  10.3.7 Road reserves accommodate stormwater drainage and public utilities.  10.3.8 Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  10.3.9 Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  10.3.9 Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  10.3.9 Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  10.3.9 Street patterns and intersections are designed to enable tree planting to provide shade and enficient movement of pedestrian, cycle and vehicular traffic.  10.3.10 DTS/DPF 3.10 None are applicable.	
Roads and Access  PO.3.1  Land division provides allotments with access to an all-weather public road.  PO.3.2  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and webicular traffic.  PO.3.3  Land division does not impede access to publicly owned open space and/or recreation facilities.  PO.3.4  Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.  PO.3.5  Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.  PO.3.6  Road reserves accommodate stormwater drainage and public utilities.  PO.3.7  Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  PO.3.7  Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  PO.3.8  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and webicular traffic.  PO.3.9  Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  PO.3.10  Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.  PO.3.11  Local streets are designed to create low-speed environments that are safe None are applicable.	
PO 3.1 Land division provides allotments with access to an all-weather public road.  PO 3.2  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.3 Land division does not impede access to publicly owned open space and/or recreation facilities.  PO 3.4 Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.  PO 3.5 Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.  PO 3.6 Road reserves accommodate stormwater drainage and public utilities.  PO 3.7 Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  PO 3.8 Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  PO 3.8 Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  PO 3.8 PO 3.9 Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  PO 3.10 Public streets are designed to enable tree planting to provide shade and enhance the amenty of streetscapes.  PO 3.11 Local streets are designed to create low-speed environments that are safe None are applicable.	
Land division provides allotments with access to an all-weather public road.  None are applicable.  DTS/DPF 3.2  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.3  Land division does not impede access to publicly owned open space and/or recreation facilities.  PO 3.4  Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.  PO 3.5  Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.  PO 3.6  Road reserves accommodate stormwater drainage and public utilities.  PO 3.7  Road reserves accommodate stormwater drainage and public utilities.  PO 3.7  Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  PO 3.8  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.9  Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  PO 3.10  DTS/DPF 3.11  None are applicable.  DTS/DPF 3.11  None are applicable.	
Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO3.3  Land division does not impede access to publicly owned open space and/or recreation facilities.  PO3.4  Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.  PO3.5  Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.  PO3.6  Road reserves accommodate stormwater drainage and public utilities.  PO3.7  Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  PO3.8  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO3.9  Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  PO3.10  PUBLIC streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.  PO3.11  Local streets are designed to create low-speed environments that are safe  None are applicable.  DTS/DPF3.12  None are applicable.  DTS/DPF3.10  None are applicable.	
Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.3  Land division does not impede access to publicly owned open space and/or recreation facilities.  PO 3.4  Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.  PO 3.5  Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.  PO 3.6  Road reserves accommodate stormwater drainage and public utilities.  PO 3.7  Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  PO 3.8  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.9  Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  PO 3.10  PU 3.10  PU 3.11  Local streets are designed to create low-speed environments that are safe  None are applicable.  PISOPF 3.11  None are applicable.  PISOPF 3.11  None are applicable.  PISOPF 3.11  None are applicable.	
efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.3  Land division does not impede access to publicly owned open space and/or recreation facilities.  PO 3.4  Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.  PO 3.5  Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.  PO 3.6  Road reserves accommodate stormwater drainage and public utilities.  PO 3.7  Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  PO 3.8  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.9  Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  PO 3.10  PU blic streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.  PO 3.11  Local streets are designed to create low-speed environments that are safe  None are applicable.  DTS/DPF 3.11  None are applicable.	
Land division does not impede access to publicly owned open space and/or recreation facilities.  PO 3.4  Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.  PO 3.5  Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.  PO 3.6  Road reserves accommodate stormwater drainage and public utilities.  PO 3.7  Road reserves accommodate stormwater drainage and public utilities.  PO 3.7  Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  PO 3.8  DTS/DPF 3.7  None are applicable.  DTS/DPF 3.7  None are applicable.  DTS/DPF 3.8  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.9  Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  PO 3.10  Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.  PO 3.11  Local streets are designed to create low-speed environments that are safe  None are applicable.  POTS/DPF 3.11  None are applicable.	
recreation facilities.  P0 34  Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.  P0 35  Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.  P0 36  Road reserves accommodate stormwater drainage and public utilities.  P0 37  Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  P0 38  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  P0 39  Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  P0 3.10  Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.  P0 3.11  Local streets are designed to create low-speed environments that are safe  DTS/DPF 3.1  None are applicable.  DTS/DPF 3.5  None are applicable.  DTS/DPF 3.7  None are applicable.  DTS/DPF 3.7  None are applicable.  DTS/DPF 3.8  None are applicable.  DTS/DPF 3.8  None are applicable.  DTS/DPF 3.9  None are applicable.	
Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.  PO 3.5  Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.  PO 3.6  Road reserves accommodate stormwater drainage and public utilities.  PO 3.7  Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  PO 3.8  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.9  Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  PO 3.10  Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.  PO 3.11  Local streets are designed to create low-speed environments that are safe  None are applicable.  None are applicable.  DTS/DPF 3.9  None are applicable.  None are applicable.  DTS/DPF 3.10  None are applicable.  None are applicable.	
projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles.  PO 3.5  Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.  PO 3.6  Road reserves accommodate stormwater drainage and public utilities.  PO 3.7  Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  PO 3.8  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.9  Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  PO 3.10  Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.  PO 3.11  Local streets are designed to create low-speed environments that are safe  DTS/DPF 3.11  None are applicable.  DTS/DPF 3.11  None are applicable.  None are applicable.  DTS/DPF 3.10  None are applicable.	
Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture.  PO 3.6  Road reserves accommodate stormwater drainage and public utilities.  PO 3.7  Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  PO 3.8  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.9  Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  PO 3.10  DTS/DPF 3.10  None are applicable.  DTS/DPF 3.10  None are applicable.  DTS/DPF 3.11  None are applicable.	
infrastructure, street tree planting, landscaping and street furniture.  PO 3.6  Road reserves accommodate stormwater drainage and public utilities.  PO 3.7  Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  PO 3.8  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.9  Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  PO 3.10  DTS/DPF 3.10  None are applicable.	
Road reserves accommodate stormwater drainage and public utilities.  PO 3.7  Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  PO 3.8  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.9  Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  PO 3.10  Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.  PO 3.11  Local streets are designed to create low-speed environments that are safe  None are applicable.  None are applicable.	
PO 3.7  Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  PO 3.8  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.9  Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  PO 3.10  Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.  DTS/DPF 3.11  Local streets are designed to create low-speed environments that are safe  DTS/DPF 3.11  None are applicable.	
Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites.  PO 3.8  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.9  Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  PO 3.10  Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.  PO 3.11  Local streets are designed to create low-speed environments that are safe  None are applicable.  DTS/DPF 3.11  None are applicable.	
individual allotments and sites.  PO 3.8  Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.9  Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  PO 3.10  Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.  PO 3.11  Local streets are designed to create low-speed environments that are safe  None are applicable.  DTS/DPF 3.10  None are applicable.	
Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.9  Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  DTS/DPF 3.9  None are applicable.  DTS/DPF 3.9  None are applicable.  DTS/DPF 3.10  DTS/DPF 3.10  None are applicable.  DTS/DPF 3.10  None are applicable.  DTS/DPF 3.11  Local streets are designed to create low-speed environments that are safe  None are applicable.	
efficient movement of pedestrian, cycle and vehicular traffic.  PO 3.9  Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  PO 3.10  Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.  PO 3.11  Local streets are designed to create low-speed environments that are safe  DTS/DPF 3.10  None are applicable.  DTS/DPF 3.11  DTS/DPF 3.11  None are applicable.	
Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network.  PO 3.10  Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.  DTS/DPF 3.10  None are applicable.  None are applicable.  DTS/DPF 3.11  DTS/DPF 3.11  Local streets are designed to create low-speed environments that are safe  None are applicable.	
the surrounding open space and transport network.  PO 3.10  Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.  PO 3.11  Local streets are designed to create low-speed environments that are safe  DTS/DPF 3.10  None are applicable.  DTS/DPF 3.11  DTS/DPF 3.11  None are applicable.	
Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes.  None are applicable.  DTS/DPF3.11  Local streets are designed to create low-speed environments that are safe  None are applicable.	
enhance the amenity of streetscapes.  PO 3.11  Local streets are designed to create low-speed environments that are safe  None are applicable.	
Local streets are designed to create low-speed environments that are safe None are applicable.	
Infrastructure	
PO 4.1 DTS/DPF 4.1	
Land division incorporates public utility services within road reserves or dedicated easements.  None are applicable.	
PO 4.2 DTS/DPF 4.2	
Waste water, sewage and other effluent is capable of being disposed of from Each allotment can be connected to:	

Page 85 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
each allotment without risk to public health or the environment.	<ul> <li>(a) a waste water treatment plant that has the hydraulic volume and pollutant load treatment and disposal capacity for the maximum predicted wastewater volume generated by subsequent development of the proposed allotment or</li> <li>(b) a form of on-site waste water treatment and disposal that meets relevant public health and environmental standards.</li> </ul>
PO 4.3  Septic tank effluent drainage fields and other waste water disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment.	DTS/DPF 4.3  Development is not built on, or encroaches within, an area that is or will be, required for a sewerage system or waste control system.
PO 4.4  Constructed wetland systems, including associated detention and retention basins, are sited and designed to ensure public health and safety is protected, including by minimising potential public health risks arising from the breeding of mosquitoes.	DTS/DPF 4.4  None are applicable.
PO 4.5  Constructed wetland systems, including associated detention and retention basins, are sited and designed to allow sediments to settle prior to discharge into watercourses or the marine environment.	DTS/DPF 4.5  None are applicable.
PO 4.6  Constructed wetland systems, including associated detention and retention basins, are sited and designed to function as a landscape feature.	DTS/DPF 4.6  None are applicable.
Minor Land Division	(Under 20 Allotments)
Open	Space
PO 5.1	DTS/DPF 5.1
Land division proposing an additional allotment under 1 hectare provides or supports the provision of open space.	None are applicable.
Solar Or	ientation
PO 6.1  Land division for residential purposes facilitates solar access through allotment orientation.	DTS/DPF 6.1  None are applicable.
Water Sens	itive Design
PO 7.1	DTS/DPF 7.1
Land division creating a new road or common driveway includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	None are applicable.
PO 7.2	DTS/DPF 7.2
Land division designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.
Battle-Axe I	Development
PO 8.1  Battle-axe development appropriately responds to the existing neighbourhood context.	DTS/DPF 8.1 Allotments are not in the form of a battle-axe arrangement.
PO 8.2  Battle-axe development designed to allow safe and convenient movement.	DTS/DPF 8.2  The handle of a battle-axe development:  (a) has a minimum width of 4m or (b) where more than 3 allotments are proposed, a minimum width of 5.5m.

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 8.3	DTS/DPF 8.3
Battle-axe allotments and/or common land are of a suitable size and dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner.	Battle-axe development allows a B85 passenger vehicle to enter and exit parking spaces in no more than a three-point turn manoeuvre.
PO 8.4	DTS/DPF 8.4
Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater management.	Battle-axe or common driveways satisfy (a) and (b):
	<ul> <li>(a) are constructed of a minimum of 50% permeable or porous material</li> <li>(b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point).</li> </ul>
Major Land Divisio	on (20+ Allotments)
Open	Space
PO 9.1	DTS/DPF 9.1
Land division allocates or retains evenly distributed, high quality areas of open space to improve residential amenity and provide urban heat amelioration.	None are applicable.
PO 9.2	DTS/DPF 9.2
Land allocated for open space is suitable for its intended active and passive recreational use considering gradient and potential for inundation.	None are applicable.
PO 9.3	DTS/DPF 9.3
Land allocated for active recreation has dimensions capable of accommodating a range of active recreational activities.	None are applicable.
Water Sens	itive Design
PO 10.1	DTS/DPF 10.1
Land division creating 20 or more residential allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.
PO 10.2	DTS/DPF 10.2
Land division creating 20 or more non-residential allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems.	None are applicable.
PO 10.3	DTS/DPF 10.3
Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies.	None are applicable.
Solar Or	ientation
PO 11.1	DTS/DPF 11.1
Land division creating 20 or more allotments for residential purposes	None are applicable.

## Marinas and On-Water Structures

Desired Outcome	
	Marinas and on-water structures are located and designed to minimise the impairment of commercial, recreational and navigational activities and adverse impacts on the environment.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Navigation	and Safety	
PO 1.1	DTS/DPF 1.1	
Safe public access is provided or maintained to the waterfront, public infrastructure and recreation areas.	None are applicable.	
PO 1.2	DTS/DPF 1.2	
The operation of wharves is not impaired by marinas and on-water structures.	None are applicable.	
PO 1.3	DTS/DPF 1.3	
Navigation and access channels are not impaired by marinas and on-water structures.	None are applicable.	
PO 1.4	DTS/DPF 1.4	
Commercial shipping lanes are not impaired by marinas and on-water structures.	Marinas and on-water structures are set back 250m or more from commercial shipping lanes.	
PO 1.5	DTS/DPF 1.5	
Marinas and on-water structures are located to avoid interfering with the operation or function of a water supply pumping station.	On-water structures are set back:  (a) 3km or more from upstream water supply pumping station take-off points  (b) 500m or more from downstream water supply pumping station take-off points.	
PO 1.6	DTS/DPF 1.6	
Maintenance of on-water infrastructure, including revetment walls, is not impaired by marinas and on-water structures.	None are applicable.	
Environmental Protection		
PO 2.1	DTS/DPF 2.1	
Development is sited and designed to facilitate water circulation and exchange.	None are applicable.	

## **Open Space and Recreation**

#### Assessment Provisions (AP)

Desired Outcome (DO)

# Desired Outcome Pleasant, functional and accessible open space and recreation facilities are provided at State, regional, district, neighbourhood and local levels for active and passive recreation, biodiversity, community health, urban cooling, tree canopy cover, visual amenity, gathering spaces, wildlife and waterway corridors, and a range of other functions and at a range of sizes that reflect the purpose of that open space.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature	
Land Use a	nd Intensity	
PO 1.1	DTS/DPF 1.1	
Recreation facilities are compatible with surrounding land uses and activities.	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Open space areas include natural or landscaped areas using locally indigenous plant species and large trees.	None are applicable.	
Design a	and Siting	
PO 2.1	DTS/DPF 2.1	
Open space and recreation facilities address adjacent public roads to optimise pedestrian access and visibility.	None are applicable.	
PO 2.2	DTS/DPF 2.2	
Open space and recreation facilities incorporate park furniture, shaded areas and resting places.	None are applicable.	
PO 2.3	DTS/DPF 2.3	
Open space and recreation facilities link habitats, wildlife corridors and existing open spaces and recreation facilities.	None are applicable.	
Pedestrians	and Cyclists	
PO 3.1	DTS/DPF 3.1	
Open space incorporates:	None are applicable.	
<ul> <li>(a) pedestrian and cycle linkages to other open spaces, centres, schools and public transport nodes;</li> <li>(b) safe crossing points where pedestrian routes intersect the road network;</li> <li>(c) easily identified access points.</li> </ul>		
Usa	l bility	
PO 4.1	DTS/DPF 4.1	
Land allocated for open space is suitable for its intended active and passive recreational use taking into consideration its gradient and potential for inundation.	None are applicable.	
Safety and Security		
PO 5.1	DTS/DPF 5.1	
Open space is overlooked by housing, commercial or other development to provide casual surveillance where possible.	None are applicable.	
PO 5.2	DTS/DPF 5.2	
Play equipment is located to maximise opportunities for passive surveillance.	None are applicable.	
PO 5.3	DTS/DPF 5.3	
Landscaping provided in open space and recreation facilities maximises opportunities for casual surveillance throughout the park.	None are applicable.	

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 5.4	DTS/DPF 5.4
Fenced parks and playgrounds have more than one entrance or exit to minimise potential entrapment.	None are applicable.
PO 5.5	DTS/DPF 5.5
Adequate lighting is provided around toilets, telephones, seating, litter bins, bicycle storage, car parks and other such facilities.	None are applicable.
PO 5.6	DTS/DPF 5.6
Pedestrian and bicycle movement after dark is focused along clearly defined, adequately lit routes with observable entries and exits.	None are applicable.
Sig	nage
PO 6.1	DTS/DPF 6.1
Signage is provided at entrances to and within the open space and recreation facilities to provide clear orientation to major points of interest such as the location of public toilets, telephones, safe routes, park activities and the like.	None are applicable.
Buildings ar	nd Structures
PO 7.1	DTS/DPF 7.1
Buildings and car parking areas in open space areas are designed, located and of a scale to be unobtrusive.	None are applicable.
PO 7.2	DTS/DPF 7.2
Buildings and structures in open space areas are clustered where practical to ensure that the majority of the site remains open.	None are applicable.
PO 7.3	DTS/DPF 7.3
Development in open space is constructed to minimise the extent of impervious surfaces.	None are applicable.
PO 7.4	DTS/DPF 7.4
Development that abuts or includes a coastal reserve or Crown land used for scenic, conservation or recreational purposes is located and designed to have regard to the purpose, management and amenity of the reserve.	None are applicable.
Lands	ccaping
PO 8.1	DTS/DPF 8.1
Open space and recreation facilities provide for the planting and retention of large trees and vegetation.	None are applicable.
PO 8.2	DTS/DPF 8.2
Landscaping in open space and recreation facilities provides shade and windbreaks:	None are applicable.
<ul><li>(a) along cyclist and pedestrian routes;</li><li>(b) around picnic and barbecue areas;</li><li>(c) in car parking areas.</li></ul>	
PO 8.3	DTS/DPF 8.3
Landscaping in open space facilitates habitat for local fauna and facilitates biodiversity.	None are applicable.
PO 8.4	DTS/DPF 8.4
Landscaping including trees and other vegetation passively watered with local rainfall run-off, where practicable.	None are applicable.

# Out of Activity Centre Development

# Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO1 The role of Activity Centres in contributing to the form and pattern of development and enabling equitable and convenient access to a range	
of shopping, administrative, cultural, entertainment and other facilities in a single trip is maintained and reinforced.	

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Non-residential development outside Activity Centres of a scale and type that does not diminish the role of Activity Centres:  (a) as primary locations for shopping, administrative, cultural, entertainment and community services (b) as a focus for regular social and business gatherings (c) in contributing to or maintaining a pattern of development that supports equitable community access to services and facilities.	None are applicable.
PO 1.2	DTS/DPF 1.2
Out-of-activity centre non-residential development complements Activity Centres through the provision of services and facilities:  (a) that support the needs of local residents and workers, particularly in underserviced locations (b) at the edge of Activities Centres where they cannot readily be accommodated within an existing Activity Centre to expand the range of services on offer and support the role of the Activity Centre.	None are applicable.

# **Resource Extraction**

# Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Resource extraction activities are developed in a manner that minimises human and environmental impacts.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Land Use and Intensity	
PO 1.1	DTS/DPF 1.1
Resource extraction activities minimise landscape damage outside of those areas unavoidably disturbed to access and exploit a resource and provide for the progressive reclamation and betterment of disturbed areas.	None are applicable.

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
PO 1.2	DTS/DPF 1.2	
Resource extraction activities avoid damage to cultural sites or artefacts.	None are applicable.	
Water Quality		
PO 2.1	DTS/DPF 2.1	
Stormwater and/or wastewater from resource extraction activities is diverted into appropriately sized treatment and retention systems to enable reuse on site.	None are applicable.	
Separation Treatments,	Buffers and Landscaping	
PO 3.1	DTS/DPF 3.1	
Resource extraction activities minimise adverse impacts upon sensitive receivers through incorporation of separation distances and/or mounding/vegetation.	None are applicable.	
PO 3.2	DTS/DPF 3.2	
Resource extraction activities are screened from view from adjacent land by perimeter landscaping and/or mounding.	None are applicable.	

# **Site Contamination**

# Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	Ensure land is suitable for the proposed use in circumstances where it is, or may have been, subject to site contamination.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Ensure land is suitable for use when land use changes to a more sensitive use.	Development satisfies (a), (b), (c) or (d):
	(a) does not involve a change in the use of land
	(b) involves a change in the use of land that does not constitute a change to a more sensitive use
	(c) involves a change in the use of land to a more sensitive use on land at which site contamination is unlikely to exist (as demonstrated in a site contamination declaration form)
	(d) involves a change in the use of land to a more sensitive use on land at which site contamination exists, or may exist (as demonstrated in a site contamination declaration form), and satisfies both of the following:
	(i) a site contamination audit report has been prepared under Part 10A of the <i>Environment Protection Act 1993</i> in relation to the land within the previous 5 years which states that-
	<ul> <li>A. site contamination does not exist (or no longer exists) at the land</li> </ul>
	or  B. the land is suitable for the proposed use or range of uses (without the need for any further remediation)

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
	or C. where remediation is, or remains, necessary for the proposed use (or range of uses), remediation work has been carried out or will be carried out (and the applicant has provided a written undertaking that the remediation works will be implemented in association with the development)
	and  (ii) no other class 1 activity or class 2 activity has taken place at the land since the preparation of the site contamination audit report (as demonstrated in a site contamination declaration form).

# **Tourism Development**

# Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome	
DO 1	Tourism development is built in locations that cater to the needs of visitors and positively contributes to South Australia's visitor economy.

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
Ger	neral
PO 1.1	DTS/DPF 1.1
Tourism development complements and contributes to local, natural, cultural or historical context where:	None are applicable.
<ul> <li>(a) it supports immersive natural experiences</li> <li>(b) it showcases South Australia's landscapes and produce</li> <li>(c) its events and functions are connected to local food, wine and nature.</li> </ul>	
PO 1.2	DTS/DPF 1.2
Tourism development comprising multiple accommodation units (including any facilities and activities for use by guests and visitors) is clustered to minimise environmental and contextual impact.	None are applicable.
Caravan and	Tourist Parks
PO 2.1	DTS/DPF 2.1
Potential conflicts between long-term residents and short-term tourists are minimised through suitable siting and design measures.	None are applicable.
PO 2.2	DTS/DPF 2.2
Occupants are provided privacy and amenity through landscaping and fencing.	None are applicable.
PO 2.3	DTS/DPF 2.3
Communal open space and centrally located recreation facilities are provided for guests and visitors.	12.5% or more of a caravan park comprises clearly defined communal open space, landscaped areas and areas for recreation.
Downloaded on 2/03/2023	Pv Policy24 Page 02 of 106

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023	
PO 2.4	DTS/DPF 2.4	
Perimeter landscaping is used to enhance the amenity of the locality.	None are applicable.	
PO 2.5	DTS/DPF 2.5	
Amenity blocks (showers, toilets, laundry and kitchen facilities) are sufficient to serve the full occupancy of the development.	None are applicable.	
PO 2.6	DTS/DPF 2.6	
Long-term occupation does not displace tourist accommodation, particularly in important tourist destinations such as coastal and riverine locations.	None are applicable.	
Tourist accommodation in areas constituted u	under the National Parks and Wildlife Act 1972	
PO 3.1	DTS/DPF 3.1	
Tourist accommodation avoids delicate or environmentally sensitive areas such as sand dunes, cliff tops, estuaries, wetlands or substantially intact strata of native vegetation (including regenerated areas of native vegetation lost through bushfire).	None are applicable.	
PO 3.2	DTS/DPF 3.2	
Tourist accommodation is sited and designed in a manner that is subservient to the natural environment and where adverse impacts on natural features, landscapes, habitats and cultural assets are avoided.	None are applicable.	
PO 3.3	DTS/DPF 3.3	
Tourist accommodation and recreational facilities, including associated access ways and ancillary structures, are located on cleared (other than where cleared as a result of bushfire) or degraded areas or where environmental improvements can be achieved.	None are applicable.	
PO 3.4	DTS/DPF 3.4	
Tourist accommodation is designed to prevent conversion to private dwellings through:	None are applicable.	
<ul> <li>(a) comprising a minimum of 10 accommodation units</li> <li>(b) clustering separated individual accommodation units</li> <li>(c) being of a size unsuitable for a private dwelling</li> <li>(d) ensuring functional areas that are generally associated with a private dwelling such as kitchens and laundries are excluded from, or physically separated from individual accommodation units, or are of a size unsuitable for a private dwelling.</li> </ul>		

# Transport, Access and Parking

# Assessment Provisions (AP)

Desired Outcome (DO)

	Desired Outcome
DO 1	A comprehensive, integrated and connected transport system that is safe, sustainable, efficient, convenient and accessible to all users.

Performance Outcome	Deemed-to-Satisfy Criteria /	
	Designated Performance Feature	
Movement Systems		
PO 1.1	DTS/DPF 1.1	
Development is integrated with the existing transport system and designed to minimise its potential impact on the functional performance of the transport system.	None are applicable.	
PO 1.2	DTS/DPF 1.2	
Development is designed to discourage commercial and industrial vehicle movements through residential streets and adjacent other sensitive receivers.	None are applicable.	
PO 1.3	DTS/DPF 1.3	
Industrial, commercial and service vehicle movements, loading areas and designated parking spaces are separated from passenger vehicle car parking areas to ensure efficient and safe movement and minimise potential conflict.	None are applicable.	
PO 1.4	DTS/DPF 1.4	
Development is sited and designed so that loading, unloading and turning of all traffic avoids interrupting the operation of and queuing on public roads and pedestrian paths.	All vehicle manoeuvring occurs onsite.	
Sigh	tlines	
PO 2.1	DTS/DPF 2.1	
Sightlines at intersections, pedestrian and cycle crossings, and crossovers to allotments for motorists, cyclists and pedestrians are maintained or enhanced to ensure safety for all road users and pedestrians.	None are applicable.	
PO 2.2	DTS/DPF 2.2	
Walls, fencing and landscaping adjacent to driveways and corner sites are designed to provide adequate sightlines between vehicles and pedestrians.	None are applicable.	
Vehicle	Access	
PO 3.1	DTS/DPF 3.1	
Safe and convenient access minimises impact or interruption on the	The access is:	
operation of public roads.	<ul> <li>(a) provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land or</li> <li>(b) not located within 6m of an intersection of 2 or more roads or a pedestrian activated crossing.</li> </ul>	
PO 3.2	DTS/DPF 3.2	
Development incorporating vehicular access ramps ensures vehicles can enter and exit a site safely and without creating a hazard to pedestrians and other vehicular traffic.	None are applicable.	
PO 3.3	DTS/DPF 3.3	
Access points are sited and designed to accommodate the type and volume of traffic likely to be generated by the development or land use.	None are applicable.	
PO 3.4	DTS/DPF 3.4	
Access points are sited and designed to minimise any adverse impacts on neighbouring properties.	None are applicable.	
PO 3.5	DTS/DPF 3.5	

Policy24 P&D Code (in effect) Version 2023.3 16/02/2023 Vehicle access to designated car parking spaces satisfy (a) or (b): Access points are located so as not to interfere with street trees, existing is provided via a lawfully existing or authorised access point or an street furniture (including directional signs, lighting, seating and weather access point for which consent has been granted as part of an shelters) or infrastructure services to maintain the appearance of the application for the division of land streetscape, preserve local amenity and minimise disruption to utility (b) where newly proposed, is set back: infrastructure assets. 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset (ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser (iii) 6m or more from the tangent point of an intersection of 2 or more roads (iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing. DTS/DPF 3.6 PO 3.6 Driveways and access points are separated and minimised in number to Driveways and access points: optimise the provision of on-street visitor parking (where on-street parking is for sites with a frontage to a public road of 20m or less, one access appropriate). point no greater than 3.5m in width is provided (b) for sites with a frontage to a public road greater than 20m: (i) a single access point no greater than 6m in width is provided (ii) not more than two access points with a width of 3.5m each are provided. PO 3.7 DTS/DPF 3.7 Development does not involve a new or modified access or cause an increase Access points are appropriately separated from level crossings to avoid interference and ensure their safe ongoing operation. in traffic through an existing access that is located within the following distance from a railway crossing: 80 km/h road - 110m (b) 70 km/h road - 90m (c) 60 km/h road - 70m (d) 50km/h or less road - 50m. PO 3.8 DTS/DPF 3.8 Driveways, access points, access tracks and parking areas are designed and None are applicable. constructed to allow adequate movement and manoeuvrability having regard to the types of vehicles that are reasonably anticipated. PO 3.9 DTS/DPF 3.9 Development is designed to ensure vehicle circulation between activity areas None are applicable. occurs within the site without the need to use public roads. Access for People with Disabilities PO 4.1 DTS/DPF 4.1 Development is sited and designed to provide safe, dignified and convenient None are applicable. access for people with a disability. Vehicle Parking Rates PO 5.1 DTS/DPF 5.1 Sufficient on-site vehicle parking and specifically marked accessible car Development provides a number of car parking spaces on-site at a rate no parking places are provided to meet the needs of the development or land less than the amount calculated using one of the following, whichever is use having regard to factors that may support a reduced on-site rate such as: relevant: (a) availability of on-street car parking (a) Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements (b) shared use of other parking areas (b) Transport, Access and Parking Table 2 - Off-Street Vehicle Parking (c) in relation to a mixed-use development, where the hours of Requirements in Designated Areas operation of commercial activities complement the residential use of (c) the site, the provision of vehicle parking may be shared if located in an area where a lawfully established carparking fund operates, the number of spaces calculated under (a) or (b) less the (d) the adaptive reuse of a State or Local Heritage Place. number of spaces offset by contribution to the fund.

Policy24 P&D Code (in effect) Version 2023.3 16/02/2023		
Vehicle Pa	rking Areas	
PO 6.1	DTS/DPF 6.1	
Vehicle parking areas are sited and designed to minimise impact on the operation of public roads by avoiding the use of public roads when moving from one part of a parking area to another.	Movement between vehicle parking areas within the site can occur without the need to use a public road.	
PO 6.2	DTS/DPF 6.2	
Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced, and the like.	None are applicable.	
PO 6.3	DTS/DPF 6.3	
Vehicle parking areas are designed to provide opportunity for integration and shared-use of adjacent car parking areas to reduce the total extent of vehicle parking areas and access points.	None are applicable.	
PO 6.4	DTS/DPF 6.4	
Pedestrian linkages between parking areas and the development are provided and are safe and convenient.	None are applicable.	
PO 6.5	DTS/DPF 6.5	
Vehicle parking areas that are likely to be used during non-daylight hours are provided with sufficient lighting to entry and exit points to ensure clear visibility to users.	None are applicable.	
PO 6.6	DTS/DPF 6.6	
Loading areas and designated parking spaces for service vehicles are provided within the boundary of the site.	Loading areas and designated parking spaces are wholly located within the site.	
PO 6.7	DTS/DPF 6.7	
On-site visitor parking spaces are sited and designed to be accessible to all visitors at all times.	None are applicable.	
Undercroft and Below Ground (	Garaging and Parking of Vehicles	
PO 7.1	DTS/DPF 7.1	
Undercroft and below ground garaging of vehicles is designed to enable safe entry and exit from the site without compromising pedestrian or cyclist safety or causing conflict with other vehicles.	None are applicable.	
Internal Roads and Parking Areas in Resid	ential Parks and Caravan and Tourist Parks	
PO 8.1	DTS/DPF 8.1	
Internal road and vehicle parking areas are surfaced to prevent dust becoming a nuisance to park residents and occupants.	None are applicable.	
PO 8.2	DTS/DPF 8.2	
Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement.	None are applicable.	
Bicycle Parking in	Designated Areas	
PO 9.1	DTS/DPF 9.1	
The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode.	Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements.	
PO 9.2	DTS/DPF 9.2	
Bicycle parking facilities provide for the secure storage and tethering of bicycles in a place where casual surveillance is possible, is well lit and signed for the safety and convenience of cyclists and deters property theft.	None are applicable.	
PO 9.3	DTS/DPF 9.3	
Non-residential development incorporates end-of-journey facilities for	None are applicable.	

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
employees such as showers, changing facilities and secure lockers, and signage indicating the location of the facilities to encourage cycling as a mode of journey-to-work transport.	
Corner	Cut-Offs
PO 10.1  Development is located and designed to ensure drivers can safely turn into and out of public road junctions.	DTS/DPF 10.1  Development does not involve building work, or building work is located wholly outside the land shown as Corner Cut-Off Area in the following diagram:  Corner Cut-Off Area  Allotment Boundary Off Area  Road Reserve

# Table 1 - General Off-Street Car Parking Requirements

The following parking rates apply and if located in an area where a lawfully established carparking fund operates, the number of spaces is reduced by an amount equal to the number of spaces offset by contribution to the fund.

Class of Development	Car Parking Rate (unless varied by Table 2 onwards)  Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for each development type.
Residential	Development
Detached Dwelling	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.  Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces and dwelling 1 of which is to be accounted.
Group Dwelling	a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.  Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.  Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
	0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings.
Residential Flat Building	welling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.  Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
	0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings.
Row Dwelling where vehicle access is from the primary street	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
Row Dwelling where vehicle access is not from the primary street (i.e. rear-loaded)	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.  welling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.

Policy24	P&D Code (in effect) Version 2023.3 16/02/202
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Semi-Detached Dwelling	Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered.
Aged / Supp	ported Accommodation
Retirement village	Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling.
	0.2 spaces per dwelling for visitor parking.
Supported accommodation	0.3 spaces per bed.
Residential	l Development (Other)
Ancillary accommodation	No additional constant because the constant of the state
Residential park	No additional requirements beyond those associated with the main dwelling.  Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling.
	Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling.
	0.2 spaces per dwelling for visitor parking.
Student accommodation	0.3 spaces per bed.
Workers' accommodation	0.5 spaces per bed plus 0.2 spaces per bed for visitor parking.
	Tourist
Caravan park / tourist park	Parks with 100 sites or less - a minimum of 1 space per 10 sites to be used for accommodation.
	Parks with more than 100 sites - a minimum of 1 space per 15 sites used for accommodation.
Tourist assummedation	A minimum of 1 space for every caravan (permanently fixed to the ground) of cabin.
Tourist accommodation	1 car parking space per accommodation unit / guest room.  mmercial Uses
Automotive collision repair	1 space per 100m2 of building floor area plus an additional 2 spaces.  3 spaces per service bay.
Call centre	8 spaces per 100m2 of gross leasable floor area.
Motor repair station	3 spaces per service bay.
Office	4 spaces per 100m2 of gross leasable floor area.
Retail fuel outlet	3 spaces per 100m2 gross leasable floor area.
Service trade premises	2.5 spaces per 100m2 of gross leasable floor area
Shop (no commercial kitchen)	1 space per 100m2 of outdoor area used for display purposes.  5.5 spaces per 100m2 of gross leasable floor area where not located in an
Shop (no commercial kitchen)	integrated complex containing two or more tenancies (and which may
	comprise more than one building) where facilities for off-street vehicle
	parking, vehicle loading and unloading, and the storage and collection of refuse are shared.
	5 spaces per 100m2 of gross leasable floor area where located in an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of
Shop (in the form of a bulky goods outlet)	refuse are shared.  2.5 spaces per 100m2 of gross leasable floor area.
Shop (in the form of a restaurant or involving a commercial kitchen)	Premises with a dine-in service only (which may include a take-away component with no drive-through) - 0.4 spaces per seat.
	Premises with take-away service but with no seats - 12 spaces per 100m2 of total floor area plus a drive-through queue capacity of ten vehicles measured from the pick-up point.
	Premises with a dine-in and drive-through take-away service - 0.3 spaces per seat plus a drive through queue capacity of 10 vehicles measured from the pick-up point.
Commu	inity and Civic Uses
Childcare centre	0.25 spaces per child
Community facility	10 spaces per 100m2 of total floor area.

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
Educational establishment	For a primary school - 1.1 space per full time equivalent employee plus 0.25 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.
	For a secondary school - 1.1 per full time equivalent employee plus 0.1 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site.
	For a tertiary institution - 0.4 per student based on the maximum number of students on the site at any time.
Hall / meeting hall	0.2 spaces per seat.
Library	4 spaces per 100m2 of total floor area.
Place of worship	1 space for every 3 visitor seats.
Pre-school	1 per employee plus 0.25 per child (drop off/pick up bays)
	Health Related Uses
Consulting room	4 spaces per consulting room excluding ancillary facilities.
Hospital	4.5 spaces per bed for a public hospital.
	1.5 spaces per bed for a private hospital.
	Recreational and Entertainment Uses
Cinema complex	.2 spaces per seat.
Concert hall / theatre	0.2 spaces per seat.
Hotel	1 space for every 2m2 of total floor area in a public bar plus 1 space for every 6m2 of total floor area available to the public in a lounge, beer garden plus 1 space per 2 gaming machines, plus 1 space per 3 seats in a restaurant.
Indoor recreation facility	6.5 spaces per 100m2 of total floor area for a Fitness Centre
	4.5 spaces per 100m2 of total floor area for all other Indoor recreation facilities.
	Industry/Employment Uses
Fuel depot	1.5 spaces per 100m2 total floor area
	1 spaces per 100m2 of outdoor area used for fuel depot activity purposes.
Industry	1.5 spaces per 100m2 of total floor area.
Store	0.5 spaces per 100m2 of total floor area.
Timber yard	1.5 spaces per 100m2 of total floor area
	1 space per 100m2 of outdoor area used for display purposes.
Warehouse	0.5 spaces per 100m2 total floor area.
	Other Uses
Funeral Parlour	1 space per 5 seats in the chapel plus 1 space for each vehicle operated by the parlour.
Radio or Television Station	5 spaces per 100m2 of total building floor area.

# Table 2 - Off-Street Car Parking Requirements in Designated Areas

The following parking rates apply in any zone, subzone or other area described in the 'Designated Areas' column subject to the following:

- (a) the location of the development is unable to satisfy the requirements of Table 2 Criteria (other than where a location is exempted from the application of those criteria) or
- (b) the development satisfies Table 2 Criteria (or is exempt from those criteria) and is located in an area where a lawfully established carparking fund operates, in which case the number of spaces are reduced by an amount equal to the number of spaces offset by contribution to the fund.

Class of Development	Car Park	ing Rate	Designated Areas
	Where a develop		
	-	evelopment type,	
		car parking rate	
		be the sum of the	
		ates for each	
		nent type.	
	Minimum	Maximum	
	number of	number of	
	spaces	spaces	
	•	nt generally	
All classes of development	No minimum.	No maximum except in the Primary Pedestrian Area identified in the	Capital City Zone
		Primary Pedestrian Area Concept Plan, where the maximum is:	City Main Street Zone
		1 space for each dwelling with a total	City Riverbank Zone
		floor area less than 75 square metres	Adelaide Park Lands Zone
		2 spaces for each dwelling with a total	
		floor area between 75 square metres and 150 square metres	Business Neighbourhood Zone (within the City of Adelaide)
		3 spaces for each dwelling with a total floor area greater than 150 square metres.	The St Andrews Hospital Precinct Subzone and Women's and Children's Hospital Precinct Subzone of the
		Residential flat building or Residential component of a multi-storey building: 1 visitor space for each 6 dwellings.	Community Facilities Zone
	Non-residentia	al development	
Non-residential development excluding tourist accommodation	3 spaces per 100m2 of gross leasable floor area.	5 spaces per 100m2 of gross leasable floor area.	City Living Zone
			Urban Corridor (Boulevard) Zone
			Urban Corridor (Business) Zone
			Urban Corridor (Living) Zone
			Urban Corridor (Main Street ) Zone
			Urban Neighbourhood Zone
Non-residential development	3 spaces per 100m2 of gross leasable	6 spaces per 100m2 of gross leasable	Strategic Innovation Zone
excluding tourist accommodation	floor area.	floor area.	Suburban Activity Centre Zone
			Suburban Business Zone
			Business Neighbourhood Zone
			Suburban Main Street Zone
			Urban Activity Centre Zone
			orban Activity Centre 2011e
Tourist accommodation	1 space for every 4 bedrooms up to 100 bedrooms plus 1 space for every	1 space per 2 bedrooms up to 100 bedrooms and 1 space per 4 bedrooms over 100 bedrooms	City Living Zone
	5 bedrooms over 100 bedrooms	bedrooms over 100 bedrooms	Urban Activity Centre Zone
			Urban Corridor (Boulevard) Zone
			Urban Corridor (Business) Zone

Policy24		P&D Code (in	effect) Version 2023.3 16/02/2023
			Urban Corridor (Living) Zone Urban Corridor (Main Street ) Zone Urban Neighbourhood Zone
	Residential	development	
Residential component of a multi- storey building	Dwelling with no separate bedroom -0.25 spaces per dwelling  1 bedroom dwelling - 0.75 spaces per dwelling  2 bedroom dwelling - 1 space per dwelling  3 or more bedroom dwelling - 1.25 spaces per dwelling  0.25 spaces per dwelling for visitor parking.	None specified.	City Living Zone Strategic Innovation Zone Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone Urban Corridor (Main Street ) Zone Urban Neighbourhood Zone
Residential flat building	Dwelling with no separate bedroom -0.25 spaces per dwelling  1 bedroom dwelling - 0.75 spaces per dwelling  2 bedroom dwelling - 1 space per dwelling  3 or more bedroom dwelling - 1.25 spaces per dwelling  0.25 spaces per dwelling for visitor parking.	None specified.	City Living Zone  Urban Activity Centre Zone  Urban Corridor (Boulevard) Zone  Urban Corridor (Business) Zone  Urban Corridor (Living) Zone  Urban Corridor (Main Street ) Zone  Urban Neighbourhood Zone

Table 2 - CriteriaThe following criteria are used in conjunction with Table 2. The 'Exception' column identifies locations where the criteria do not apply and the car parking rates in Table 2 are applicable.

Criteria	Exceptions	
The designated area is wholly located within Metropolitan Adelaide and any part of the development site satisfies one or more of the following:  (a) is within 200 metres of any section of road reserve along which a bus service operates as a high frequency public transit service <sup>(2)</sup> (b) is within 400 metres of a bus interchange <sup>(1)</sup> (c) is within 400 metres of an O-Bahn interchange <sup>(1)</sup> (d) is within 400 metres of a passenger rail station <sup>(1)</sup> (e) is within 400 metres of a passenger tram	<ul> <li>(a) All zones in the City of Adelaide</li> <li>(b) Strategic Innovation Zone in the following locations:         <ul> <li>(i) City of Burnside</li> <li>(ii) City of Marion</li> <li>(iii) City of Mitcham</li> </ul> </li> <li>(c) Urban Corridor (Boulevard) Zone</li> <li>(d) Urban Corridor (Business) Zone</li> <li>(e) Urban Corridor (Living) Zone</li> <li>(f) Urban Corridor (Main Street ) Zone</li> <li>(g) Urban Neighbourhood Zone</li> </ul>	
station <sup>(1)</sup> (f) is within 400 metres of the Adelaide Parklands.		

[NOTE(S): (1)Measured from an area that contains any platform(s), shelter(s) or stop(s) where people congregate for the purpose waiting to board a bus, tram or train, but does not include areas used for the parking of vehicles. (2) A high frequency public transit service is a route serviced every 15 minutes between 7.30am and 6.30pm Monday to Friday and every 30 minutes at night, Saturday, Sunday and public holidays until 10pm.]

# Table 3 - Off-Street Bicycle Parking Requirements

The bicycle parking rates apply within designated areas located within parts of the State identified in the Schedule to Table 3.

Class of	Bicycle Parking Rate			
Development				
Development				
	Where a development comprises more than one			
	development type, then the overall bicycle parking rate			
	will be taken to be the su	will be taken to be the sum of the bicycle parking rates for		
	each de	velopment type.		
Consulting room	1 space per 20 employees plus 1 space per 20 consulti			
Educational establishment	For a secondary school - 1 space per 20 full-time time employees plus 10 percent of the total number of employee spaces for visitors.			
Hagnital	For tertiary education - 1 space per 20 employees plus 1 space per 15 beds plus 1 space per 30 beds for visito			
Hospital Indoor recreation facility	1 space per 4 employees plus 1 space per 30 beus for visito			
Licensed Premises	1 per 20 employees, plus 1 per 60 square metres total	floor area, plus 1 per 40 square metres of bar floor area, plus 1 per 120 s 1 per 60 square metres dining floor area, plus 1 per 40 square metres		
Office	1 space for every 200m2 of gross leasable floor area p visitors.	us 2 spaces plus 1 space per 1000m2 of gross leasable floor area for		
Pre-school	1 space per 20 full time employees plus 1 space per 40	) full time children.		
Recreation area	1 per 1500 spectator seats for employees plus 1 per 2	50 visitor and customers.		
Residential flat building	Within the City of Adelaide 1 for every dwelling for residents with a total floor area less than 150 square metres, 2 for every dwelling for residents with a total floor area greater than 150 square metres, plus 1 for every 10 dwellings for visitors, and in all other cases 1 space for every 4 dwellings for residents plus 1 for every 10 dwellings for visitors.			
Residential component of a multi-storey building	Within the City of Adelaide 1 for every dwelling for residents with a total floor area less than 150 square metres, 2 for every dwelling for residents with a total floor area greater than 150 square metres, plus 1 for every 10 dwellings for visitors, and in all other cases 1 space for every 4 dwellings for residents plus 1 space for every 10 dwellings for visitors.			
Shop		lus 1 space for every 600m2 of gross leasable floor area for customers.		
Tourist accommodation Schedule to Table 3	1 space for every 20 employees plus 2 for the first 40 r	ooms and 1 for every additional 40 rooms for visitors.		
	Designated Area	Relevant part of the State		
		The bicycle parking rate applies to a designated area located in a relevant part of the State described below.		
	All zones	City of Adelaide		
	Business Neighbourhood Zone	Metropolitan Adelaide		
	Strategic Innovation Zone			
	Suburban Activity Centre Zone			
	Suburban Business Zone			
	Suburban Main Street Zone			
	Urban Activity Centre Zone			
	Urban Corridor (Boulevard) Zone			
	Urban Corridor (Business) Zone			
	Urban Corridor (Living) Zone			
	Urban Corridor (Main Street ) Zone			
	Urban Neighbourhood Zone			

Waste Treatment and Management Facilities

# Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome		
DO 1	Mitigation of the potential environmental and amenity impacts of waste treatment and management facilities.	

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature			
Sit	ing			
PO 1.1	DTS/DPF 1.1			
Waste treatment and management facilities incorporate separation distances and attenuation measures within the site between waste operations areas (including all closed, operating and future cells) and sensitive receivers and sensitive environmental features to mitigate off-site impacts from noise, air and dust emissions.	None are applicable.			
Soil and Wat	er Protection			
PO 2.1	DTS/DPF 2.1			
Soil, groundwater and surface water are protected from contamination from waste treatment and management facilities through measures such as:	None are applicable.			
(a) containing potential groundwater and surface water contaminants within waste operations areas				
<ul> <li>(b) diverting clean stormwater away from waste operations areas and potentially contaminated areas</li> </ul>				
(c) providing a leachate barrier between waste operations areas and underlying soil and groundwater.				
PO 2.2	DTS/DPF 2.2			
Wastewater lagoons are set back from watercourses to minimise environmental harm and adverse effects on water resources.	Wastewater lagoons are set back 50m or more from watercourse banks.			
PO 2.3	DTS/DPF 2.3			
Wastewater lagoons are designed and sited to:	None are applicable.			
(a) avoid intersecting underground waters;				
(b) avoid inundation by flood waters;				
<ul><li>(C) ensure lagoon contents do not overflow;</li><li>(d) include a liner designed to prevent leakage.</li></ul>				
PO 2.4	DTS/DPF 2.4			
Waste operations areas of landfills and organic waste processing facilities are set back from watercourses to minimise adverse impacts on water resources.	Waste operations areas are set back 100m or more from watercourse banks.			
Amenity				
PO 3.1	DTS/DPF 3.1			
Waste treatment and management facilities are screened, located and designed to minimise adverse visual impacts on amenity.	None are applicable.			
PO 3.2	DTS/DPF 3.2			
Access routes to waste treatment and management facilities via residential streets is avoided.	None are applicable.			

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023			
PO 3.3	DTS/DPF 3.3			
Litter control measures minimise the incidence of windblown litter.	None are applicable.			
PO 3.4	DTS/DPF 3.4			
Waste treatment and management facilities are designed to minimise adverse impacts on both the site and surrounding areas from weed and vermin infestation.	None are applicable.			
Acc	ress			
PO 4.1	DTS/DPF 4.1			
Traffic circulation movements within any waste treatment or management site are designed to enable vehicles to enter and exit the site in a forward direction.	None are applicable.			
PO 4.2	DTS/DPF 4.2			
Suitable access for emergency vehicles is provided to and within waste treatment or management sites.	None are applicable.			
Fencing as	nd Security			
PO 5.1	DTS/DPF 5.1			
Security fencing provided around waste treatment and management facilities prevents unauthorised access to operations and potential hazard to the public.	Chain wire mesh or pre-coated painted metal fencing 2m or more in height is erected along the perimeter of the waste treatment or waste management facility site.			
Lan	dfill			
PO 6.1	DTS/DPF 6.1			
Landfill gas emissions are managed in an environmentally acceptable manner.	None are applicable.			
PO 6.2	DTS/DPF 6.2			
Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment.	Landfill facilities are set back 250m or more from a public open space reserve, forest reserve, national park or Conservation Zone.			
PO 6.3	DTS/DPF 6.3			
Landfill facilities are located on land that is not subject to land slip.	None are applicable.			
PO 6.4	DTS/DPF 6.4			
Landfill facilities are separated from areas subject to flooding.	Landfill facilities are set back 500m or more from land inundated in a 1% AEP flood event.			
Organic Waste Processing Facilities				
PO 7.1	DTS/DPF 7.1			
Organic waste processing facilities are separated from the coast to avoid potential environment harm.	Organic waste processing facilities are set back 500m or more from the coastal high water mark.			
PO 7.2	DTS/DPF 7.2			
Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect.	None are applicable.			
PO 7.3	DTS/DPF 7.3			
Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment.	Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or a Conservation Zone.			
PO 7.4	DTS/DPF 7.4			
Organic waste processing facilities are located on land that is not subject to land slip.	None are applicable.			
PO 7.5	DTS/DPF 7.5			
Organic waste processing facilities separated from areas subject to flooding.	Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event.			
Major Wastewater	Treatment Facilities			

Policy24	P&D Code (in effect) Version 2023.3 16/02/2023
PO 8.1	DTS/DPF 8.1
Major wastewater treatment and disposal systems, including lagoons, are designed to minimise potential adverse odour impacts on sensitive receivers, minimise public and environmental health risks and protect water quality.	None are applicable.
PO 8.2	DTS/DPF 8.2
Artificial wetland systems for the storage of treated wastewater are designed and sited to minimise potential public health risks arising from the breeding of mosquitoes.	None are applicable.

# Workers' accommodation and Settlements

# Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome				
DO 1	Appropriately designed and located accommodation for seasonal and short-term workers in rural areas that minimises environmental and social impacts.			

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Performance Outcome	Deemed-to-Satisfy Criteria / Designated Performance Feature
PO 1.1	DTS/DPF 1.1
Workers' accommodation and settlements are obscured from scenic routes, tourist destinations and areas of conservation significance or otherwise designed to complement the surrounding landscape.	None are applicable.
PO 1.2	DTS/DPF 1.2
Workers' accommodation and settlements are sited and designed to minimise nuisance impacts on the amenity of adjacent users of land.	None are applicable.
PO 1.3	DTS/DPF 1.3
Workers' accommodation and settlements are built with materials and colours that blend with the landscape.	None are applicable.
PO 1.4	DTS/DPF 1.4
Workers' accommodation and settlements are supplied with service infrastructure such as power, water and effluent disposal sufficient to satisfy the living requirements of workers.	None are applicable.

No criteria applies to this land use. Please check the definition of the land use for further detail.