| DEVELOPMENT NO.: | 23028717 |
|---------------------------------|--|
| APPLICANT: | Jamie Burt |
| ADDRESS: | 7 YAPPO RD ALDGATE SA 5154 |
| NATURE OF DEVELOPMENT: | Privacy screen |
| ZONING INFORMATION: | |
| | Zones: |
| | Rural Neighbourhood |
| | Subzones: |
| | Adelaide Hills |
| | Overlays: |
| | Hazards (Bushfire - Medium Risk) |
| | Mount Lofty Ranges Water Supply Catchment (Area 2) |
| | Native Vegetation |
| | Prescribed Water Resources Area |
| | Regulated and Significant Tree |
| | Technical Numeric Variations (TNVs): |
| | Minimum Site Area (Minimum site area is 2,000 sqm) |
| LODGEMENT DATE: | 5 Oct 2023 |
| RELEVANT AUTHORITY: | Assessment Panel at Adelaide Hills Council |
| PLANNING & DESIGN CODE VERSION: | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
| CATEGORY OF DEVELOPMENT: | Code Assessed - Performance Assessed |
| NOTIFICATION: | Yes |
| RECOMMENDING OFFICER: | Doug Samardzija |
| | Senior Statutory Planner |
| REFERRALS STATUTORY: | None |
| REFERRALS NON-STATUTORY: | None |

CONTENTS:

| ATTACHMENT 1: | Application Documents | ATTACHMENT 4: | Representations |
|---------------|------------------------------|---------------|-----------------------------|
| ATTACHMENT 2: | Subject Land/Representor Map | ATTACHMENT 5: | Response to Representations |
| ATTACHMENT 3: | Zoning Map | ATTACHMENT 6: | Relevant P&D Code Policies |

DETAILED DESCRIPTION OF PROPOSAL:

The purpose of this application is to erect a privacy screen comprising of untreated trellis slats and timber posts in a staggered design of 4 panels. The post heights range from 3.4m to 3.8m above ground level and the trellis panels range in height between 2.5m and 3.3m and are 3.9m above natural ground level (retrospective). The total length of the structure is 11.1m.

The structure is proposed to be setback 5.2m from the southern boundary being the closest boundary and 10m from the closest point of the house. The structure will also incorporate landscaping in the form of planted native creepers, and tall evergreen bushes such as a variety of acacias, grevilleas.

The subject land is located within the Rural Neighbourhood Zone where the proposal is a performance assessed development. One representation in opposition and three representations in support to the proposal were received during the public notification period.

The main issue relating to the proposal is the appropriateness of the proposal in particular its scale, height and appearance.

Whilst the development is partially retrospective, it should be noted that the commencement of work without development approval first being obtained is not a relevant consideration in the assessment of a proposal and therefore should not be a contributing factor in reaching a decision on the proposal.

BACKGROUND:

| APPROVAL DATE | APPLICATION NUMBER | DESCRIPTION OF PROPOSAL |
|---------------|--------------------|---|
| 11/11/2011 | 473/926/11 | Inground swimming pool |
| 27/04/2011 | 473/268/11 | Domestic outbuilding (measuring 4.5m x 3.02m x 2.7m) |
| 02/03/2010 | 473/185/10 | Removal of Significant Tree x 1 Eucalyptus obliqua (stringy |
| | | bark) |
| 12/05/2009 | 473/572/08 | Removal of twenty three (23) significant trees |

SUBJECT LAND & LOCALITY:

| Location reference: 7 YAP | PO RD ALDGATE SA 5154 |
|---------------------------|-------------------------|
| Title ref.: CT 5818/423 | Plan Parcel: F11876 AL6 |

Council: ADELAIDE HILLS COUNCIL

Site Description:

The subject land is an irregular shaped allotment of approximately 4300m² with a gentle slope in the rear yard and a steep slope in the front yard from northwest to southeast. Existing site improvements include a dwelling located roughly central to the site, a swimming pool located in the northwest corner of the allotment and associated domestic structures including 3 water storage tanks along the southern boundary of the allotment. The rear yard of the property predominantly consists of established gardens with existing fences along the common property often being a combination of open style fences or trellis fencing of a similar style to the screening proposed.

Locality

The locality is characterised by generous size residential allotments of steep nature with well-established gardens both along the front and the rear of the dwellings which reinforce the wooded character of the locality. Dwellings range in size from single to two storeys in nature with varying setback from front, side and rear boundaries.

Yappo Road which services the majority of the residential properties is a narrow sealed road connecting Old Mount Barker Road and Kanmantoo Road.

CONSENT TYPE REQUIRED:

Planning Consent

CATEGORY OF DEVELOPMENT:

- **PER ELEMENT:** Other - Residential - trellis screen 3.5m high: Code Assessed - Performance Assessed
- **OVERALL APPLICATION CATEGORY:** Code Assessed - Performance Assessed
- REASON
 P&D Code

PUBLIC NOTIFICATION

• REASON

Privacy screen is not listed in Table 5 as a form of development exempt from notification and, in this instance is not the type of development that the relevant authority can consider to be minor in nature or one that would not unreasonably impact on the owners or occupiers of land in the locality of the site of the development.

Public Notification period – 10 April 2024 to 1 May 2024

• LIST OF REPRESENTATIONS

Four representations in total were received during the public notification period. Of those, three (3) representations were received in support of the proposal and one (1) representation was received opposing the proposal. The representation opposing the proposal was from the adjoining land which has direct view of the privacy screen.

| Representor Name | Representor's Property | Wishes to be heard (Y/N) | Nominated |
|---------------------|-------------------------|--------------------------|-------------|
| | Address | | Speaker (if |
| | | | relevant) |
| Fiona Kerr | 5 Yappo Road, Aldgate | Yes | Fiona Kerr |
| Grant and Cheryl | 9 Yappo Road, Aldgate | No | |
| Brooks | | | |
| Ruth Brokelbank | 16 Yappor Road, Aldgate | No | |
| Arcady Turczynowicz | 12 Yappo Road, Aldgate | No | |

SUMMARY

The main points of concern are:

- The size of the structure
- The appearance
- Not in keeping with the locality

Copies of the representations are included as **Attachment 4 – Representations** and the applicant's response is provided in **Attachment 5 – Response to Representations.**

AGENCY REFERRALS

None

INTERNAL REFERRALS

None

PLANNING ASSESSMENT

Desired outcomes

Desired outcomes are policies designed to aid the interpretation of performance outcomes by setting a general policy agenda for a zone, subzone, overlay or general development policies module. Where a relevant authority is uncertain as to whether or how a performance outcome applies to a development, the desired outcome(s) may inform its consideration of the relevance and application of a performance outcome, or assist in assessing the merits of the development against the applicable performance outcomes collectively.

Performance outcomes

Performance outcomes are policies designed to facilitate assessment according to specified factors, including land use, site dimensions and land division, built form, character and hazard risk minimisation. **Designated performance features**

In order to assist a relevant authority to interpret the performance outcomes, in some cases the policy includes a standard outcome which will generally meet the corresponding performance outcome (a designated performance feature or DPF). A DPF provides a guide to a relevant authority as to what is generally considered to satisfy the corresponding performance outcome but does not need to necessarily be satisfied to meet the performance outcome, and does not derogate from the discretion to determine that the outcome is met in another way, or from the need to assess development on its merits against all relevant policies.

A detailed assessment of the application has taken place against the relevant provisions of the Planning and Design Code (P & D Code) and this is provided below under a series of headings. A Policy Enquiry extract containing the relevant provisions of the P & D Code is contained in *Attachment 6 – Relevant P & D Code Policies*.

| Desired Ou | tcome | |
|-------------------------|---|--|
| D01 | Housing on large allotments in a spacious rural setting, often together with large outbuildings. East | |
| | access and parking for cars. Considerable space for trees and other vegetation around buildings, as | |
| | well as on-site wastewater treatment where necessary. Limited goods, services and facilities that | |
| | enhance rather than compromise rural residential amenity. | |
| Performan | ce Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria | |
| Land Use & | Intensity | |
| PO 1.1 & D | TS/DPF 1.1 | |
| Building Height | | |
| PO 2.1 | | |
| Primary Street Setback | | |
| PO 3.1 & D ⁻ | TS/DPF 3.1 | |
| Side Boundary Setback | | |
| PO 5.1 & D | PO 5.1 & DTS/DPF 5.1 | |
| Rear Bound | lary Setback | |
| PO 6.1 & D ⁻ | PO 6.1 & DTS/DPF 6.1 | |

Rural Neighbourhood Zone

The privacy screen is proposed in association with an existing residential use of the land and therefore the proposal satisfies PO 1.1.

At its highest point the structure is 3.9m in height which is well within the accepted parameters for the zone. PO 2.1 seeks that buildings contribute to low-rise residential character and complement the height of nearby buildings. Corresponding DPF as a guide envisages buildings of up to 2 storeys, 9m and wall heights no greater than 7m.

The structure is ancillary and located at the rear of the dwelling. The setback from the southern boundary is 5.2m whilst the setback from the rear boundary is 16.3m. The proposal satisfies all the quantitative requirements relating to front, side and rear setbacks. More specifically given that the biggest concern is from the neighbour to the south, the setback from this boundary is 3.2m greater than that specified in DPF 5.1.

When considering the setback together with the maximum allowable height, the proposed structure is considered to be of low profile which is consistent with typical single level buildings and has a greater setback than the provisions of the zone seek.

Adelaide Hills Subzone

| Desired Outcome | | |
|---|--|--|
| DO1 | Additional residential and tourist accommodation that retains and embraces the values of the | |
| | established mature vegetation as a defining characteristic of the area. | |
| Performance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria | | |
| Land Use & Intensity | | |
| PO 1.1 & DT | PO 1.1 & DTS/DPF 1.1 | |

The Adelaide Hills Subzone doesn't provide any specific guidance on privacy screens, however, it does provide specific policies on envisaged land divisions, residential development with a limited range of additional accommodation options and, more specifically supported accommodation and tourist accommodation. With that being said, given that residential use is envisaged in the subzone and the proposed screen is associated with existing residential use, the proposal is not considered to be contrary to the intent of the subzone. Desired Outcome 1 of the Subzone envisages additional residential accommodation that retains and embraces the values of the established mature vegetation as a defining characteristic of the area. In the recent Supreme Court case *Geber Super Pty Ltd v The Barossa Assessment Panel [2023] SASC 154* the judgment concluded that Desired Outcomes assist in the interpretation of Performance Outcomes; but they are not policies in their own right. Rather, they set a general policy agenda which informs the Performance Outcomes. Given that the Subzone lacks any significant Performance Outcomes relevant to the proposed development it is the view of planning staff that the Subzone in this instance has little work to do apart from outlining that the privacy screen is associated with an existing and envisaged land use.

Overlays

Hazards (Bushfire – Medium Risk) Overlay

| Desired Out | come |
|-------------|--|
| DO 1 | Development, including land division responds to the medium level of bushfire risk and potential for ember attack and radiant heat by siting and designing buildings in a manner that mitigates the threat and impact of bushfires on life and property taking into account the increased frequency and intensity of bushfires as a result of climate change. |
| DO 2 | To facilitate access for emergency service vehicles to aid the protection of lives and assets from bushfire danger. |
| Performanc | e Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria |
| Siting | |
| PO 1.1 | |
| Built Form | |
| PO 2.1 | |

Given the nature of the proposed structure it is considered that this overlay has very little work to do with the only relevant policies relating to the location and the design of the building. The structure is proposed adjacent to the existing water tanks and within close proximity of the dwelling and well away from any hazardous vegetation which satisfies PO 1.1.

Given that the structure is similar to a fence and whilst it is elevated above ground it actually presents very minimal opportunity for burning debris to be trapped between the ground the bottom portion of the structure. This therefore satisfies PO 2.1.

Hazards (Flooding – Evidence Required) Overlay

| Desired Outcome | | |
|---|---|--|
| DO 1 | Development adopts a precautionary approach to mitigate potential impacts on people, property, | |
| | infrastructure and the environment from potential flood risk through the appropriate siting and | |
| | design of development. | |
| Performance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria | | |
| Flood Resilience | | |
| PO 1.1 & D ⁻ | PO 1.1 & DTS/DPF 1.1 | |

The subject land is not registered as flood prone and there is no evidence on site to suggest any flooding of land has occurred. As such, no further investigation is required.

Mount Lofty Ranges Water Supply Catchment (Area 2) Overlay

| Desired Outcome | |
|-----------------|---|
| DO 1 | Safeguard Greater Adelaide's public water supply by ensuring development has a neutral or beneficial effect on the quality of water harvested from secondary reservoirs or diversion weir catchments from the Mount Lofty Ranges. |
| Performa | ance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria |
| Landscap | es and Natural Features |
| PO4.1 | |

The proposal is not requiring any earthworks apart from the footings for the timber posts. As such, there will be no need for modification of landscape or natural features in accordance with PO 4.1.

Native Vegetation Overlay

| Desired Outcome | | |
|---|--|--|
| DO 1 | Areas of native vegetation are protected, retained and restored in order to sustain biodiversity, threatened species and vegetation communities, fauna habitat, ecosystem services, carbon storage and amenity values. | |
| Performance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria | | |
| Environmental Protection | | |
| PO 1.1 & | PO 1.1 & DTS/DPF 1.1, PO 1.2, PO 1.4 | |

The proposal does not require removal of any native vegetation. A Native Vegetation Declaration has also been signed by the applicant to that effect.

Prescribed Water Resources Area Overlay

| Desired Outcome | |
|---|---|
| DO 1 | Sustainable water use in prescribed water resources areas maintains the health and natural flow paths of surface water, watercourses and wells. |
| Performance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria | |
| N/A | |

This Overlay is not relevant to the proposal as it relates to water taking activities such as horticulture and intensive animal husbandry or the alteration to a water body.

Regulated and Significant Tree Overlay

| Desired Outcome | |
|-----------------|---|
| DO 1 | Conservation of regulated and significant trees to provide aesthetic and environmental benefits and |
| | mitigate tree loss. |
| Performa | nce Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria |
| Tree Rete | ention and Health |
| PO 1.1, P | 0 1.4 |
| Ground V | Vork Affecting Trees |
| PO 2.1 | |

As is the case with native vegetation, the privacy screen is not proposed in a location which requires removal of any regulated or significant trees nor is the earthwork associated with the building of the screen proposed in vicinity of regulated and significant trees and as such, it will not result in any form of tree damaging activity.

General Development Policies

Clearance from Overhead Powerlines

| Desired | Outcomes |
|-----------|--|
| DO1 | Protection of human health and safety when undertaking development in the vicinity of overhead |
| | transmission powerlines. |
| Perform | ance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria |
| POs: 1.1 | |
| DPFs: 1.2 | 1 |

A Powerline Declaration form has been signed and submitted with the application stating that proposed development will involve the construction of a building which would, if constructed in accordance with the plans submitted, not be contrary to the regulations prescribed for the purposes of section 86 of the Electricity Act 1996. The proposal is therefore consistent with DO 1 and PO and DPF 1.1.


Design

| Desired Out | comes |
|---------------|--|
| DO1 | Development is: |
| | a) contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributes to the character of the immediate area b) durable - fit for purpose, adaptable and long lasting |
| | c) inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access, and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors |
| | d) sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption. |
| Performance | e Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria |
| POs: 8.1, 9.1 | ., 13.1, 13.2, 15.1 and 22.2 |
| DPFs: 8.1, 13 | 3.1 and 13.2 |

Apart from the footing excavation the proposed works do not require any other earthworks and therefore satisfy PO 8.1.

PO 9.1 envisages fences of sufficient height to maintain privacy and security without unreasonably impacting the visual amenity and adjoining lands access to sunlight. The Applicant has advised that the screen has been proposed to provide a level of screening to their property from neighbouring residence's upper-level window. Whilst the proposed structure is not classified as a fence but rather a screen, the two are very similar in nature. Existing fences in the locality are predominantly open style fences which allow for clear views into neighbouring properties with small examples of trellis fencing as proposed with the privacy screen. Whilst the proposed screen is of a higher nature, it is not dissimilar to typical good neighbour fences that are erected between neighbouring properties, albeit they predominantly tend to be Colorbond material up to 2.1m in height. By contrast, the proposal includes a 3.9m timber trellis screen which has the post heights ranging in height from 3.4m to 3.8m above ground level and the trellis panels range in height between 2.5m and 3.3m and are 3.9m above natural ground level. Given its size and location some parts of the screen will present as a large visual element when viewed from a section of the neighbouring property, however, because the proposed screen is constructed using a natural finish, this will complement the natural landscape and the wooded character of the locality. The proposal is considered to be accepted and the visual impacts on the adjoining property are considered to be minimal in nature.

Residential ancillary buildings and structures are sited and designed to not detract from the appearance of buildings on the site or neighbouring properties whilst PO 15.1 seeks that the visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets. The privacy screen is proposed at a distance of 5.2m from the closest neighbouring property with 3 large tanks located between the screen and the fence line. Through amendments to the design, the majority of the proposed screen will be located behind the water tanks with only the middle and rear top section visible from the neighbouring property are illustrated in yellow below. Additionally, the applicant is proposing to landscape the area by growing shrubs and creepers over and around the trellis screen and adding supporting wires to have a green wall on the top of the two lower slope panels. A condition reinforcing this requirement is proposed (refer Condition 3). Given the above it is considered that the overall mass of the building has been reduced minimising the extent of the structure that is visible from neighbouring property. Its overall scale will further be reduced once the nominated landscaping takes effect.



Interface between Land Uses

| Desired (| Outcomes |
|-----------|--|
| D01 | Development is located and designed to mitigate adverse effects on or from neighbouring and proximate land uses. |
| Performa | ance Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria |
| POs: 3.1, | 3.2 and 3.3 |
| DPFs: 3.1 | and 3.2 |

Whilst the posts range in height from 3.4m to 3.8m above ground level and the trellis panels range in height between 2.5m and 3.3m and are 3.9m above natural ground level, it does not present any overshadowing concerns for the neighbouring property. Firstly, the structure is set 5.2m from the closest side boundary with water storage tanks located between the screen and the boundary. Secondly, the location of the structure in relation to the neighbouring property is adjacent to an area that could be more commonly described as a driveway and access area rather than a private open space and, there is no overshowing of outdoor living areas given the location of neighbouring dwelling.

Transport, Access and Parking

| Desired Out | comes | | |
|---|--|--|--|
| DO1 | A comprehensive, integrated and connected transport system that is safe, sustainable, efficient, | | |
| convenient and accessible to all users. | | | |
| Performanc | e Outcomes (PO) & Deemed to Satisfy (DTS)/Designated Performance Feature (DPF) criteria | | |
| POs: 5.1 | | | |
| DPFs: 5.1 | | | |

The proposal does not compromise existing available on-site parking spaces and therefore ensures that existing use continues to satisfy PO 5.1 and DPF 5.1 and Table 1- General Off-Street Car Parking Requirements.

CONSIDERATION OF SERIOUSLY AT VARIANCE

The proposal is not considered to be seriously at variance with the provisions of the P & D Code. Whilst the Rural Neighbourhood Zone doesn't specifically list privacy screens as an envisaged use, the policies envisage buildings that contribute to the low-rise residential character and complement the height of nearby buildings. The proposal being

3.9m high trellis screen with a 5.2m setback from the closest boundary in a well-established gardens satisfies the building profile and setback requirements of the Zone.

Given the unique nature of the proposal, large portions of the Code in both the Overlays as well as the General Development Policies section, are silent on the proposed development. That being said, the policies that have been deemed as relevant to the proposal, as outlined in the report above, have been satisfied.

CONCLUSION

The proposed privacy screen will provide the applicants with privacy from the adjoining allotment. Whilst the structure is of a higher nature than fencing generally, there have been changes to the proposal from the original submission reducing the overall bulk and scale. The height of the front trellis has been reduced and supporting wires added to have a green wall on the top of the two lower slope panels. Considering the changes made, the fact that the large portion of the structure is behind the water tanks, and the fact that it is of nature finish which will also be further landscaped and is also set over 5m from the common boundary, the impacts are considered to be of minimal nature. On balance it is deemed that the proposal addresses any character and amenity concerns and therefore warrants planning consent.

RECOMMENDATION

It is recommended that the Council Assessment Panel resolve that:

- 1) Pursuant to Section 107(2)(c) of the Planning, Development and Infrastructure Act 2016, and having undertaken an assessment of the application against the Planning and Design Code, the application is NOT seriously at variance with the provisions of the Planning and Design Code; and
- 2) Development Application Number 23028717 by Jamie Burt for Privacy Screen at 7 Yappo Road, Aldgate is granted Planning Consent subject to the following conditions:

CONDITIONS

Planning Consent

- 1) The development granted shall be undertaken and completed in accordance with the stamped plans and documentation, except where varied by conditions below.
- The external finishes to the structure herein approved shall be as follows.
 SCREEN: Natural timber finish or similar
 POSTS: Natural timber finish or similar
- 3) Landscaping consisting of shrubs, vines and creepers shall be planted on both sides of the screen for the full length of the screen, within (3) three months of development approval. All plants shall be maintained in good health and condition at all times with any dead or diseased plants being replaced in the next planting season.


ADVISORY NOTES


General Notes

- 1) No work can commence on this development unless a Development Approval has been obtained. If one or more consents have been granted on this Decision Notification Form, you must not start any site works or building work or change of use of the land until you have received notification that Development Approval has been granted.
- 2) Appeal rights General rights of review and appeal exist in relation to any assessment, request, direction or act of a relevant authority in relation to the determination of this application, including conditions.
- 3) This Planning Consent is valid for a period of twenty-four (24) months commencing from the date of the decision, subject to the below or subject to an extension having been granted by the relevant authority. If applicable, Building Consent must be obtained prior to expiration of the Planning Consent.
- 4) Where an approved development has been substantially commenced within 2 years from the operative date of approval, the approval will then lapse 3 years from the operative date of the approval (unless the development has been substantially or fully completed within those 3 years, in which case the approval will not lapse).


OFFICER MAKING RECOMMENDATION

Name:Doug SamardzijaTitle:Senior Statutory Planner





24-Jun-2024



DISCLAIMER Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process without prior written permission obtained from the Adelaide Hills Council. Requests and enquiries concerning reproduction and rights should be directed to the Chief Executive Officer, The Adelaide Hills Council, PO Box 44, Woodside SA 5244. The Adelaide Hills Council, its employees and servants do not warrant or make any

representations regarding the use, or results of use of the information contained herein as to its correctness, accuracy, currency or otherwise. In particular, it should be noted that the accuracy of property boundaries when displayed over aerial photography cannot be considered to be accurate, and that the only certain method of determining boundary locations is to use the services of a licensed Surveyor. The Adelaide Hills Council, its

employees and servants expressly disclaim all liability or responsibility to any person using the information or advice contained herein. ${\rm \textcircled{O}}$

Scale = 1:1462.860

50 m



Community Facilities Zone

Productive Rural Landscape Zone

PRuL

Rural Neighbourhood Zone

0



Details of Representations

Application Summary

| Application ID | 23028717 |
|----------------|----------------------------|
| Proposal | Privacy screen |
| Location | 7 YAPPO RD ALDGATE SA 5154 |

Representations

Representor 1 - Arcady Turczynowicz

| Name | Arcady Turczynowicz |
|--|---|
| Address | 12 Yappo Rd ALDGATE SA, 5154 Australia |
| Submission Date | 16/04/2024 12:01 PM |
| Submission Source | Online |
| Late Submission | No |
| Would you like to talk to your representation at the decision-making hearing for this development? | No |
| My position is | I support the development |
| Reasons | |

I am happy with the development and feel it is appropriate and will not detract from the amenity of the area.

Attached Documents

Representations

Representor 2 - Ruth Brokelbank

| Name | Ruth Brokelbank |
|--|---|
| Address | 16 YAPPO ROAD ALDGATE SA, 5154 Australia |
| Submission Date | 23/04/2024 02:23 PM |
| Submission Source | Over Counter |
| Late Submission | No |
| Would you like to talk to your representation at the decision-making hearing for this development? | No |
| My position is | I support the development |
| Reasons As per the attached | |

Attached Documents

RepresentationDa23028717-8016918.pdf

REPRESENTATION ON APPLICATION –

Planning, Development and Infrastructure Act 2016

| Development Number: ID 230 28 TI7 | | |
|--|--|--|
| | | |
| Zone/Sub-zone/Overlay: | | |
| Subject Land: 7 YAPPO RD | ALDGATE SA 3154 | |
| Contact Officer: Doug 54 mp | RDZITA | |
| Phone Number: 08 8408 05 | | |
| Close Date: 1 MAY 202 | 4 | |
| My name*: Clicker Birgker BANK | My phone number: Click here to enter text. | |
| My postal address*: 16cyAMPCORDERADOGATE | My email: Click here to enter text. | |
| Indicates mandatory information | My email. Click here to enter text. | |
| The specific reasons I believe that planning consent s BRENDS IN WITH THE NUT IS WOODEN AND WILL B | WRAL ENVIRONMENT 45 IT | |
| | ATTICE WOODEN STULE RECT NEICHBOURS LATTICE STRUCTURES ON THE PROPERTY | |
| IT IS IMPORTANT FOR TI | THE PRIVACY OF THE THEY SPEND TIME ON THEIR | |
| ADELAIDE HILLS CO RECEIVED | DUNCIL [attach additional pages as needed] | |

Note: In order for this submission to be valid, it must:

STIRLING

[attach additional pages as needed]



Government of South Australia

Department for Trade and Investment

- be in writing; and
- include the name and address of the person (or persons) who are making the representation; and
- set out the particular reasons why planning consent should be granted or refused; and
- comment only on the performance-based elements of the proposal, which does not include the:

| 1: | wish to be heard in support of my submission* do not wish to be heard in support of my submission |
|-----|--|
| Ву: | appearing personally being represented by the following person: Click here to enter text. |

*You may be contacted if you indicate that you wish to be heard by the relevant authority in support of your submission

Signature:

RB wchellast

Date: 221/141/ 20214r text,

Return Address:

Email:

Complete online submission:

plan.sa.gov.au/have your say/notified developments/current notified developments

ADELAIDE HILLS COUNCIL RECEIVED

22 AFR 224

STIRLING

Representations

Representor 3 - Grant and Cheryl Brooks

| Name | Grant and Cheryl Brooks |
|--|--|
| Address | 9 YAPPO ROAD ALDGATE SA, 5154 Australia |
| Submission Date | 01/05/2024 03:15 PM |
| Submission Source | Over Counter |
| Late Submission | No |
| Would you like to talk to your representation at the decision-making hearing for this development? | No |
| My position is | I support the development |
| Reasons As per attached document | |

Attached Documents

 $Representation 23028717\mbox{-}Grant And Cheryl Brooks\mbox{-}8071850\mbox{-}pdf$

REPRESENTATION ON APPLICATION

Planning, Development and Infrastructure Act 2016

| Applicant: | Click here to enter text. [a | applicant name] Bron MC Nab | |
|---|--|--|--|
| Development Number: | Click here to enter text. [d | development application number] 230287 い | |
| Nature of Development: | Click here to enter text. [a elements or aspects of our | development description of performance assessed tline consent application] TRELUS | |
| Zone/Sub-zone/Overlay: | | zone/sub-zone/overlay of subject land] | |
| Subject Land: | Click here to enter text. [street number, street name, suburb, postcode] | | |
| Contact Officer: | Click here to enter text. [/ | relevant authority name DOUG SAMARDZ | |
| Phone Number: | Click here to enter text. [a | authority phone] 8408596 | |
| Close Date: | | closing date for submissions] 1 MIBY ZOZ | |
| Girant 20 My name*: Click here to en | Cheryl Brooks | | |
| My name*: Click here to en | ter text. 💙 | My phone number: Click here to enter text. | |
| My postal address*: Click h | ere to_enter text. | My email: Click here to enter text. | |
| | pose the development | some concerns (detail below) | |
| | ve that consent should be g | | |
| | | ADELAIDE HILLS COUNCIL RECEIVED | |
| | | - 1 MAY 2014 | |
| | | STIRLING | |
| | | | |
| | | | |

[attach additional pages as needed]

Government of South Australia



Department for Trade and Investment Note: In order for this submission to be valid, it must:

- be in writing; and
- include the name and address of the person (or persons) who are making the representation; and
- set out the particular reasons why consent should be granted or refused; and
- comment only on the performance-based elements (or aspects) of the proposal, which does not include the:
 - Click here to enter text. [list any accepted or deemed-to-satisfy elements of the development].

| 1: | wish to be heard in support of my submission*do not wish to be heard in support of my submission |
|-----|---|
| Ву: | appearing personally being represented by the following person: Click here to enter text. |

*You may be contacted if you indicate that you wish to be heard by the relevant authority in support of your submission

Signature: Date: Click here to enter text. 30. 4. 2024

Return Address: Click here to enter text. [relevant authority postal address] or

Email: Click here to enter text. [relevant authority email address] or

Complete online submission: plan.sa.gov.au/have_your_say/notified_developments

Representations

Representor 4 - Fiona Kerr

| Name | Fiona Kerr |
|--|---|
| Address | 5, Yappo Rd ALDGATE SA, 5154 Australia |
| Submission Date | 01/05/2024 06:17 PM |
| Submission Source | Online |
| Late Submission | No |
| Would you like to talk to your representation at the decision-making hearing for this development? | Yes |
| My position is | I oppose the development |
| Reasons Please see attached supporting documents. | |

Attached Documents

| submission-to-council-about-construction-1362224.pdf | |
|--|--|
| construction-from-bedroom-window-1362225.jpg | |
| tanks-and-lattice-picture-2-1362226.jpg | |
| fence-and-brenda-1-1362227.jpg | |

Response to Application 23028717 - Privacy screen - at 7 Yappo Rd, ALDGATE SA 5154

Submitted by Fiona Kerr, at 5 Yappo Rd, Aldgate

Dear Sir / Madam,

My neighbour's proposed 'privacy screen' is a very large structure. The current single panel intrudes into view from many parts of my adjacent property (5 Yappo Road) due to its height and proximity to the fence. It is not harmonious or "in keeping" with its surroundings and will be a significant eyesore.

Part of the screen was erected before this Council application was made, and the current panel looms up at approx. 4m in height (as advised from the person who erected it and verified by the plans). The proposed screen will continue across what is a reasonably steep downwards slope, making it even taller from my side of the fence, and if completed, will block view and also significantly reduce airflow and light to my property.

The attached photographs of the existing screen highlight the size of the proposed screen and its impact on my property.

The proposed screen is so high and close to the boundary it has the appearance of a border fence or a large building. Visitors to my property automatically comment on it, and have compared it to an imposing prison or fortress wall which is totally out of character for this area and detracts from my own beautiful property, and blocking off the view (made more intrusive by the glare from the 2.8-metre-high tank that has been erected which the screen is supposed to shield from the neighbour's view).

The structure is inconsistent with the existing natural environment on the border between our properties which comprises trees (minus the one removed to put in the tanks and screens), along with hedges, bushes and low wire fences which optimise openness and light, a preferred option in this green hills environment.

I also understand from my neighbours on the other side of my property (at 3 Yappo Road) that the proposed screen is unsightly from their property too, which highlights its excessive height.

The purpose of the proposed screen is unclear. The applications is titled "Privacy Screen" but it does not appear to fit the 'privacy' category as there is nothing on my side that needs to be screened out from the neighbours view.

The reason given in the attached site plan indicates the screen is required to reduce sun glare from the neighbours own (newly installed) shiny metal rainwater tanks into her property, and as the tanks are large, presumably to shield them

from general view. However, the proposed screens are considerably higher than the rainwater tanks, so this excessive height is unnecessary for the stated purpose.

The attached photographs illustrate the large height difference between the top of the tanks and the proposed screen, especially for the lower two tanks. The fact that two of the screens will have wire and creepers at the top will do little to address the height issue as they will quickly act as a solid screen, and I tried on multiple occasions to engage my neighbour (pleasantly), by inviting her to look at the construction from my property and to discuss ways to minimise the impact from my side of the fence, including lowering the screens to the height of the water tanks – solving her stated issue, and reducing their visual and other negative impacts from my side, before approaching the council.


Though not part of this submission, I was not consulted about the rainwater tanks and have separate concerns about their close proximity, but primarily that the top tank in particular is too high, with the base and tank height measuring 2.8 metres from the ground at its highest point on the other side of the fence. This is also a tall, intrusive structure which the top screen has ostensibly been constructed to hide from the neighbour's view, but even this screen is higher than necessary to achieve the outcome, and at minimum needs to be lowered to the height of the tank if the structures are allowed to stay.

Even if all of the planned "privacy screens" are lowered to the height of the tanks this will still require me to take an expensive option to reduce their impact. If the screen is allowed to go ahead as planned, the wall it will create, including trellis and vines between poles, will mean that anything I do will be counterproductive given the disproportionate height involved.


A well thought out privacy screen should seamlessly integrate with other nearby features and provide visual appeal – the proposed screen does not. It will act as a high border fence and will stick out like a very large sore thumb that I will be forced to view daily.

I sincerely request that Council reject the planned construction, and request removal of the screen. Failing that, I request that the plans be amended so that the proposed screen sections sit at the same height as the tanks adjacent to them which they are supposed to screen from the neighbour's view, in order to better fit our shared hills environment.

Fiona Kerr







Response to Respondents

The two key aims of the trellis are to facilitate the beautifying of the area and to provide privacy to our newly exposed backyard.

One of these aims of the trellis, to facilitate beautifying the area, is to be in keeping with local surroundings of native flora and trellises. To achieve this, we chose a natural wooden eco-trellis, deliberately chosen to blend with the adjacent neighbour's trellis (see below)




and match our other privacy trellises and will remain unpainted as natural wood. See below photos, of our matching trellis for privacy from another neighbour who has not been concerned due to it naturally fitting in with the local area and amenity with a creeper growing up on it.





Unlike many other trellises in the surrounding area, the proposed trellis will be covered by already planted native creepers, and tall evergreen bushes such as a variety of acacias, grevilleas and small trees such as eucalypt. The natural timber, which is not solid and can be seen through, coupled with a rockery and native flora such as creepers, will harmoniously beautify the landscape, and with the added aim of attracting native birds and insects to the area will increase biodiversity (which is sadly declining in the Adelaide Hills). (see below)



This will also be increased with the further addition of currently growing bushes and small trees between the neighbour's property and the trellis as a gesture to the neighbour (below).




The result will be that the adjacent neighbour's view will instead of being of the current exposed view of us hanging our clothes up on the line, using our tap, working in the vegetable garden, wearing our bathers to the pool and other backyard activities, will instead be a view of beautiful bushes, trees, creepers as well as the existing tree tops already in view (see below).



We had a very tall liquid amber tree between two of our rainwater tanks which afforded us total privacy, unlike now, from our adjacent neighbour who previously had no view of our back yard and almost total shade due to this Liquid Amber tree blocking her the summer sun. Due to the dangerous recurring dropping of limbs on both our property and our adjacent neighbour's property, and resultant insurance claims such as replacing our hills hoist clothes line, we made the difficult decision to cut it down. As we live on a steep hill, once this tree was cut down we felt very exposed on a daily basis, as this neighbour's double window suddenly had a new view of over 80% of our sloping back yard which is not mentioned in the neighbour's representation. This new view from within 30m of

this neighbour's house includes several commonly used areas on a daily basis such as when hanging clothes on clothes' line (see above), using our back yard tap, working in our vegetable garden and orchard area, as shown in the neighbour's photo (below) and further away views of our swimming pool and poolside area, including the steps leading up to it from near our back door which you can see from the neighbour's photo (below), now partially masked by one trellis panel providing partial privacy for us, with no privacy to our pool area without the trellis.



The proposed trellis with surrounding creepers, bushes, and trees will both beautify the landscape to both the adjacent neighbour and ourselves as well as provide currently lost privacy.

Unlike the neighbour's misperception, all rainwater tanks are the same height, 2.4m which matches the height of the neighbours three plastic rainwater tanks, which sit directly along the side of the boundary fence, as seen in the neighbour's photo, see below.



and which sit directly alongside the neighbours' very large metal shed which are unsightly and block our view of the neighbour's property and trees (see below)





A further misperception of the neighbour's is the belief that the trellis will be an even taller screen as the land slopes down, blocking airflow and light to their property. Contrary to this belief, the trellis is designed for each of the next panels to be lower and staggered down the natural line of the slope, matching her trellises, and would be approx. 1 metre lower than the existing trellis, which would then be approximately 1 metre higher than the rainwater tanks required to provide our privacy. Unlike the previous Liquid Amber tree which did block the summer sun to the neighbour, this trellis will not block any sun or airflow, unlike the neighbour's claim, given the path of the sun and the proposed trellis height no shadow will be cast on the neighbour's property at all.

Another misperception of the neighbour is the belief that our rainwater tanks will reflect glare to the neighbour's property, which will never occur as our rainwater tanks are situated north of the neighbour's property and furthermore will be shaded by the trellis and already planted vegetation between the tanks and the neighbour. Further, the neighbour's photographs completely misrepresent the height of the remaining three unbuilt trellises, as the unfinished posts shown in the neighbour's photos will be cut down to the staggered lower positions due to the slope of the land as described above. It is unfortunate that the neighbour has used inflammatory terms such as 'prison' and 'fortress' which is ironic given their home is two storied and ours is one, and their shed and rainwater tanks block our view of their property, as seen in the above photos.

A further misconception of the neighbour is that the purpose of the 'privacy screen' is unclear and implied the screen may be to screen something on the neighbour's property. On the contrary, the trellis has two very clear aims; 'privacy' from the neighbour's viewing of over 80% of daily used areas of our backyard within 30 metres of their home and secondly to facilitate the beautifying of our landscape with native creepers and flora. This is why the trellis needs to be 1 metre above the height of the rainwater tanks, otherwise will serve no purpose to us at all.

Please note that I responded courteously to my adjacent neighbour's every communication (which is recorded) and had she come over to my home, I would happily have discussed the trellis. Not part of this submission, but of serious concern, is that it would have been helpful if the adjacent neighbour

had given notice that asbestos was being removed from their property immediately adjacent to ours when this asbestos removal was carried out a number of years ago.

As a compromise to the adjacent neighbour, we have re-submitted an altered design from the original submission. This current design significantly reduces the size of the trellis and therefore will reduces our privacy by about half from the original design by dropping the height of two of the four proposed panels to match the height of the two lower rainwater tanks. We have included wire instead of trellis, with the plan to grow creepers along the wire which will create a soft and varied appearance, not a solid green wall as claimed. The other alteration to compromise the original design for the neighbour, is to add many native trees and bushes between the neighbour's fence and the trellis, at extra cost to us, which we have already begun, with one sapling being already taller than the highest positioned rainwater tank as seen in above photo.

Many of our neighbours received a public notification from the council regarding our trellis. As a result, three of our direct neighbours approached us offering their support of the trellis which they have submitted to the AHC council. One neighbour stating it "blends in with the natural environment" especially with the shared neighbour's own trellis which it will match in style.

Another neighbour said "it is appropriate and will not detract from the amenity of the area" and a third stating "it will have no impact on them" but wanted to support us anyway. No other neighbour has objected to the trellis, including the referred to neighbour at 3 Yappo Road. Without the trellises, the neighbour will continue to see the rainwater tanks and our daily activities in our backyard.

This current trellis has already been very costly to us financially, due to additional designing and adjustments, many additional bushes and trees and the pre-purchase of materials already made. This current design has shown great compromise to the adjacent neighbour by the dropping of height of half the trellis and the addition of many bushes and small trees. It is also supported by at least three other direct neighbours. We request that the council approves this current design which aims to fit in with the natural landscape of the neighbourhood and to give partial privacy from the now significant lack of privacy in our back yard.

Yours sincerely,

Bron McNab and Richard Kwiatek

7 YAPPO RD ALDGATE SA 5154

Address: Click to view a detailed interactive SAILIS -in SAILIS

To view a detailed interactive property map in SAPPA click on the map below



Property Zoning Details

70

| Lone | Rural Neighbourhood |
|-----------------------|--|
| Sub Zone | |
| Overlay | Adelaide Hills |
| - | Hazards (Bushfire - Medium Risk) |
| | Mount Lofty Ranges Water Supply Catchment (Area 2) |
| | Native Vegetation |
| | Prescribed Water Resources Area |
| | Regulated and Significant Tree |
| Local Variation (TNV) | |
| | Minimum Site Area (Minimum site area is 2,000 sqm) |

Development Pathways

Rural Neighbourhood

1. Accepted Development

Means that the development type does not require planning consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- Air handling unit, air conditioning system or exhaust fan
- Brush fence Building alterations
- Building work on railway land
 Carport
 Outbuilding

- Partial demolition of a building or structure
- Private bushfire shelter Shade sail
- Solar photovoltaic panels (roof mounted)
 Swimming pool or spa pool and associated swimming pool safety features
- Verandah
- Water tank (above ground)
 Water tank (underground)

2. Code Assessed - Deemed to Satisfy Means that the development type requires consent (planning approval). Please ensure compliance with relevant land use and development controls in the Code.

- Carport
- Deck .
- Land division
- OutbuildingTemporary accommodation in an area affected by bushfire
- TemporaryVerandah

Code Assessed - Performance Assessed Performance Assessed development types listed below are those for which the Code identifies relevant policies. Additional development types that are not listed as Accepted, Deemed to Satisfy or Restricted default to a Performance assessed Pathway. Please contact your local council for more information.

- Ancillary accommodation
- Carport
 Deck
 Demolition
- Detached dwellingDwelling addition
- .
- Dwelling ar residential flat building undertaken by: (a) the South Australian Housing Trust either individually or jointly with other persons or bodies
- or (b) a provider registered under the Community Housing National Law participating in a program relating to the renewal of housing endorsed by the South Australian Housing Trust.
- FenceLand division
- OutbuildingRetaining wall
- Verandah

4. Impact Assessed - Restricted Means that the development type requires approval. Classes of development that are classified as Restricted are listed in Table 4 of the relevant Zones

Part 2 - Zones and Sub Zones

Rural Neighbourhood Zone

Assessment Provisions (AP)

Desired Outcome (DO)

| Desired Outcome | | |
|-----------------|---|--|
| DO 1 | | |
| | Housing on large allotments in a spacious rural setting, often together with large outbuildings. Easy access and parking for cars. Considerable space for | |
| | trees and other vegetation around buildings, as well as on-site wastewater treatment where necessary. Limited goods, services and facilities that | |
| | enhance rather than compromise rural residential amenity. | |
| | trees and other vegetation around buildings, as well as on-site wastewater treatment where necessary. Limited goods, services and facilities that | |

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|---|--|
| Land Use and Intensity | |
| PO 1.1 Predominantly residential development with complementary ancillary non-residential uses compatible with a spacious and peaceful lifestyle for individual households. | DTS/DPF 1.1 Development comprises one or more of the following: (a) Ancillary accommodation (b) Child care facility (c) Consulting room (d) Detached dwelling (e) Office (f) Outbuilding (g) Recreation area (h) Shop |
| PO 1.2 Commercial activities improve community access to services are of a scale and type to maintain residential amenity. | DTS/DPF 1.2 A shop, consulting room or office (or any combination thereof) satisfies any one of the following: (a) it is located on the same allotment and in conjunction with a dwelling where all the following are satisfied: (i) does not exceed 50m² gross leasable floor area (ii) does not involve the display of goods in a window or about the dwelling or its curtilage (b) it reinstates a former shop, consulting room or office in an existing building (or portion of a building) and satisfies one of the following: (i) the building is a State or Local Heritage Place (ii) is in conjunction with a dwelling and there is no increase in the gross leasable floor area previously used for non-residential purposes. |
| PO 1.3 Non-residential development sited and designed to complement the residential character and amenity of the neighbourhood. | DTS/DPF 1.3 None are applicable. |
| PO 1.4 Non-residential development located and designed to improve community accessibility to services, primarily in the form of: (a) small-scale commercial uses such as offices, shops and consulting rooms (b) community services such as educational facilities, community centres, places of worship, child care facilities and other health and welfare services (c) services and facilities ancillary to the function or operation of supported accommodation or retirement facilities | DTS/DPF 1.4 None are applicable. |

| Policy24 | P&D Code (in effect) - V | ersion 2023.13 - 31/08/2023 |
|--|--|--|
| (d) open space and recreation facilities. | | |
| Building Height | | |
| PO 2.1 | DTS/DPF 2.1 | |
| Buildings contribute to a low-rise residential character and complement the height of nearby buildings. | Building height (excluding garages, carports and outbuildings) i and wall height no greater than 7m (not including a gable end). | s no greater than 2 building levels and 9m |
| Primary Street Setback | I | |
| PO 3.1 | DTS/DPF 3.1 | |
| Buildings are set back from primary street boundaries consistent with the existing streetscape. | Buildings setback from the primary street boundary table: | |
| | Development Context There is an existing building on both abutting sites sharing the same street frontage as the site of the proposed building. | Minimum setback The average setback of the existing buildings. |
| | There is an existing building on only one abutting site sharing the same street frontage as the site of the proposed building and the existing building is not on a corner site. | The setback of the existing building. |
| | There is an existing building on only one abutting site sharing the same street frontage as the site of the proposed building and the existing building is on a corner site. | (a) Where the existing building shares the same primary street frontage – the setback of the existing building (b) Where the existing building has a different primary street frontage - 8m |
| | There is no existing building on either of the abutting sites sharing the same street frontage as the site of the proposed building. | 8m |
| | For the purposes of DTS/DPF 3.1 : | |
| | (a) the setback of an existing building on an abutting sitt the site of the proposed building is to be measured fn boundary at its closest point to the building wall and such as a verandah, porch, balcony, awning or bay building for the purposes of determining its setback (b) any proposed projections such as a verandah, por encroach not more than 1.5 metres into the minimum set. | rom the closest building wall to that street I any existing projection from the building y window is not taken to form part of the rch, balcony, awning or bay window may |
| Secondary Street Setback | | |
| PO 4.1 DTS/DPF 4.1 Buildings are set back from secondary street boundaries to maintain a pattern of separation between building walls and public thoroughfares and reinforce a Buildings walls are set back at least 2m from the boundary of the allotr secondary street frontage. | | oundary of the allotment with the |
| streetscape character. | | |
| Side Boundary Setback | | |
| PO 5.1 | DTS/DPF 5.1 | |
| Buildings are set back from side boundaries to allow maintenance and access around buildings and minimise impacts on adjoining properties. | Building walls are set back from the side boundarie | es at least 2m. |
| Rear Boundary Setback | | |
| PO 6.1 | DTS/DPF 6.1 | |
| Buildings are set back from rear boundaries to provide: | Building walls are set back from the rear boundary | at least 6m. |
| (a) separation between buildings in a way that complements the established character of the locality (b) access to natural light and ventilation for neighbours (c) open space recreational opportunities (d) space for landscaping and vegetation. | | |
| Ancillary Buildings and Structures | | |
| PO 7.1 | DTS/DPF 7.1 | |

| Policy24 | | P&D Code (in effect) - Ver | sion 2023.13 - 31/08/2023 |
|--|-------------|---|--|
| Residential ancillary buildings and structures are sited and designed to not detract | Ancilla | ry buildings and structures: | |
| from the streetscape or appearance of buildings on the site or neighbouring | | | |
| properties. | (a) | are ancillary to a dwelling erected on the site | |
| | (b) | have a floor area not exceeding (i) 100 m ² on sites less than 2000 m ² | |
| | | (ii) $120m^2$ on sites $2000m^2$ or more | |
| | | (), | |
| | (c) | are not constructed, added to or altered so that any part is | situated: |
| | | (i) in front of any part of the building line of the dwel | |
| | | (ii) within 2m of a boundary of the allotment with a s boundaries on two or more roads) | econdary street (if the land has |
| | | (iii) within 2m of a side boundary | |
| | <i>(</i>)) | | |
| | (d) | in the case of a garage or carport, have a primary street so dwelling | etback that is at least as far back as the |
| | (e) | in the case of a garage or carport, do not exceed 10m or 5 | |
| | (f) | the lesser) when facing a primary street or secondary stree have a wall height or post height not exceeding 4m above | |
| | | a gable end) | |
| | (g) | have a roof height where no part of the roof is more than 5 if clad in sheet metal, are pre-colour treated or painted in a | |
| | (h) (i) | retains a total area of soft landscaping in accordance with | |
| | (i) | a total area as determined by the following table: | |
| | | | |
| | | Dwelling site | Minimum |
| | | area (or in the | percentage |
| | | case of | of site |
| | | residential flat | |
| | | building or group | |
| | | dwelling(s), | |
| | | average site | |
| | | area) (m ²) | |
| | | | |
| | | <150 | 10% |
| | | 150-200 | 15% |
| | | 201-450 | 20% |
| | | >450 | 25% |
| | | | |
| | (ii) | the amount of existing soft landscaping prior to the develo | opment occurring. |
| | | | |
| | | | |
| PO 7.2 | DTS/D | DPF 7.2 | |
| Ancillary buildings and structures do not impede on-site functional requirements such | Ancilla | ry buildings and structures do not result in: | |
| as private open space provision, car parking requirements and do not result in over- | , | | |
| development of the site. | (a) | less private open space than specified in Design Table 1 | |
| | (b) | less on-site car parking than specified in Transport, Acces Street Car Parking Requirements or Table 2 - Off-Street C | |
| | | Designated Areas to the nearest whole number. | |
| | | | |
| PO 7.3 | DTS/D | DPF 7.3 | |
| Buildings and structures that are ancillary to an existing non-residential use do not detract from the | | | |
| streetscape character, appearance of buildings on the site of the development, or the amenity of | Non-re | esidential ancillary buildings and structures: | |
| neighbouring properties. | (a) | are ancillary and subordinate to an existing non-resident | ial use on the same site |
| | (a) (b) | have a floor area not exceeding the following: | |
| | | Allotment size Floor area | |
| | | ≤500m ² 60m ² | |
| | | >500m ² 80m ² | |
| | (c) | are not constructed, added to or altered so that any part is | |
| | | (i) in front of any part of the building line of the main or | pulluling to which it is ancillary |
| | | (ii) within 900mm of a boundary of the allotment wit boundaries on two or more roads) | h a secondary street (if the land has |
| | | boundaries on two or more roads) | |
| I | 1 | | |

| Uncy24 | P&D Code (in effect) - version 2023.13 - 31/06/2023 |
|----------------------------|---|
| | (d) in the case of a garage or carport, the garage or carport: (i) is set back at least 5.5m from the boundary of the primary street |
| | (e) if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m unless: |
| | a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary |
| | the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent |
| | (f) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary will not exceed 45% of the length of that boundary |
| | (g) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure |
| | (h) have a wall height (or post height) not exceeding 3m (and not including a gable end) |
| | (i) have a roof height where no part of the roof is more than 5m above the natural ground level |
| | (j) if clad in sheet metal, is pre-colour treated or painted in a non-reflective colour. |
| Neuroine and Lord Division | |

| | 0 1 |
|----|-----|
| FU | 0.1 |

Deliov24

Allotments/sites created for residential purposes are consistent with the density and dimensions expressed in any relevant *Minimum Allotment Size Technical and Numeric Variation* or are of suitable size and dimension to contribute to a pattern of development consistent to the locality and suitable for their intended use.

DTS/DPF 8.1

Development will not result in more than 1 dwelling on an existing allotment

or

Allotments/sites for residential purposes accord with the following:

(a) where allotments/sites are connected to mains sewer or a Community Wastewater Management System site areas (or allotment areas in the case of land division) are not less than:

D&D Code (in offect) Varian 2022 42 24/00/202

Minimum Site Area

Minimum site area is 2,000 sqm

- (b) where allotments/sites are not connected to mains sewer or an approved common waste water disposal service site areas are not less than the greater of:
 - (i) 1200m² (ii) the following:

Minimum Site Area

Minimum site area is 2,000 sqm

(c) site frontages are not less than 20m.

In relation to DTS/DPF 8.1, in instances where:

- (d) more than one value is returned in the same field, refer to the Minimum Site Area Technical and Numeric Variation layer in the SA planning database to determine the applicable value relevant to the site of the proposed development
- (e) no value is returned for DTS/DPF 8.1(a) (i.e. there is a blank field), then none are applicable and the relevant development cannot be classified as deemed-to-satisfy
- (f) no value is returned for DTS/DPF 8.1(b)(ii) then the value for DTS/DPF 8.1(b)(ii) is zero.

| Concept | Plans |
|---------|-------|

| PO 9.1 | DTS/DPF 9.1 |
|---|--|
| Development is compatible with the outcomes sought by any relevant Concept Plan contained within Part 12 - Concept Plans of the Planning and Design Code to support the orderly development of land through staging of development and provision of infrastructure. | The site of the development is wholly located outside any relevant Concept Plan boundary. The following Concept Plans are relevant: In relation to DTS/DPF 9.1, in instances where: |
| | (a) one or more Concept Plan is returned, refer to Part 12 - Concept Plans in the Planning and Design Code to determine if a Concept Plan is relevant to the site of the proposed development. Note: multiple concept plans may be relevant. (b) in instances where 'no value' is returned, there is no relevant concept plan and DTS/DPF 9.1 is met. |
| Advertisements | |

| PO 10.1 | DTS/DPF 10.1 |
|---------|--|
| | Advertisements relating to a lawful business activity associated with a residential use do not exceed 0.3m2 and mounted flush with a wall or fence. |

Table 5 - Procedural Matters (PM) - Notification

The following table identifies, pursuant to section 107(6) of the *Planning, Development and Infrastructure Act 2016*, classes of performance assessed development that are excluded from notification. The table also identifies any exemptions to the placement of notices when notification is required.

Interpretation

Notification tables exclude the classes of development listed in Column A from notification provided that they do not fall within a corresponding exclusion prescribed in Column B.

Where a development or an element of a development falls within more than one class of development listed in Column A, it will be excluded from notification if it is excluded (in its entirety) under any of those classes of development. It need not be excluded under all applicable classes of development.

Where a development involves multiple performance assessed elements, all performance assessed elements will require notification (regardless of whether one or more elements are excluded in the applicable notification table) unless every performance assessed element of the application is excluded in the applicable notification table, in which case the application will not require notification.

A relevant authority may determine that a variation to 1 or more corresponding exclusions prescribed in Column B is minor in nature and does not require notification.

| Class of Development | | Exceptions | |
|--|--|--|--|
| (Column A) | | (Column B) | |
| Development which, in the opinion of the relevant authority, is of a minor nature only and will not unreasonably impact on the owners or occupiers of land in the locality of the site of the development. | | None specified. | |
| 2. | All development undertaken by: (a) the South Australian Housing Trust either individually or jointly with other persons or bodies or (b) a provider registered under the Community Housing National Law participating in a program relating to the renewal of housing endorsed by the South Australian Housing Trust. | Except development involving any of the following: residential flat building(s) of 3 or more building levels the demolition (or partial demolition) of a State or Local Heritage Place (other than an excluded building) the demolition (or partial demolition) of a building in a Historic Area Overlay (other than an excluded building). | |
| 3. | Any development involving any of the following (or of any combination of any of the following): (a) ancillary accommodation (b) detached dwelling (c) dwelling addition. | Except development that does not satisfy Rural Neighbourhood Zone DTS/DPF 2.1. | |
| 4. | Any development involving any of the following (or of any combination of any of the following): (a) consulting room (b) office (c) shop. | Except development that does not satisfy any of the following: Rural Neighbourhood Zone DTS/DPF 1.2 Rural Neighbourhood Zone DTS/DPF 2.1. | |
| | Any development involving any of the following (or of any combination of any of the following): (a) air handling unit, air conditioning system or exhaust fan (b) carport (c) deck (d) fence (e) internal building works (f) land division (g) outbuilding (h) pergola (i) private bushfire shelter (j) recreation area (k) replacement building (l) retaining wall (m) shade sail (n) solar photovoltaic panels (roof mounted) (o) swimming pool or spa pool and associated swimming pool safety features (p) temporary accommodation in an area affected by bushfire (q) tree damaging activity (r) verandah (s) water tank. | None specified. | |
| 6. | Demolition. | Except any of the following: the demolition (or partial demolition) of a State or Local Heritage Place (other than an excluded building) the demolition (or partial demolition) of a building in a Historic Area Overlay (other than an excluded building). | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 | |
|---|--|--|
| 7. Railway line. | Except where located outside of a rail corridor or rail reserve. | |
| Placement of Notices - Exemptions for Performance Assessed Developmen | nt | |
| None specified. | | |
| Placement of Notices - Exemptions for Restricted Development | | |
| None specified. | | |

Adelaide Hills Subzone

Assessment Provisions (AP)

Desired Outcome (DO)

| | Desired Outcome | | |
|------|--|--|--|
| DO 1 | Additional residential and tourist accommodation that retains and embraces the values of the established mature vegetation as a defining characteristic of the area. | | |
| DO 2 | Land division is sympathetic to the allotment pattern and characteristics within the locality. | | |

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|---|---|
| Land Use and Intensity | |
| PO 1.1 A limited additional range of accommodation options that complement the prevailing residential character. | DTS/DPF 1.1 Development comprises one or more of the land uses listed, in addition to those listed in Rural Neighbourhood Zone DTS 1.1: (a) Supported accommodation (b) Tourist accommodation. |
| Site Dimensions and Land Division | |
| PO 2.1 Allotments/sites created for residential purposes are consistent with the established pattern of division surrounding the development site to maintain local character and amenity. | DTS/DPF 2.1 Development satisfies (a) or (b): (a) it will not result in more than 1 dwelling on an existing allotment (b) allotments/sites have an area the greater of the following (excluding the area within the access 'handle' if in the form of a battle-axe development): (i) 2000m ² (ii) the median allotment size of all residential allotments in the Adelaide Hills Subzone either wholly or partly within a radius of 200m measured from the centre of the main allotment frontage. |
| PO 2.2 Allotments/sites are sized and configured maximise the retention of mature vegetation to maintain landscape amenity. | DTS/DPF 2.2 None are applicable. |

Part 3 - Overlays

Hazards (Bushfire - Medium Risk) Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

| | Desired Outcome | | |
|------|---|--|--|
| DO 1 | Development, including land division responds to the medium level of bushfire risk and potential for ember attack and radiant heat by siting and designing buildings in a manner that mitigates the threat and impact of bushfires on life and property taking into account the increased frequency and intensity of bushfires as a result of climate change. | | |
| DO 2 | To facilitate access for emergency service vehicles to aid the protection of lives and assets from bushfire danger. | | |

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated |
|---|--|
| | Performance Feature |
| Siting | |
| PO 1.1 | DTS/DPF 1.1 |
| Buildings and structures are located away from areas that pose an unacceptable bushfire risk as a result of vegetation cover and type, and terrain. | None are applicable. |
| Built Form | |
| PO 2.1 | DTS/DPF 2.1 |
| Buildings and structures are designed and configured to reduce the impact of bushfire through using designs that reduce the potential for trapping burning debris against or underneath the building or structure, or between the ground and building floor level in the case of transportable buildings and buildings on stilts. | None are applicable. |
| PO 2.2 | DTS/DPF 2.2 |
| Extensions to buildings, outbuildings and other ancillary structures are sited and constructed using materials to minimise the threat of fire spread to residential and tourist accommodation (including boarding houses, hostels, dormitory style accommodation, student accommodation and Workers' accommodation) in the event of bushfire. | Outbuildings and other ancillary structures are sited no closer than 6m from the habitable building. |
| Habitable Buildings | |
| PO 3.1 | DTS/DPF 3.1 |
| To minimise the threat, impact and potential exposure to bushfires on life and property, residential and tourist accommodation and habitable buildings for vulnerable communities (including boarding houses, hostels, dormitory style accommodation, student accommodation and workers' accommodation) is sited on the flatter portion of allotments away from steep slopes. | None are applicable. |
| PO 3.2 | DTS/DPF 3.2 |
| Residential, tourist accommodation and habitable buildings for vulnerable communities (including boarding houses, hostels, dormitory style accommodation, student accommodation and workers' accommodation) is sited away from vegetated areas that pose an unacceptable bushfire risk. | Residential, tourist accommodation and habitable buildings for vulnerable communities are provided with asset protection zone(s) in accordance with (a) and (b): (a) the asset protection zone has a minimum width of at least: (i) 50 metres to unmanaged grasslands (ii) 100 metres to hazardous bushland vegetation |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/202 | |
|---|--|--|
| | (b) the asset protection zone is contained wholly within the allotment of the development. | |
| PO 3.3 Residential, tourist accommodation and habitable buildings for vulnerable communities, (including boarding houses, hostels, dormitory style accommodation, student accommodation and workers' accommodation), has a dedicated area available that is capable of accommodating a bushfire protection system comprising firefighting equipment and water supply in accordance with <i>Ministerial Building</i> <i>Standard MBS 008 - Designated bushfire prone areas - additional requirements</i> . | DTS/DPF 3.3 None are applicable. | |
| Land Division | | |
| PO 4.1 Land division is designed and incorporates measures to minimise the danger of fire hazard to residents and occupants of buildings, and to protect buildings and property from physical damage in the event of a bushfire. | DTS/DPF 4.1 None are applicable. | |
| PO 4.2 Land division is designed to provide a continuous street pattern to facilitate the safe movement and evacuation of emergency vehicles, residents, occupants and visitors. | DTS/DPF 4.2 None are applicable. | |
| PO 4.3 Where 10 or more new allotments are proposed, land division includes at least two separate and safe exit points to enable multiple avenues of evacuation in the event of a bushfire. | DTS/DPF 4.3 None are applicable. | |
| PO 4.4 Land division incorporates perimeter roads of adequate design in conjunction with bushfire buffer zones to achieve adequate separation between residential allotments and areas of unacceptable bushfire risk and to support safe access for the purposes of fire-fighting. | DTS/DPF 4.4 None are applicable. | |
| Vehicle Access - Roads, Driveways and Fire Tracks | | |
| PO 5.1 | DTS/DPF 5.1 | |
| Roads are designed and constructed to facilitate the safe and effective: (a) access, operation and evacuation of fire-fighting vehicles and emergency personnel (b) evacuation of residents, occupants and visitors. | Roads: (a) are constructed with a formed, all-weather surface (b) have a gradient of not more than 16 degrees (1-in-3.5) at any point along the road (c) have a cross fall of not more than 6 degrees (1-in-9.5) at any point along the road (d) have a minimum formed road width of 6m (e) provide overhead clearance of not less than 4.0m between the road surface and overhanging branches or other obstructions including buildings and/or structures (Figure 1) (f) allow fire-fighting services (personnel and vehicles) to travel in a continuous forward movement around road curves by constructing the curves with a minimum external radius of 12.5m (Figure 2) (g) incorporating cul-de-sac endings or dead end roads do not exceed 200m in length and the end of the road has either: (i) a turning area with a minimum formed surface radius of 12.5m (Figure 3) or (ii) a "T" or "Y" shaped turning area with a minimum formed surface length of 11m and minimum internal radii of 9.5m (Figure 4) (h) incorporate solid, all-weather crossings over any watercourse that support fire-fighting vehicles with a gross vehicle mass (GVM) of 21 tonnes. | |
| PO 5.2 | DTS/DPF 5.2 | |
| Access to habitable buildings is designed and constructed to facilitate the safe and effective: (a) access, operation and evacuation of fire-fighting vehicles and emergency personnel (b) evacuation of residents, occupants and visitors. | Access is in accordance with (a) or (b): (a) a clear and unobstructed vehicle or pedestrian pathway of not greater than 60 metres in length is available between the most distant part of the habitable building and the nearest part of a formed public access road (b) driveways: (i) do not exceed 600m in length (ii) are constructed with a formed, all-weather surface (iii) are connected to a formed, all-weather public road with the transition area between the road and driveway having a gradient of not more than 7 degrees (1-in-8) (iv) have a gradient of not more than 16 degrees (1-in-3.5) at any point along the driveway | |

| P&D Code (in effect) - Version 2023.13 - 31/08/2 |
|---|
| (v) have a crossfall of not more than 6 degrees (1-in-9.5) at any point along the drivewa |
| (vi) have a minimum formed width of 3m (4m where the gradient of the driveway is stee than 12 degrees (1-in-4.5)) plus 0.5 metres clearance either side of the driveway fro overhanging branches or other obstructions, including buildings and/or structures (Figure 1) |
| (vii) incorporate passing bays with a minimum width of 6m and length of 17m every 200 (Figure 5) |
| (viii) provide overhead clearance of not less than 4.0m between the driveway surface and overhanging branches or other obstructions, including buildings and/or structures (Figure 1) |
| (ix) allow fire-fighting services (personnel and vehicles) to travel in a continuous forward movement around driveway curves by constructing the curves with a minimum exter radius of 12.5m (Figure 2) |
| (x) allow fire-fighting vehicles to safely enter and exit an allotment in a forward direction using a 'U' shaped drive through design or by incorporating at the end of the drivewa either: |
| A. a loop road around the building or |
| B. a turning area with a minimum radius of 12.5m (Figure 3) or |
| C. a 'T' or 'Y' shaped turning area with a minimum formed length of 11m and minimum internal radii of 9.5m (Figure 4) |
| (xi) incorporate solid, all-weather crossings over any watercourse that support fire-fight vehicles with a gross vehicle mass (GVM) of 21 tonnes. |
| DTS/DPF 5.3 |
| None are applicable. |
| |

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

| Class of Development / Activity | Referral Body | - | Statutory Reference |
|---------------------------------|---------------|------|------------------------|
| None | None | None | None |

Figures and Diagrams

| F | ire Engine and Appliance Clearances |
|---|--|
| F | igure 1 - Overhead and Side Clearances |




Figure 3 - Full Circle Turning Area






Figure 4 - 'T' or 'Y' Shaped Turning Head



"T" shaped turning area for fire trucks to reverse into so they can turn around - minimum length 11m.



Mount Lofty Ranges Water Supply Catchment (Area 1) Overlay

Assessment Provisions (AP)

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

| Policy24 | | P&D Code (in effect) - Version 2023.13 - 31/08/2023 | |
|---|---|---|--|
| | Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature | |
| Stormwate | r | | |
| DTS/DPF 3.4 | | DTS/DPF 3.5 | |
| Devel | (a) rainwater tanks with a minimum capacity of 1,000L connected to carports, verandahs and outbuildings or (b) rainwater tanks with a minimum capacity of 4,500L connected to agricultural buildings exceeding 100m². | Dwelling additions are connected to a rainwater tank with a minimum capacity of 1,000L. | |
| DTS/DPF 3.9 Excavation and/or filling satisfy all the following: | | | |
| (a) (b) (c) (d) (e) | is located 50m or more from watercourses is located 100m or more from public water supply reservoirs and diversion weirs does not involve excavation exceeding a vertical height of 0.75m does not involve filling exceeding a vertical height of 0.75m does not involve a total combined excavation and filling vertical height of 1.5m. | | |

Mount Lofty Ranges Water Supply Catchment (Area 2) Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

| Desired Outcome | |
|-----------------|---|
| | Safeguard Greater Adelaide's public water supply by ensuring development has a neutral or beneficial effect on the quality of water harvested from secondary reservoirs or diversion weir catchments from the Mount Lofty Ranges. |

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|--|---|
| Water Quality | |
| PO 1.1 | DTS/DPF 1.1 |
| Development results in a neutral or beneficial effect on the quality of water draining from the site to maintain and enhance the role of the catchment as a water supply. | None are applicable. |
| PO 1.2 Development does not include land uses that have the potential to cause adverse impacts on the quality of water draining into secondary public water supply reservoirs and weirs. | DTS/DPF 1.2 Development does not involve any one or combination of the following: (a) landfill (b) special industry. |
| Wastewater | |
| PO 2.1 Development that generates human wastewater, including alterations and additions, are established at an intensity and in a manner to minimise potential adverse impact on water quality within secondary reservoir and weir catchment areas. | DTS/DPF 2.1 Development including alterations and additions, in combination with existing built form and activities within an allotment: (a) do not generate a combined total of more than 1500 litres of wastewater per day |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|--|
| | and (b) will be connected to the same on-site wastewater system that is compliant with relevant South Australian standards |
| | or is otherwise connected to a sewer or community wastewater management system. |
| PO 2.2 | DTS/DPF 2.2 |
| Dairy development is of a scale and design that will avoid adverse water quality impacts. | Dairy development satisfies all of the following: |
| | (a) is located at least 100 metres from any watercourse, dam, bore or well (b) is connected to a wastewater management system that is located 200 metres from any watercourse, dam, bore or well and is designed and constructed to avoid leakage to groundwater or overflow under extreme rainfall conditions (c) treated wastewater irrigation areas: (i) have a slope of less than 1-in-5 (20 percent) (ii) are greater than 100 metres from any watercourse, dam, bore or well |
| PO 2.3 | DTS/DPF 2.3 |
| Development that generates trade or industrial wastewater is designed to ensure wastewater disposal avoids adverse impacts on the quality of water draining into secondary public water supply reservoirs and weirs. | Development that generates trade or industrial wastewater is connected to: |
| | (a) a sewer or community wastewater management system with sufficient hydraulic and treatment capacity to accept the inflow |
| | or an on-site wastewater holding tank which has storage capacity of more than four days total flow during peak operations and is contained within an impervious, bunded area with a total liquid holding capacity of more than 120 percent of the total holding tank capacity, prior to transporting for off-site disposal. |
| PO 2.4 | DTS/DPF 2.4 |
| Wastewater management systems result in a neutral or beneficial effect on the | Development results in: |
| quality of water draining from the site. | (a) a building or land use that is currently connected to an existing on-site wastewater system that is non-compliant with relevant South Australian standards being connected to a new or upgraded system that complies with such standards (b) an existing on-site wastewater system being decommissioned and wastewater being disposed of to a sewer or community wastewater management system that complies with relevant South Australian standards. |
| PO 2.5 | DTS/DPF 2.5 |
| Surface and groundwater protected from wastewater discharge pollution. | All components of an effluent disposal area are: |
| | (a) setback 50 metres or more from a watercourse |
| | (b) setback 100 metres of more from a public water supply reservoir (c) located on land with a slope no greater than 1-in-5 (20%) |
| | (d) located on land with 1.2m or more depth to bedrock or a seasonal or permanent water table (e) above the 10% AEP flood level. |
| Stormwater | |
| PO 3.1 | DTS/DPF 3.1 |
| Post-development peak stormwater discharge quantities and rates do not exceed pre-development quantities and rates to maintain water quality leaving the site. | None are applicable. |
| PO 3.2 | DTS/DPF 3.2 |
| Stormwater run-off from areas not likely to be subject to pollution diverted away from areas that could cause pollution. | None are applicable. |
| PO 3.3 | DTS/DPF 3.3 |
| Polluted stormwater is treated prior to discharge from the site. | None are applicable. |
| PO 3.4 | DTS/DPF 3.4 |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 | |
|---|---|--|
| Stormwater from carports, verandahs, outbuildings and agricultural buildings | Development includes: | |
| captured to protect water quality. | (a) rainwater tanks with a minimum capacity of 1,000L connected to carports, verandahs and outbuildings | |
| | or rainwater tanks with a minimum capacity of 4,500L connected to agricultural buildings exceeding 100m². | |
| PO 3.5 | DTS/DPF 3.5 | |
| Stormwater from dwelling additions captured to protect water quality. | Dwelling additions are connected to a rainwater tank with a minimum capacity of 1,000L. | |
| PO 3.6 | DTS/DPF 3.6 | |
| Stormwater from shops and tourist accommodation is managed to protect water | Shops and tourist accommodation satisfy all the following: | |
| quality. | (a) are located 50m or more from watercourses, wetlands, land prone to waterlogging and bores (b) are located 100m or more from public water supply reservoirs and diversion weirs (c) are located on land with a slope not exceeding 20% (d) includes buildings connected to rainwater tanks with a minimum capacity of 1,000L (e) includes swales that divert clean stormwater away from areas where it could be polluted. | |
| PO 3.7 | DTS/DPF 3.7 | |
| Stormwater from horse keeping and low intensity animal husbandry is managed to | Horse keeping and low intensity animal husbandry satisfy all the following: | |
| protect water quality. | (a) is located 50m or more from watercourses, wetlands, land prone to waterlogging and bores (b) is located on land with a slope not exceeding 10% (c) includes stables, shelters or other roofed structures connected to rainwater tanks with a minimum capacity of 1,000L (d) includes swales that divert clean stormwater away from areas (including yards, manure storage areas, and watering points) within which it could be polluted. | |
| | areas, and matering points main million a courd be ponded. | |
| PO 3.8 | DTS/DPF 3.8 | |
| Stormwater from horticulture is managed to protect water quality. | Horticulture satisfies all the following: | |
| | (a) is located 50m or more from watercourses, wetlands, land prone to waterlogging and bores (b) is located 100m or more from public water supply reservoirs and diversion weirs (c) is located on land with a slope not exceeding 10% (d) includes swales or other structures that divert clean stormwater away from areas (including plant growing areas, chemical storage areas and plant waste storage areas) within which it could be polluted. | |
| PO 3.9 | DTS/DPF 3.9 | |
| Stormwater from excavated and filled areas is managed to protect water quality. | Excavation and/or filling satisfy all the following: | |
| | (a) is located 50m or more from watercourses (b) is located 100m or more from public water supply reservoirs and diversion weirs (c) does not involve excavation exceeding a vertical height of 0.75m (d) does not involve filling exceeding a vertical height of 0.75m (e) does not involve a total combined excavation and filling vertical height of 1.5m. | |
| Landscapes and Natural Features | | |
| PO 4.1 | DTS/DPF 4.1 | |
| Development minimises the need to modify landscapes and natural features. | None are applicable. | |
| Land Division | | |
| PO 5.1 | DTS/DPF 5.1 | |
| Land division does not result in an increased risk of pollution to surface or | Land division does not create additional allotments and satisfies (a) and/or (b): | |
| underground water. | (a) is for realignment of allotment boundaries to correct an anomaly in the placement of those boundaries with respect to the location of existing buildings or structures | |
| | or is for realignment of allotment boundaries in order to improve management of the land for primary production and/or conservation of natural features. | |
| | | |
| | | |

Policy24 PO 5.2

DTS/DPF 5.2

Realignment of allotment boundaries does not create development potential for a dwelling and associated onsite wastewater management system where no such potential currently exists.

None are applicable.

Procedural Matters (PM)

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

| Class of Development / Activity | Referral Body | Purpose of Referral | Statutory Reference |
|--|-----------------------------------|---|--|
| Any of the following classes of development that are not connected (or not proposed to be connected) to a community wastewater management system or sewerage infrastructure: | Environment Protection Authority. | To provide expert technical assessment and direction to the relevant authority on whether a proposed development will | Development of a class to which |
| (a) land division creating one or more additional allotments, either partly or wholly within the area of the overlay (b) function venue with more than 75 seats for customer dining purposes | | have a neutral or beneficial impact on water quality. | Schedule 9 clause 3 item 9 of the |
| (c) restaurant with more than 40 seats for customer dining purposes (d) restaurant with more than 30 seats for customer dining purposes in association with a cellar door | | | Planning, Development and |
| (e) dwelling where a habitable dwelling or tourist accommodation or workers' accommodation already exists on the same allotment (including where a valid planning authorisation exists to erect a dwelling or tourist accommodation or workers' accommodation on the same allotment), except where the existing habitable dwelling or tourist accommodation or workers' accommodation or the same allotment is proposed to be demolished and the existing on-site wastewater system is proposed to be decommissioned (f) tourist accommodation where a habitable dwelling or tourist accommodation or workers' accommodation already exists on the same allotment (including where a valid planning authorisation exists to erect a habitable dwelling or tourist accommodation exists to erect a habitable dwelling or tourist accommodation exists to erect a habitable dwelling or tourist accommodation exists to erect a habitable dwelling or tourist accommodation exists to erect a habitable dwelling or tourist accommodation exists to erect a habitable dwelling or tourist accommodation exists to erect a habitable dwelling or tourist accommodation exists to erect a habitable dwelling or tourist accommodation exists to erect a habitable dwelling or tourist accommodation exists to exist accommodation exists to exist accommodation exists to exist accommodation exists to exist a habitable dwelling or tourist accommodation exists to exist a habitable dwelling or tourist accommodation exists to exist accommodation exists to exist a habitable dwelling or tourist accommodation exists to exist accommodation exists to exist accommodation exists to exist a habitable dwelling or tourist accommodation exists to exist accommodation exists to exist a habitable dwelling or tourist accommodation exists to exists to exist accommodation exists to exists to exist a habitable dwelling exists accommodation exists to exists to exist accommodation exists to exists to exists to exist accommodation exists to exists to exists to exists to exists to exis | | | Infrastructure (General) Regulations 2017 applies. |
| on the same allotment), except where the existing habitable dwelling or tourist accommodation or workers' accommodation on the same allotment is proposed to be demolished and the existing on-site wastewater system is proposed to be decommissioned (g) workers' accommodation where a habitable dwelling or tourist accommodation or workers' accommodation already exists on the same allotment (including where a valid planning authorisation exists to erect a habitable dwelling or tourist accommodation or workers' accommodation or the same allotment is proposed to be demolished and the existing on-site wastewater system is proposed to be demolished and the existing on-site wastewater system is proposed to be demolished and the existing on-site wastewater system is proposed to be demolished and the existing on-site wastewater system is proposed to be demolished and the existing on-site wastewater system is proposed to be demolished and the existing on-site wastewater system is proposed to be demolished and the existing on-site wastewater system is proposed to be demolished and the existing on-site wastewater system is proposed to be demolished and the existing on-site wastewater system is proposed to be demolished and the existing on-site wastewater system is proposed to be demolished and the existing on-site wastewater system is proposed to be demolished and the existing on the same allotment is proposed to be demolished and the existing on the same allotment is proposed to be demolished and the existing on the same allotment is proposed to be demolished and the existing on the same allotment is proposed to be demolished and the existing on the same allotment is proposed to be demolished and the existing on the same allotment is proposed to be demolished anot proposed to the same allotment the demolished and the exi | | | |
| (h) any other development that generates human wastewater from a peak loading capacity of more than 40 persons (or more than 6,000 litres/day) | | | |
| Composting works (excluding a prescribed approved activity) - being a depot, facility or works with the capacity to treat, during a 12 month period more than 200 tonnes of organic waste or matter (EPA Licence) | | | |
| Wastewater treatment works - being sewage treatment works, a community wastewater management system, winery wastewater treatment works or any other wastewater treatment works with the capacity to treat, during a 12 month period more than 2.5 ML of wastewater (EPA Licence required at more than 5ML) | | | |
| Feedlots - being carrying on an operation for holding in confined yard or area and feeding principally by mechanical means or by hand not less than an average of 200 cattle (EPA Licence) or 1,600 sheep or goats per day over any period of 12 months, but excluding any such operation carried on at an abattoir, slaughterhouse or saleyard or for the purpose only of drought or other emergency feeding | | | |
| Piggeries - being the conduct of a piggery (being premises having confined or roofed structures for keeping pigs) with a capacity of 130 or more standard pig units (EPA Licence required at 650 or more standard pig units) | | | |
| Dairies - carrying on of a dairy with a total processing capacity exceeding 100 milking animals at any one time. | | | |

Native Vegetation Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

| Desired Outcome | | | |
|-----------------|--|--|--|
| DO 1 | | | |
| | Areas of native vegetation are protected, retained and restored in order to sustain biodiversity, threatened species and vegetation communities, fauna | | |
| | habitat, ecosystem services, carbon storage and amenity values. | | |
| | | | |

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature | |
|---|---|--|
| Environmental Protection | | |
| PO 1.1 Development avoids, or where it cannot be practically avoided, minimises the clearance of native vegetation taking into account the siting of buildings, access points, bushfire protection measures and building maintenance. | DTS/DPF 1.1 An application is accompanied by: (a) a declaration stating that the proposal will not, or would not, involve clearance of native vegetation under the Native Vegetation Act 1991, including any clearance that may occur: (i) in connection with a relevant access point and / or driveway (ii) within 10m of a building (other than a residential building or tourist accommodation) (iii) within 20m of a dwelling or addition to an existing dwelling for fire prevention and control (iv) within 50m of residential or tourist accommodation in connection with a requirement under a relevant overlay to establish an asset protection zone in a bushfire prone area or (b) a report prepared in accordance with Regulation 18(2)(a) of the Native Vegetation Regulations 2017 that establishes that the clearance is categorised as 'Level 1 clearance'. | |
| PO 1.2 Native vegetation clearance in association with development avoids the following: (a) significant wildlife habitat and movement corridors (b) rare, vulnerable or endangered plants species (c) native vegetation that is significant because it is located in an area which has been extensively cleared (d) native vegetation that is growing in, or in association with, a wetland environment. | DTS/DPF 1.2 None are applicable. | |
| PO 1.3 Intensive animal husbandry, commercial forestry and agricultural activities are sited, set back and designed to minimise impacts on native vegetation, including impacts on native vegetation in an adjacent State Significant Native Vegetation Area, from: (a) in the case of commercial forestry, the spread of fires from a plantation (b) the spread of pest plants and phytophthora (c) the spread of non-indigenous plants species (d) excessive nutrient loading of the soil or loading arising from surface water runoff (e) soil compaction (f) chemical spray drift. | s Vegetation Area does not involve any of the following: | |
| PO 1.4 Development restores and enhances biodiversity and habitat values through | DTS/DPF 1.4 None are applicable. | |

| evegetation using locally indigenous plant species. | |
|---|--|
|---|--|

Land divisio

| PO 2.1 | DTS/DPF 2.1 | |
|--|---|--|
| Land division does not result in the fragmentation of land containing native vegetation, or necessitate the clearance of native vegetation, unless such clearance is considered minor, taking into account the location of allotment boundaries, access ways, fire breaks, boundary fencing and potential building siting or the like. | Land division where: (a) an application is accompanied by one of the following: (i) a declaration stating that none of the allotments in the proposed plan of division contain native vegetation under the Native Vegetation Act 1991 (ii) a declaration stating that no native vegetation clearance under the Native Vegetation Act 1991 will be required as a result of the division of land (iii) a report prepared in accordance with Regulation 18(2)(a) of the Native Vegetation Regulations 2017 that establishes that the vegetation to be cleared is categorised as 'Level 1 clearance' or (b) an application for land division which is being considered concurrently with a proposal to develop each allotment which will satisfy, or would satisfy, the requirements of DTS/DPF 1.1, not using any clearance that may occur or (c) the division is to support a Heritage Agreement under the Native Vegetation Act 1991 or the | |
| | Heritage Places Act 1993. | |

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

| Class of Development / Activity | Referral Body | Purpose of Referral | Statutory Reference |
|---|---------------------------|---|--|
| Development that is the subject of a report prepared in accordance with Regulation 18(2)(a) of the <i>Native Vegetation</i> <i>Regulations 2017</i> that categorises the clearance, or potential clearance, as 'Level 3 clearance' or 'Level 4 clearance'. | Native Vegetation Council | To provide expert assessment and direction to the relevant authority on the potential impacts of development on native vegetation. | Development of a class to which Schedule 9 clause 3 item 11 of the Planning, Development and Infrastructure (General) Regulations 2017 applies. |

Prescribed Water Resources Area Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

Do 1 Sustainable water use in prescribed water resources areas maintains the health and natural flow paths of surface water, watercourses and wells.

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|---------------------|--|
| | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|--|
| PO 1.1 | DTS/DPF 1.1 |
| All development, but in particular development involving any of the following: | Development satisfies either of the following: |
| (a) horticulture (b) activities requiring irrigation (c) aquaculture (d) industry (e) intensive animal husbandry (f) commercial forestry has a lawful, sustainable and reliable water supply that does not place undue strain on water resources in prescribed water resource areas. | (a) the applicant has a current water licence in which sufficient spare capacity exists to accommodate the water needs of the proposed use or (b) the proposal does not involve the taking of water for which a licence would be required under the Landscape South Australia Act 2019. |
| PO 1.2 | DTS/DPF 1.2 |
| Development comprising the erection, construction, modification, enlargement or removal of a dam, wall or other structure that will collect or divert surface water flowing over land is undertaken in a manner that maintains the quality and quantity of flows required to meet the needs of the environment as well as downstream users. | None are applicable. |

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

| Class of Development / Activity | Referral Body | Purpose of Referral | Statutory Reference |
|--|--|--|--|
| Development that comprises the erection, construction, modification, enlargement or removal of a dam, wall or other structure that will collect or divert, or collects or diverts surface water flowing over land. | Relevant authority under the Landscape South Australia Act 2019 that would, if it were not for the operation of section 106(1)(e) of that Act, have the authority under that Act to grant or refuse a permit to undertake the subject development. | To provide expert assessment and direction to the relevant authority on potential impacts from development on the health, sustainability and/or natural flow paths of water resources in accordance with the provisions of the relevant water allocation plan or regional landscape plan or equivalent. | Development of a class to which Schedule 9 clause 3 item 12 of the Planning, Development and Infrastructure (General) Regulations 2017 applies. |
| Any of the following classes of development that require or may require water to be taken in addition to any allocation that has already been granted under the <i>Landscape South Australia Act</i> 2019: (a) horticulture (b) activities requiring irrigation (c) aquaculture (d) industry (e) intensive animal husbandry (f) commercial forestry that requires a forest water licence under Part 8 Division 6 of the <i>Landscape South Australia Act</i> 2019. | The Chief Executive of the Department of the Minister responsible for the administration of the Landscape South Australia Act 2019. | To provide expert technical assessment and direction to the relevant authority on the taking of water to ensure development is undertaken sustainably and maintains the health and natural flow paths of water resources. | Development of a class to which Schedule 9 clause 3 item 13 of the Planning, Development and Infrastructure (General) Regulations 2017 applies. |

Regulated and Significant Tree Overlay

Assessment Provisions (AP)

Desired Outcome (DO)

| Desired Outcome | | |
|-----------------|---|--|
| DO 1 | Conservation of regulated and significant trees to provide aesthetic and environmental benefits and mitigate tree loss. | |

Performance Outcomes (PO) and Deemed to Satisfy (DTS) / Designated Performance Feature (DPF) Criteria

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|--|--|
| Tree Retention and Health | |
| PO 1.1 Regulated trees are retained where they: (a) make an important visual contribution to local character and amenity (b) are indigenous to the local area and listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species and / or (c) provide an important habitat for native fauna. | DTS/DPF 1.1 None are applicable. |
| PO 1.2 Significant trees are retained where they: (a) make an important contribution to the character or amenity of the local area (b) are indigenous to the local area and are listed under the National Parks and Wildlife Act 1972 as a rare or endangered native species (c) represent an important habitat for native fauna (d) are part of a wildlife corridor of a remnant area of native vegetation | DTS/DPF 1.2 None are applicable. |
| (e) are important to the maintenance of biodiversity in the local environment and / or (f) form a notable visual element to the landscape of the local area. | |
| PO 1.3 A tree damaging activity not in connection with other development satisfies (a) and (b): | DTS/DPF 1.3 None are applicable. |
| (a) tree damaging activity is only undertaken to: (i) remove a diseased tree where its life expectancy is short (ii) mitigate an unacceptable risk to public or private safety due to limb drop or the like (iii) rectify or prevent extensive damage to a building of value as comprising any of the following: A. a Local Heritage Place B. a State Heritage Place C. a substantial building of value and there is no reasonable alternative to rectify or prevent such damage other than to undertake a tree damaging activity (iv) reduce an unacceptable hazard associated with a tree within 20m of an existing residential, tourist accommodation or other habitable building from bushfire (v) treat disease or otherwise in the general interests of the health of the tree and <i>l</i> or (vi) maintain the aesthetic appearance and structural integrity of the tree | |
| (b) in relation to a significant tree, tree-damaging activity is avoided unless all reasonable remedial treatments and measures have been determined to be ineffective. | |
| PO 1.4 A tree-damaging activity in connection with other development satisfies all the following: (a) it accommodates the reasonable development of land in accordance with the relevant zone or subzone where such development might not otherwise be possible (b) in the case of a significant tree, all reasonable development options and design solutions have been considered to prevent substantial tree-damaging activity occurring. | DTS/DPF 1.4 None are applicable. |
| Ground work affecting trees | |
| PO 2.1 | DTS/DPF 2.1 |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|---|--|
| Regulated and significant trees, including their root systems, are not unduly | None are applicable. |
| compromised by excavation and / or filling of land, or the sealing of surfaces within | |
| the vicinity of the tree to support their retention and health. | |
| Land Division | |
| PO 3.1 | DTS/DPF 3.1 |
| Land division results in an allotment configuration that enables its subsequent | Land division where: |
| development and the retention of regulated and significant trees as far as is | |
| reasonably practicable. | (a) there are no regulated or significant trees located within or adjacent to the plan of division |
| · · · · · · · · · · · · · · · · · | or |
| | (b) the application demonstrates that an area exists to accommodate subsequent development of proposed allotments after an allowance has been made for a tree protection zone around any regulated tree within and adjacent to the plan of division. |

Procedural Matters (PM) - Referrals

The following table identifies classes of development / activities that require referral in this Overlay and the applicable referral body. It sets out the purpose of the referral as well as the relevant statutory reference from Schedule 9 of the Planning, Development and Infrastructure (General) Regulations 2017.

| | Class of Development / Activity | Referral Body | Purpose of Referral | Statutory Reference |
|-----|---------------------------------|---------------|---------------------|------------------------|
| Nor | e | None | None | None |

Part 4 - General Development Policies

Advertisements

Assessment Provisions (AP)

Desired Outcome (DO)

| Desired Outcome | | |
|-----------------|--|--|
| | Advertisements and advertising hoardings are appropriate to context, efficient and effective in communicating with the public, limited in number to avoid clutter, and do not create hazard. | |

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|--|--|
| Appearance | |
| PO 1.1 Advertisements are compatible and integrated with the design of the building and/or land they are located on. | DTS/DPF 1.1 Advertisements attached to a building satisfy all of the following: (a) are not located in a Neighbourhood-type zone (b) where they are flush with a wall: (i) if located at canopy level, are in the form of a fascia sign (ii) if located above canopy level: A. do not have any part rising above parapet height B. are not attached to the roof of the building |
| | (c) where they are not flush with a wall: |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 (i) if attached to a verandah, no part of the advertisement protrudes beyond the outer limits of the verandah structure (ii) if attached to a two-storey building: A. has no part located above the finished floor level of the second storey of the building B. does not protrude beyond the outer limits of any verandah structure below C. does not protrude beyond the outer limits of any verandah structure below C. does not have a sign face that exceeds 1m2 per side. (d) if located below canopy level, are flush with a wall (e) if located at canopy level, are in the form of a fascia sign (f) if located above a canopy: (i) are flush with a wall (iii) do not have any part rising above parapet height (iii) are not attached to the roof of the building. (g) if attached to a verandah, no part of the advertisement protrudes beyond the outer limits of the verandah structure (h) if attached to a two-storey building, have no part located above the finished floor level of the second storey of the building (ii) where they are flush with a wall, do not, in combination with any other existing sign, cover more than 15% of the building facade to which they are attached. | |
|---|---|--|
| PO 1.2 Advertising hoardings do not disfigure the appearance of the land upon which they are situated or the character of the locality. | DTS/DPF 1.2 Where development comprises an advertising hoarding, the supporting structure is: (a) concealed by the associated advertisement and decorative detailing or (b) not visible from an adjacent public street or thoroughfare, other than a support structure in the form of a single or dual post design. | |
| PO 1.3 Advertising does not encroach on public land or the land of an adjacent allotment. | DTS/DPF 1.3 Advertisements and/or advertising hoardings are contained within the boundaries of the site. | |
| PO 1.4 Where possible, advertisements on public land are integrated with existing structures and infrastructure. | DTS/DPF 1.4 Advertisements on public land that meet at least one of the following: (a) achieves Advertisements DTS/DPF 1.1 (b) are integrated with a bus shelter. | |
| PO 1.5 Advertisements and/or advertising hoardings are of a scale and size appropriate to the character of the locality. | DTS/DPF 1.5 None are applicable. | |
| Proliferation of Advertisements | | |
| PO 2.1 Proliferation of advertisements is minimised to avoid visual clutter and untidiness. | DTS/DPF 2.1 No more than one freestanding advertisement is displayed per occupancy. | |
| PO 2.2 Multiple business or activity advertisements are co-located and coordinated to avoid visual clutter and untidiness. | DTS/DPF 2.2 Advertising of a multiple business or activity complex is located on a single advertisement fixture or structure. | |
| PO 2.3 Proliferation of advertisements attached to buildings is minimised to avoid visual clutter and untidiness. | DTS/DPF 2.3 Advertisements satisfy all of the following: (a) are attached to a building (b) other than in a Neighbourhood-type zone, where they are flush with a wall, cover no more than 15% of the building facade to which they are attached (c) do not result in more than one sign per occupancy that is not flush with a wall. | |
| Advertising Content | | |
| PO 3.1 | DTS/DPF 3.1 | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|---|---|
| Advertisements are limited to information relating to the lawful use of land they are located on to assist in the ready identification of the activity or activities on the land and avoid unrelated content that contributes to visual clutter and untidiness. | Advertisements contain information limited to a lawful existing or proposed activity or activities on the same site as the advertisement. |
| Amenity Impacts | |
| PO 4.1 Light spill from advertisement illumination does not unreasonably compromise the amenity of sensitive receivers. | DTS/DPF 4.1 Advertisements do not incorporate any illumination. |
| Safety | |
| PO 5.1 Advertisements and/or advertising hoardings erected on a verandah or projecting from a building wall are designed and located to allow for safe and convenient pedestrian access. | DTS/DPF 5.1 Advertisements have a minimum clearance of 2.5m between the top of the footpath and base of the underside of the sign. |
| PO 5.2 Advertisements and/or advertising hoardings do not distract or create a hazard to drivers through excessive illumination. | DTS/DPF 5.2 No advertisement illumination is proposed. |
| PO 5.3 Advertisements and/or advertising hoardings do not create a hazard to drivers by: (a) being liable to interpretation by drivers as an official traffic sign or signal (b) obscuring or impairing drivers' view of official traffic signs or signals (c) obscuring or impairing drivers' view of features of a road that are potentially hazardous (such as junctions, bends, changes in width and traffic control devices) or other road or rail vehicles at/or approaching level crossings. | DTS/DPF 5.3 Advertisements satisfy all of the following: (a) are not located in a public road or rail reserve (b) are located wholly outside the land shown as 'Corner Cut-Off Area' in the following diagram Corner Cut-Off Area Off Area 4.5M Road Reserve |
| PO 5.4 Advertisements and/or advertising hoardings do not create a hazard by distracting drivers from the primary driving task at a location where the demands on driver concentration are high. | DTS/DPF 5.4 Advertisements and/or advertising hoardings are not located along or adjacent to a road having a speed limit of 80km/h or more. |
| PO 5.5 Advertisements and/or advertising hoardings provide sufficient clearance from the road carriageway to allow for safe and convenient movement by all road users. | DTS/DPF 5.5 Where the advertisement or advertising hoarding is: (a) on a kerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 0.6m from the roadside edge of the kerb (b) on an unkerbed road with a speed zone of 60km/h or less, the advertisement or advertising hoarding is located at least 5.5m from the edge of the seal (c) on any other kerbed or unkerbed road, the advertisement or advertising hoarding is located at minimum of the following distance from the roadside edge of the kerb or the seal: (a) 110 km/h road - 14m (b) 100 km/h road - 13m (c) 90 km/h road - 10m (d) 70 or 80 km/h road - 8.5m. |
| PO 5.6 Advertising near signalised intersections does not cause unreasonable distraction to road users through illumination, flashing lights, or moving or changing displays or messages. | DTS/DPF 5.6 Advertising: (a) is not illuminated (b) does not incorporate a moving or changing display or message (c) does not incorporate a flashing light(s). |

Assessment Provisions (AP)

Desired Outcome (DO)

| Desired Outcome |
|--|
| Animals are kept at a density that is not beyond the carrying capacity of the land and in a manner that minimises their adverse effects on the environment, local amenity and surrounding development. |

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|---|---|
| Sitting and Design | |
| PO 1.1 Animal keeping, horse keeping and associated activities do not create adverse impacts on the environment or the amenity of the locality. | DTS/DPF 1.1 None are applicable. |
| PO 1.2 Animal keeping and horse keeping is located and managed to minimise the potential transmission of disease to other operations where animals are kept. | DTS/DPF 1.2 None are applicable. |
| Horse Keeping | |
| PO 2.1 Water from stable wash-down areas is directed to appropriate absorption areas and/or drainage pits to minimise pollution of land and water. | DTS/DPF 2.1 None are applicable. |
| PO 2.2 Stables, horse shelters or associated yards are sited appropriate distances away from sensitive receivers and/or allotments in other ownership to avoid adverse impacts from dust, erosion and odour. | DTS/DPF 2.2 Stables, horse shelters and associated yards are sited in accordance with all of the following: (a) 30m or more from any sensitive receivers (existing or approved) on land in other ownership where an adjacent allotment is vacant and in other ownership, 30m or more from the boundary of that allotment. |
| PO 2.3 All areas accessible to horses are separated from septic tank effluent disposal areas to protect the integrity of that system. Stable flooring is constructed with an impervious material to facilitate regular cleaning. | DTS/DPF 2.3 Septic tank effluent disposal areas are enclosed with a horse-proof barrier such as a fence to exclude horses from this area. |
| PO 2.4 To minimise environmental harm and adverse impacts on water resources, stables, horse shelters and associated yards are appropriately set back from a watercourse. | DTS/DPF 2.4 Stables, horse shelters and associated yards are set back 50m or more from a watercourse. |
| PO 2.5 Stables, horse shelters and associated yards are located on slopes that are stable | DTS/DPF 2.5 Stables, horse shelters and associated yards are not located on land with a slope |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|---|
| to minimise the risk of soil erosion and water runoff. | greater than 10% (1-in-10). |
| Kennels | |
| PO 3.1 | DTS/DPF 3.1 |
| Kennel flooring is constructed with an impervious material to facilitate regular cleaning. | The floors of kennels satisfy all of the following: (a) are constructed of impervious concrete (b) are designed to be self-draining when washed down. |
| PO 3.2 Kennels and exercise yards are designed and sited to minimise noise nuisance to neighbours through measures such as: (a) adopting appropriate separation distances (b) orientating openings away from sensitive receivers. | DTS/DPF 3.2 Kennels are sited 500m or more from the nearest sensitive receiver on land in other ownership. |
| PO 3.3 Dogs are regularly observed and managed to minimise nuisance impact on adjoining sensitive receivers from animal behaviour. | DTS/DPF 3.3 Kennels are sited in association with a permanent dwelling on the land. |
| Wastes | |
| PO 4.1 Storage of manure, used litter and other wastes (other than wastewater lagoons) is designed, constructed and managed to minimise attracting and harbouring vermin. | DTS/DPF 4.1 None are applicable. |
| PO 4.2 Facilities for the storage of manure, used litter and other wastes (other than wastewater lagoons) are located to minimise the potential for polluting water resources. | DTS/DPF 4.2 Waste storage facilities (other than wastewater lagoons) are located outside the 1% AEP flood event areas. |

Aquaculture

Assessment Provisions (AP)

Desired Outcome (DO)

| Desired Outcome | | |
|-----------------|---|--|
| DO 1 | Aquaculture facilities are developed in an ecologically, economically and socially sustainable manner to support an equitable sharing of marine, coastal and inland resources and mitigate conflict with other water-based and land-based uses. | |

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|--|---|
| Land-based Aquaculture | |
| PO 1.1 | DTS/DPF 1.1 |
| Land-based aquaculture and associated components are sited and designed to mitigate adverse impacts on nearby sensitive receivers. | Land-based aquaculture and associated components are located to satisfy all of the following: |
| | (a) 200m or more from a sensitive receiver in other ownership |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|---|
| | (b) 500m or more from the boundary of a zone primarily intended to accommodate sensitive receivers |
| | or |
| | The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> . |
| PO 1.2 | DTS/DPF 1.2 |
| Land-based aquaculture and associated components are sited and designed to prevent surface flows from entering ponds in a 1% AEP sea flood level event. | None are applicable. |
| PO 1.3 | DTS/DPF 1.3 |
| Land-based aquaculture and associated components are sited and designed to prevent pond leakage that would pollute groundwater. | The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> . |
| PO 1.4 | DTS/DPF 1.4 |
| Land-based aquaculture and associated components are sited and designed to prevent farmed species escaping and entering into any waters. | The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> . |
| PO 1.5 | DTS/DPF 1.5 |
| Land-based aquaculture and associated components, including intake and discharge pipes, are designed to minimise the need to traverse sensitive areas to minimise impact on the natural environment. | None are applicable. |
| PO 1.6 | DTS/DPF 1.6 |
| Pipe inlets and outlets associated with land-based aquaculture are sited and designed to minimise the risk of disease transmission. | The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the Aquaculture Act 2001. |
| PO 1.7 | DTS/DPF 1.7 |
| Storage areas associated with aquaculture activity are integrated with the use of the land and sited and designed to minimise their visual impact on the surrounding environment. | None are applicable. |
| Marine Based Aquaculture | |
| PO 2.1 | DTS/DPF 2.1 |
| Marine aquaculture is sited and designed to minimise its adverse impacts on sensitive ecological areas including: | None are applicable. |
| (a) creeks and estuaries (b) wetlands (c) significant seagrass and mangrove communities (d) marine habitats and ecosystems. | |
| PO 2.2 | DTS/DPF 2.2 |
| Marine aquaculture is sited in areas with adequate water current to disperse sediments and dissolve particulate wastes to prevent the build-up of waste that may cause environmental harm. | The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> . |
| PO 2.3 | DTS/DPF 2.3 |
| Marine aquaculture is designed to not involve discharge of human waste on the site, on any adjacent land or into nearby waters. | The development does not include toilet facilities located over water. |
| PO 2.4 | DTS/DPF 2.4 |
| Marine aquaculture (other than inter-tidal aquaculture) is located an appropriate distance seaward of the high water mark. | Marine aquaculture development is located 100m or more seaward of the high water mark |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|---|--|
| | or |
| | The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> . |
| PO 2.5 | DTS/DPF 2.5 |
| Marine aquaculture is sited and designed to not obstruct or interfere with: | None are applicable. |
| (a) areas of high public use (b) areas, including beaches, used for recreational activities such as swimming, fishing, skiing, sailing and other water sports (c) areas of outstanding visual or environmental value (d) areas of high tourism value (e) areas of important regional or state economic activity, including commercial ports, wharfs and jetties (f) the operation of infrastructure facilities including inlet and outlet pipes associated with the desalination of sea water. | |
| PO 2.6 | DTS/DPF 2.6 |
| Marine aquaculture is sited and designed to minimise interference and obstruction to the natural processes of the coastal and marine environment. | None are applicable. |
| PO 2.7 | DTS/DPF 2.7 |
| Marine aquaculture is designed to be as unobtrusive as practicable by incorporating measures such as: | None are applicable. |
| (a) using feed hoppers painted in subdued colours and suspending them as close as possible to the surface of the water (b) a surface is the surface of the water | |
| (b) positioning structures to protrude the minimum distance practicable above the surface of the water (c) avoiding the use of shelters and structures above cages and platforms unless necessary to | |
| exclude predators and protected species from interacting with the farming structures and/or stock inside the cages, or for safety reasons (d) positioning racks, floats and other farm structures in unobtrusive locations landward from the shoreline. | |
| PO 2.8 | DTS/DPF 2.8 |
| Access, launching and maintenance facilities utilise existing established roads, tracks, ramps and paths to or from the sea where possible to minimise environmental and amenity impacts. | The development utilises existing established roads, tracks, ramps and/or paths (as applicable) to access the sea. |
| PO 2.9 | DTS/DPF 2.9 |
| Access, launching and maintenance facilities are developed as common user facilities and are co-located where practicable to mitigate adverse impacts on coastal areas. | The development utilises existing established roads, tracks, ramps and/or paths (as applicable) to access the sea. |
| PO 2.10 | DTS/DPF 2.10 |
| Marine aquaculture is sited to minimise potential impacts on, and to protect the integrity of, reserves under the <i>National Parks and Wildlife Act 1972</i> . | Marine aquaculture is located 1000m or more seaward of the boundary of any reserve under the <i>National Parks and Wildlife Act 1972</i> . |
| PO 2.11 | DTS/DPF 2.11 |
| Onshore storage, cooling and processing facilities do not impair the coastline and its visual amenity by: | The development does not include any onshore facilities in conjunction with a proposal for marine aquaculture. |
| (a) being sited, designed, landscaped and of a scale to reduce the overall bulk and appearance of buildings and complement the coastal landscape (b) making provision for appropriately sited and designed vehicular access arrangements, including using existing vehicular access arrangements as far as practicable (c) incorporating appropriate waste treatment and disposal. | |
| Navigation and Safety | |
| PO 3.1 | DTS/DPF 3.1 |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|---|
| Marine aquaculture sites are suitably marked to maintain navigational safety. | The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> . |
| PO 3.2 | DTS/DPF 3.2 |
| Marine aquaculture is sited to provide adequate separation between farms for safe navigation. | The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> . |
| Environmental Management | |
| PO 4.1 | DTS/DPF 4.1 |
| Marine aquaculture is maintained to prevent hazards to people and wildlife, including breeding grounds and habitats of native marine mammals and terrestrial fauna, especially migratory species. | None are applicable. |
| PO 4.2 | DTS/DPF 4.2 |
| Marine aquaculture is designed to facilitate the relocation or removal of structures in the case of emergency such as oil spills, algal blooms and altered water flows. | None are applicable. |
| PO 4.3 | DTS/DPF 4.3 |
| Marine aquaculture provides for progressive or future reclamation of disturbed areas ahead of, or upon, decommissioning. | None are applicable. |
| PO 4.4 | DTS/DPF 4.4 |
| Aquaculture operations incorporate measures for the removal and disposal of litter, disused material, shells, debris, detritus, dead animals and animal waste to prevent pollution of waters, wetlands, or the nearby coastline. | The development is the subject of an aquaculture lease and/or licence (as applicable) granted under the <i>Aquaculture Act 2001</i> . |

Beverage Production in Rural Areas

Assessment Provisions (AP)

Desired Outcome (DO)

| Desired Outcome | | |
|-----------------|---|--|
| DO 1 | | |
| | Mitigation of potential amenity and environmental impacts of value-adding beverage production facilities such as wineries, distilleries, cideries and | |
| | breweries. | |
| | | |

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|--|--|
| Odour and Noise | |
| PO 1.1 Beverage production activities are designed and sited to minimise odour impacts on rural amenity. | DTS/DPF 1.1 None are applicable. |
| PO 1.2 | DTS/DPF 1.2 |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|---|--|
| Beverage production activities are designed and sited to minimise noise impacts on sensitive receivers. | None are applicable. |
| PO 1.3 Fermentation, distillation, manufacturing, storage, packaging and bottling activities occur within enclosed buildings to improve the visual appearance within a locality and manage noise associated with these activities. | DTS/DPF 1.3 None are applicable. |
| PO 1.4 Breweries are designed to minimise odours emitted during boiling and fermentation stages of production. | DTS/DPF 1.4 Brew kettles are fitted with a vapour condenser. |
| PO 1.5 Beverage production solid wastes are stored in a manner that minimises odour impacts on sensitive receivers in other ownership. | DTS/DPF 1.5 Solid waste from beverage production is collected and stored in sealed containers and removed from the site within 48 hours. |
| Water Quality | |
| PO 2.1 Beverage production wastewater management systems (including wastewater irrigation) are set back from watercourses to minimise adverse impacts on water resources. | DTS/DPF 2.1 Wastewater management systems are set back 50m or more from the banks of watercourses and bores. |
| PO 2.2 The storage or disposal of chemicals or hazardous substances is undertaken in a manner to prevent pollution of water resources. | DTS/DPF 2.2 None are applicable. |
| PO 2.3 Stormwater runoff from areas that may cause contamination due to beverage production activities (including vehicle movements and machinery operations) is drained to an onsite stormwater treatment system to manage potential environmental impacts. | DTS/DPF 2.3 None are applicable. |
| PO 2.4 Stormwater runoff from areas unlikely to cause contamination by beverage production and associated activities (such as roof catchments and clean hard-paved surfaces) is diverted away from beverage production areas and wastewater management systems. | DTS/DPF 2.4 None are applicable. |
| Wastewater Irrigation | |
| PO 3.1 Beverage production wastewater irrigation systems are designed and located to not contaminate soil and surface and ground water resources or damage crops. | DTS/DPF 3.1 None are applicable. |
| PO 3.2 Beverage production wastewater irrigation systems are designed and located to minimise impact on amenity and avoid spray drift onto adjoining land. | DTS/DPF 3.2 Beverage production wastewater is not irrigated within 50m of any dwelling in other ownership. |
| PO 3.3 Beverage production wastewater is not irrigated onto areas that pose an undue risk to the environment or amenity such as: (a) waterlogged areas (b) land within 50m of a creek, swamp or domestic or stock water bore | DTS/DPF 3.3 None are applicable. |

- (C) land subject to flooding
- (d) steeply sloping land
- (e) rocky or highly permeable soil overlaying an unconfined aquifer.

Bulk Handling and Storage Facilities

Assessment Provisions (AP)

Desired Outcome (DO)

| Desired Outcome | | |
|-----------------|---|--|
| DO 1 | | |
| | Facilities for the bulk handling and storage of agricultural, mineral, petroleum, rock, ore or other similar commodities are designed to minimise adverse | |
| | impacts on transport networks, the landscape and surrounding land uses. | |

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|--|--|
| Siting and Design | |
| PO 1.1 | DTS/DPF 1.1 |
| Bulk handling and storage facilities are sited and designed to minimise risks of adverse air quality and noise impacts on sensitive receivers. | Facilities for the handling, storage and dispatch of commodities in bulk (excluding processing) meet the following minimum separation distances from sensitive receivers: (a) bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility (including sea-port grain terminals), where the handling of these materials into or from vessels does not exceed 100 tonnes per day: 300m or more from residential premises not associated with the facility (b) bulk handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility: 300m or more from residential premises not associated with the facility (c) bulk petroleum storage involving individual containers with a capacity up to 200 litres and a total on-site storage capacity not exceeding 1,000 cubic metres: 500m or more (d) coal handling with: a. capacity up to 1 tonne per day or a storage capacity up to 50 tonnes: 500m or more b. capacity exceeding 1 tonne per day but not exceeding 100 tonnes per day or a storage capacity exceeding 50 tonnes into exceeding 5000 tonnes: 1000m or more. |
| Buffers and Landscaping | |
| PO 2.1 | DTS/DPF 2.1 |

| PO 2.1 | DTS/DPF 2.1 | |
|--|--|--|
| Bulk handling and storage facilities incorporate a buffer area for the establishment of dense landscaping adjacent road frontages to enhance the appearance of land and buildings from public thoroughfares. | None are applicable. | |
| PO 2.2 Bulk handling and storage facilities incorporate landscaping to assist with screening and dust filtration. | DTS/DPF 2.2 None are applicable. | |
| Access and Parking | | |
| PO 3.1 Roadways and vehicle parking areas associated with bulk handling and storage facilities are designed and surfaced to control dust emissions and prevent drag out of material from the site. | DTS/DPF 3.1 Roadways and vehicle parking areas are sealed with an all-weather surface. | |

| PO 4.1 | DTS/DPF 4.1 |
|---|----------------------|
| | |
| Slipways, wharves and pontoons used for the handling of bulk materials (such as | None are applicable. |
| fuel, oil, catch, bait and the like) incorporate catchment devices to avoid the release | |
| of materials into adjacent waters. | |
| | |

Clearance from Overhead Powerlines

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome Do 1 Protection of human health and safety when undertaking development in the vicinity of overhead transmission powerlines.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|--|---|
| PO 1.1 Buildings are adequately separated from aboveground powerlines to minimise potential hazard to people and property. | DTS/DPF 1.1 One of the following is satisfied: (a) a declaration is provided by or on behalf of the applicant to the effect that the proposal would not be contrary to the regulations prescribed for the purposes of section 86 of the <i>Electricity Act 1996</i> (b) there are no aboveground powerlines adjoining the site that are the subject of the proposed development. |

Design

Assessment Provisions (AP)

Desired Outcome (DO)

| Desired Outcome | | |
|-----------------|---|------------|
| DO 1 | Development is: | |
| | (a) contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributes to the character of the immediate a durable - fit for purpose, adaptable and long lasting (b) durable - fit for purpose, adaptable and long lasting (c) inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access, and promoting the provision of quality spaces integrated public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors (d) sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management environmental performance, biodiversity and local amenity and to minimise energy consumption. | d with the |

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|---------------------|--|
| All development | |
| External Appearance | |

| PO 1.1 | DTS/DPF 1.1 |
|--|---|
| Buildings reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope). | None are applicable. |
| PO 1.2 Where zero or minor setbacks are desirable, development provides shelter over footpaths (<u>in the form of verandahs, awnings, canopies and the like, with adequate</u> <u>lighting</u>) to positively contribute to the walkability, comfort and safety of the public realm. | DTS/DPF 1.2 None are applicable. |
| PO 1.3 Building elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape. | DTS/DPF 1.3 None are applicable. |
| PO 1.4 Plant, exhaust and intake vents and other technical equipment is integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by: (a) positioning plant and equipment in unobtrusive locations viewed from public roads and spaces (b) screening rooftop plant and equipment from view (c) when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses. | DTS/DPF 1.4 Development does not incorporate any structures that protrude beyond the roofline. |
| PO 1.5 The negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form) taking into account the form of development contemplated in the relevant zone. | DTS/DPF 1.5 None are applicable. |
| Safety | |
| PO 2.1 Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable. | DTS/DPF 2.1 None are applicable. |
| PO 2.2 Development is designed to differentiate public, communal and private areas. | DTS/DPF 2.2 None are applicable. |
| PO 2.3 Buildings are designed with safe, perceptible and direct access from public street frontages and vehicle parking areas. | DTS/DPF 2.3 None are applicable. |
| PO 2.4 Development at street level is designed to maximise opportunities for passive surveillance of the adjacent public realm. | DTS/DPF 2.4 None are applicable. |
| PO 2.5 Common areas and entry points of buildings (such as the foyer areas of residential buildings), and non-residential land uses at street level, maximise passive surveillance from the public realm to the inside of the building at night. | DTS/DPF 2.5 None are applicable. |
| | |

Landscaping

Policy24

| PO 3.1 | DTS/DPF 3.1 | |
|---|--|--|
| Soft landscaping and tree planting is incorporated to: | None are applicable. | |
| (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes (e) contribute to biodiversity. | | |
| PO 3.2 | DTS/DPF 3.2 | |
| Soft landscaping and tree planting maximises the use of locally indigenous plant species, incorporates plant species best suited to current and future climate conditions and avoids pest plant and weed species. | None are applicable. | |
| Environmental Performance | | |
| PO 4.1 Buildings are sited, oriented and designed to maximise natural sunlight access and | DTS/DPF 4.1 | |
| ventilation to main activity areas, habitable rooms, common areas and open spaces. | | |
| PO 4.2 | DTS/DPF 4.2 | |
| Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling. | None are applicable. | |
| PO 4.3 | DTS/DPF 4.3 | |
| Buildings incorporate climate-responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells. | None are applicable. | |
| Water Sensitive Design | | |
| PO 5.1 | DTS/DPF 5.1 | |
| Development is sited and designed to maintain natural hydrological systems without negatively impacting: | None are applicable. | |
| (a) the quantity and quality of surface water and groundwater (b) the depth and directional flow of surface water and groundwater (c) the quality and function of natural springs. | | |
| On-site Waste Treatment Systems | | |
| PO 6.1 | DTS/DPF 6.1 | |
| Dedicated on-site effluent disposal areas do not include any areas to be used for, or could be reasonably foreseen to be used for, private open space, driveways or car parking. | Effluent disposal drainage areas do not: (a) encroach within an area used as private open space or result in less private open space than that specified in Design Table 1 - Private Open Space (b) use an area also used as a driveway (c) encroach within an area used for on-site car parking or result in less on-site car parking than that specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas. | |
| Carparking Appearance | | |
| PO 7.1 | DTS/DPF 7.1 | |
| Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on the streetscapes through techniques such as: | None are applicable. | |
| (a) limiting protrusion above finished ground level | | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|--|
| (b) screening through appropriate planting, fencing and mounding (c) limiting the width of openings and integrating them into the building structure. | |
| PO 7.2 | DTS/DPF 7.2 |
| Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like. | None are applicable. |
| PO 7.3 Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development. | DTS/DPF 7.3 None are applicable. |
| PO 7.4 | DTS/DPF 7.4 |
| Street level vehicle parking areas incorporate tree planting to provide shade and reduce solar heat absorption and reflection. | None are applicable. |
| PO 7.5 | DTS/DPF 7.5 |
| Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public places. | None are applicable. |
| PO 7.6 | DTS/DPF 7.6 |
| Vehicle parking areas and associated driveways are landscaped to provide shade and positively contribute to amenity. | None are applicable. |
| PO 7.7 | DTS/DPF 7.7 |
| Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping. | None are applicable. |
| Earthworks and sloping land | |
| PO 8.1 Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural topography. | DTS/DPF 8.1 Development does not involve any of the following: (a) excavation exceeding a vertical height of 1m (b) filling exceeding a vertical height of 1m (c) a total combined excavation and filling vertical height of 2m or more. |
| PO 8.2 | DTS/DPF 8.2 |
| Driveways and access tracks are designed and constructed to allow safe and convenient access on sloping land (with a gradient exceeding 1 in 8). | Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8) satisfy (a) and (b): (a) do not have a gradient exceeding 25% (1-in-4) at any point along the driveway (b) are constructed with an all-weather trafficable surface. |
| PO 8.3 | DTS/DPF 8.3 |
| Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8): | None are applicable. |
| (a) do not contribute to the instability of embankments and cuttings (b) provide level transition areas for the safe movement of people and goods to and from the development (c) are designed to integrate with the natural topography of the land. | |
| PO 8.4 | DTS/DPF 8.4 |
| Development on sloping land (with a gradient exceeding 1 in 8) avoids the | None are applicable. |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 | | | |
|--|--|--|--|--|
| alteration of natural drainage lines and includes on-site drainage systems to minimise erosion. | | | | |
| PO 8.5 | DTS/DPF 8.5 | | | |
| Development does not occur on land at risk of landslip nor increases the potential for landslip or land surface instability. | None are applicable. | | | |
| Fences and Walls | | | | |
| PO 9.1 | DTS/DPF 9.1 | | | |
| Fences, walls and retaining walls are of sufficient height to maintain privacy and security without unreasonably impacting the visual amenity and adjoining land's access to sunlight or the amenity of public places. | None are applicable. | | | |
| PO 9.2 | DTS/DPF 9.2 | | | |
| Landscaping incorporated on the low side of retaining walls is visible from public roads and public open space to minimise visual impacts. | A vegetated landscaped strip 1m wide or more is provided against the low side of a retaining wall. | | | |
| Overlooking / Visual Privacy (in building 3 storeys or less) | | | | |
| PO 10.1 | DTS/DPF 10.1 | | | |
| Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses. | Upper level windows facing side or rear boundaries shared with a residential allotment/site satisfy one of the following: | | | |
| | (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm | | | |
| | (b) have sill heights greater than or equal to 1.5m above finished floor level | | | |
| | (c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level. | | | |
| PO 10.2 | DTS/DPF 10.2 | | | |
| Development mitigates direct overlooking from balconies, terraces and decks to | One of the following is satisfied: | | | |
| habitable rooms and private open space of adjoining residential uses. | (a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace | | | |
| | or all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land | | | |
| | or (ii) 1.7m above finished floor level in all other cases | | | |
| All Residential development | | | | |
| Front elevations and passive surveillance | | | | |
| PO 11.1 | DTS/DPF 11.1 | | | |
| Dwellings incorporate windows along primary street frontages to encourage | Each dwelling with a frontage to a public street: | | | |
| passive surveillance and make a positive contribution to the streetscape. | (a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m (b) has an aggregate window area of at least 2m² facing the primary street. | | | |
| PO 11.2 | DTS/DPF 11.2 | | | |
| Dwellings incorporate entry doors within street frontages to address the street and provide a legible entry point for visitors. | Dwellings with a frontage to a public street have an entry door visible from the primary street boundary. | | | |
| Outlook and amenity | 1 | | | |
| PO 12.1 | DTS/DPF 12.1 | | | |
| | | | | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 | | |
|---|--|--|--|
| Living rooms have an external outlook to provide a high standard of amenity for occupants. | A living room of a dwelling incorporates a window with an outlook towards the street frontage or private open space, public open space, or waterfront areas. | | |
| PO 12.2 | DTS/DPF 12.2 | | |
| Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion. | None are applicable. | | |
| Ancillary Development | | | |
| PO 13.1 | DTS/DPF 13.1 | | |
| Residential ancillary buildings and structures are sited and designed to not detract from the streetscape or appearance of buildings on the site or neighbouring properties. | Ancillary buildings: (a) are ancillary to a dwelling erected on the same site (b) have a floor area not exceeding 60m2 (c) are not constructed, added to or altered so that any part is situated: (i) in front of any part of the building line of the dwelling to which it is ancillary or (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads) (d) in the case of a garage or carport, the garage or carport: (i) is set back at least 5.5m from the boundary of the primary street (ji) when facing a primary street or secondary street, has a total door / opening not | | |
| | (ii) when facing a primary street or secondary street, has a total door / opening not exceeding: A. for dwellings of single building level - 7m in width or 50% of the site frontage, whichever is the lesser B. for dwellings comprising two or more building levels at the building line fronting the same public street - 7m in width | | |
| | (e) if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m unless: (i) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary and (ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent | | |
| | (f) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary will not exceed 45% of the length of that boundary (g) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure (h) have a wall height or post height not exceeding 3m above natural ground level (and not including a gable end) (i) have a roof height where no part of the roof is more than 5m above the natural ground level (j) if clad in sheet metal, is pre-colour treated or painted in a non-reflective colour (k) retains a total area of soft landscaping in accordance with (i) or (ii), whichever is less: (j) a total area as determined by the following table: | | |
| | | | |
| | Dwelling siteMinimumarea (or in the case ofpercentagecase ofof siteresidential flatinding orgroupdwelling(s), average site | | |
| | area) (m ²) <150 | | |
| | 201-450 20% | | |
| | >450 25% | | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/202 | | |
|---|---|--|--|
| | (ii) the amount of existing soft landscaping prior to the development occurring. | | |
| PO 13.2 Ancillary buildings and structures do not impede on-site functional requirements such as private open space provision or car parking requirements and do not result in over-development of the site. | DTS/DPF 13.2 Ancillary buildings and structures do not result in: (a) less private open space than specified in Design in Urban Areas Table 1 - Private Open Space (b) less on-site car parking than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas. | | |
| PO 13.3 Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa is positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers. | DTS/DPF 13.3 The pump and/or filtration system is ancillary to a dwelling erected on the same site and is: (a) enclosed in a solid acoustic structure that is located at least 5m from the nearest habitable root located on an adjoining allotment or (b) located at least 12m from the nearest habitable room located on an adjoining allotment. | | |
| PO 13.4 Buildings and structures that are ancillary to an existing non-residential use do not detract from the streetscape character, appearance of buildings on the site of the development, or the amenity of neighbouring properties. | DTS/DPF 13.4 Non-residential ancillary buildings and structures: (a) are ancillary and subordinate to an existing non-residential use on the same site (b) have a floor area not exceeding the following: Allotment size Floor area \$500m² \$60m² \$60m² \$500m² \$60m² \$80m² (c) are not constructed, added to or altered so that any part is situated: (i) in forto f any part of the building line of the main building to which it is ancillary or (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads) (d) in the case of a garage or carport, the garage or carport: (i) is set back at least 5.5m from the boundary of the primary street (e) if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m unless: (i) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary (ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent (f) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary will not exceed 45% of the length of that boundary street, all walls or structures on the boundary will not exceed 45% of the length of that boundary or proposed wall or a boundary will of a building that would be adjacent to or about the proposed wall or structures. (f) have a wall height (or post height) not exceeding 3m (and not including a gable end) (i) have a roof height where no part of the roof is more than 5m above the natural ground level (j) if clad in sheet metal, is pre-colour treated or painted in a non-reflective co | | |
| Jarage appearance | | | |
| PO 14.1 Garaging is designed to not detract from the streetscape or appearance of a dwelling. | DTS/DPF 14.1 Garages and carports facing a street: (a) are situated so that no part of the garage or carport is in front of any part of the building line of the dwelling (b) are set back at least 5.5m from the boundary of the primary street (c) have a garage door / opening not exceeding 7m in width (d) have a garage door /opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street. | | |
| Assing | | | |
| PO 15.1 The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets. | DTS/DPF 15.1 None are applicable | | |

| PO 16.1 Dwelling additions are sited and designed to not detract from the streetscape or amenity of adjoining properties and do not impede on-site functional requirements. | DTS / DPF 16.1 Dwelling additions: (a) are not constructed, added to or altered so that any part is situated closer to a public street (b) do not result in: (i) excavation exceeding a vertical height of 1m (ii) filling exceeding a vertical height of 1m (iii) a total combined excavation and filling vertical height of 2m or more (iv) less Private Open Space than specified in Design Table 1 - Private Open Space (v) less on-site parking than specified in Transport Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas (vi) upper level windows facing side or rear boundaries unless: A. they are permanently obscured to a height of 1.5m above finished floor level that is fixed or not capable of being opened more than 200mm or B. have sill heights greater than or equal to 1.5m above finished floor level or C. incorporate screening to a height of 1.5m above finished floor level or (vii) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: A. 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land B. 1.7m above finished floor level in all other cases. | | |
|--|---|--|--|
| Private Open Space | | | |
| PO 17.1 Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants. | DTS/DPF 17.1 Private open space is provided in accordance with Design Table 1 - Private Open Space. | | |
| | | | |
| PO 18.1 Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. | DTS/DPF 18.1 Residential development creating a common driveway / access that services 5 or more dwellings achieves the following stormwater runoff outcomes: (a) 80 per cent reduction in average annual total suspended solids (b) 60 per cent reduction in average annual total phosphorus (c) 45 per cent reduction in average annual total nitrogen. | | |
| PO 18.2 Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. | DTS/DPF 18.2 Development creating a common driveway / access that services 5 or more dwellings: (a) maintains the pre-development peak flow rate from the site based upon a 0.35 runoff coefficient for the 18.1% AEP 30-minute storm and the stormwater runoff time to peak is not increased or captures and retains the difference in pre-development runoff volume (based upon a 0.35 runoff coefficient) vs post development runoff volume from the site for an 18.1% AEP 30-minute storm; and (b) manages site generated stormwater runoff up to and including the 1% AEP flood event to avoid flooding of buildings. | | |
| Car parking, access and manoeuvrability | | | |
| PO 19.1 Enclosed parking spaces are of a size and dimensions to be functional, accessible and convenient. | DTS/DPF 19.1 Residential car parking spaces enclosed by fencing, walls or other structures have the following internal dimensions (separate from any waste storage area): (a) single width car parking spaces: (i) a minimum length of 5.4m per space (ii) a minimum garage door width of 2.4m (b) double width car parking spaces (side by side): (i) a minimum length of 5.4m (ii) a minimum length of 5.4m (iii) a minimum garage door width of 2.4m per space. | | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|---|
| | |
| PO 19.2 | DTS/DPF 19.2 |
| Uncovered parking spaces are of a size and dimensions to be functional, accessible and convenient. | Uncovered car parking spaces have: (a) a minimum length of 5.4m (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m |
| PO 19.3 Driveways and access points are located and designed to facilitate safe access and egress while maximising land available for street tree planting, pedestrian movement, domestic waste collection, landscaped street frontages and on-street parking. | DTS/DPF 19.3 Driveways and access points on sites with a frontage to a public road of 10m or less have a width between 3.0 and 3.2 metres measured at the property boundary and are the only access point provided on the site. |
| PO 19.4 | DTS/DPF 19.4 |
| Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees. | Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed: (i) is set back 6m or more from the tangent point of an intersection of 2 or more roads (ii) is set back outside of the marked lines or infrastructure dedicating a pedestrian crossing (iii) does not involve the removal, relocation or damage to of mature street trees, street furniture or utility infrastructure services. |
| PO 19.5 | DTS/DPF 19.5 |
| Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces. | Driveways are designed and sited so that: (a) the gradient of the driveway does not exceed a grade of 1 in 4 and includes transitions to ensure a maximum grade change of 12.5% (1 in 8) for summit changes, and 15% (1 in 6.7) for sag changes, in accordance with AS 2890.1:2004 to prevent vehicles bottoming or scraping (b) the centreline of the driveway has an angle of no less than 70 degrees and no more than 110 degrees from the street boundary to which it takes its access as shown in the following diagram: CENTRE LINE OF DRIVEWAY TO BE BETWEEN 70° TO 110° OFF THE STREET BOUNDARY 70° 1110° 110° |
| | C if located to provide access from an alley, lane or right of way - the alley, land or right or way is at least 6.2m wide along the boundary of the allotment / site |
| PO 19.6 | DTS/DPF 19.6 |

| Policy24 | P&D Code (in ef | fect) - Version 2023.13 - 31/08/2023 | |
|--|--|--|--|
| Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking. | (b) minimum car park length of 5.4m where a ve | following requirements: | |
| Waste storage | [| | |
| PO 20.1 Provision is made for the adequate and convenient storage of waste bins in a location screened from public view. | DTS/DPF 20.1 None are applicable. | | |
| Design of Transportable Dwellings | | | |
| PO 21.1 The sub-floor space beneath transportable buildings is enclosed to give the appearance of a permanent structure. | DTS/DPF 21.1 Buildings satisfy (a) or (b): (a) are not transportable or (b) the sub-floor space between the building an consistent with the building. | d ground level is clad in a material and finish | |
| Group dwelling, residential flat buildings and battle-axe development | | | |
| Amenity | | | |
| PO 22.1 Dwellings are of a suitable size to accommodate a layout that is well organised and provides a high standard of amenity for occupants. | DTS/DPF 22.1 Dwellings have a minimum internal floor an Number of bedrooms | Minimum internal floor area | |
| | Studio | 35m ² | |
| | 1 bedroom | 50m ² | |
| | 2 bedroom | 65m ² | |
| | 3+ bedrooms | 80m ² and any dwelling over 3 bedrooms provides an additional 15m ² for every additional bedroom | |
| PO 22.2 The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours. | DTS/DPF 22.2 None are applicable. | | |
| PO 22.3 Development maximises the number of dwellings that face public open space and public streets and limits dwellings oriented towards adjoining properties. | DTS/DPF 22.3 None are applicable. | | |
| PO 22.4 Battle-axe development is appropriately sited and designed to respond to the | DTS/DPF 22.4 Dwelling sites/allotments are not in the form | n of a battle-axe arrangement. | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 | | |
|--|--|--|--|
| existing neighbourhood context. | | | |
| Communal Open Space | | | |
| PO 23.1 Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents. | DTS/DPF 23.1 None are applicable. | | |
| PO 23.2 Communal open space is of sufficient size and dimensions to cater for group recreation. | DTS/DPF 23.2 Communal open space incorporates a minimum dimension of 5 metres. | | |
| PO 23.3 Communal open space is designed and sited to: (a) be conveniently accessed by the dwellings which it services (b) have regard to acoustic, safety, security and wind effects. | DTS/DPF 23.3 None are applicable. | | |
| PO 23.4 Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use. | DTS/DPF 23.4 None are applicable. | | |
| PO 23.5 Communal open space is designed and sited to: (a) in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings (b) in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance. | DTS/DPF 23.5 None are applicable. | | |
| Carparking, access and manoeuvrability | | | |
| PO 24.1 Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking. | DTS/DPF 24.1 Where on-street parking is available directly adjacent the site, on-street parking is retained adjacent the subject site in accordance with the following requirements: (a) minimum 0.33 on-street car parks per proposed dwellings (rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented. | | |
| PO 24.2 The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability. | DTS/DPF 24.2 Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway. | | |
| PO 24.3 Residential driveways that service more than one dwelling are designed to allow safe and convenient movement. | DTS/DPF 24.3 Driveways that service more than 1 dwelling or a dwelling on a battle-axe site: (a) have a minimum width of 3m (b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street (ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m. | | |
| PO 24.4 Residential driveways in a battle-axe configuration are designed to allow safe and convenient movement. | DTS/DPF 24.4 Where in a battle-axe configuration, a driveway servicing one dwelling has a minimum width of 3m. | | |
| l | ļ | | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|--|
| PO 24.5 | DTS/DPF 24.5 |
| Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site and manoeuvre within the site in a safe and convenient manner. | Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre. |
| PO 24.6 | DTS/DPF 24.6 |
| Dwellings are adequately separated from common driveways and manoeuvring areas. | Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles. |
| Soft Landscaping | |
| PO 25.1 | DTS/DPF 25.1 |
| Soft landscaping is provided between dwellings and common driveways to improve the outlook for occupants and appearance of common areas. | Other than where located directly in front of a garage or a building entry, soft landscaping with a minimum dimension of 1m is provided between a dwelling and common driveway. |
| PO 25.2 | DTS/DPF 25.2 |
| Soft landscaping is provided that improves the appearance of common driveways. | Where a common driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point). |
| Site Facilities / Waste Storage | |
| PO 26.1 | DTS/DPF 26.1 |
| Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants. | None are applicable. |
| PO 26.2 | DTS/DPF 26.2 |
| Provision is made for suitable external clothes drying facilities. | None are applicable. |
| PO 26.3 | DTS/DPF 26.3 |
| Provision is made for suitable household waste and recyclable material storage facilities which are: | None are applicable. |
| (a) located away, or screened, from public view, and (b) conveniently located in proximity to dwellings and the waste collection point. | |
| PO 26.4 | DTS/DPF 26.4 |
| Waste and recyclable material storage areas are located away from dwellings. | Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window. |
| PO 26.5 | DTS/DPF 26.5 |
| Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and | None are applicable. |
| convenient access, egress and movement of waste collection vehicles. | |
| PO 26.6 | DTS/DPF 26.6 |
| Services including gas and water meters are conveniently located and screened from public view. | None are applicable. |
| Supported accommodation and retirement facilities | |
| Siting and Configuration | |
| | |

Г

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 | | |
|--|---|--|--|
| PO 27.1 | DTS/DPF 27.1 | | |
| Supported accommodation and housing for aged persons and people with | None are applicable. | | |
| disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. | | | |
| | | | |
| Movement and Access | | | |
| PO 28.1 | DTS/DPF 28.1 | | |
| Development is designed to support safe and convenient access and movement for residents by providing: | None are applicable. | | |
| (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to | | | |
| footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40 and of sufficient area to provide for wheelchair | | | |
| (d) kerb ramps at pedestrian crossing points. | | | |
| Communal Open Space | | | |
| PO 29.1 | DTS/DPF 29.1 | | |
| Development is designed to provide attractive, convenient and comfortable indoor | None are applicable. | | |
| and outdoor communal areas to be used by residents and visitors. | | | |
| PO 29.2 | DTS/DPF 29.2 | | |
| Private open space provision may be substituted for communal open space which | None are applicable. | | |
| is designed and sited to meet the recreation and amenity needs of residents. | | | |
| PO 29.3 | DTS/DPF 29.3 | | |
| Communal open space is of sufficient size and dimensions to cater for group | Communal open space incorporates a minimum dimension of 5 metres. | | |
| recreation. | | | |
| PO 29.4 | DTS/DPF 29.4 | | |
| Communal open space is designed and sited to: | None are applicable. | | |
| (a) be conveniently accessed by the dwellings which it services | | | |
| (b) have regard to acoustic, safety, security and wind effects. | | | |
| PO 29.5 | DTS/DPF 29.5 | | |
| Communal open space contains landscaping and facilities that are functional, | None are applicable. | | |
| attractive and encourage recreational use. | | | |
| PO 29.6 | DTS/DPF 29.6 | | |
| Communal open space is designed and sited to: | None are applicable. | | |
| (a) in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or | | | |
| onto the useable private open space of other dwellings (b) in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance. | | | |
| Site Facilities / Waste Storage | | | |
| | | | |
| PO 30.1 | DTS/DPF 30.1 | | |
| Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities | None are applicable. | | |
| for the recharging of small electric powered vehicles. | | | |
| PO 30.2 | DTS/DPF 30.2 | | |
| Provision is made for suitable mailbox facilities close to the major pedestrian entry | | | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 | | |
|--|--|--|--|
| to the site or conveniently located considering the nature of accommodation and mobility of occupants. | | | |
| PO 30.3 | DTS/DPF 30.3 | | |
| Provision is made for suitable external clothes drying facilities. | None are applicable. | | |
| PO 30.4 | DTS/DPF 30.4 | | |
| Provision is made for suitable household waste and recyclable material storage facilities conveniently located and screened from public view. | None are applicable. | | |
| PO 30.5 | DTS/DPF 30.5 | | |
| Waste and recyclable material storage areas are located away from dwellings. | Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window. | | |
| PO 30.6 | DTS/DPF 30.6 | | |
| Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time. | None are applicable. | | |
| PO 30.7 | DTS/DPF 30.7 | | |
| Services including gas and water meters are conveniently located and screened from public view. | None are applicable. | | |
| All non-residential development | | | |
| Water Sensitive Design | Γ | | |
| PO 31.1 | DTS/DPF 31.1 | | |
| Development likely to result in significant risk of export of litter, oil or grease includes stormwater management systems designed to minimise pollutants entering stormwater. | None are applicable. | | |
| PO 31.2 | DTS/DPF 31.2 | | |
| Water discharged from a development site is of a physical, chemical and biological condition equivalent to or better than its pre-developed state. | None are applicable. | | |
| Wash-down and Waste Loading and Unloading | | | |
| PO 32.1 | DTS/DPF 32.1 | | |
| Areas for activities including loading and unloading, storage of waste refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, vessels, plant or equipment are: | None are applicable. | | |
| (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off | | | |
| (b) paved with an impervious material to facilitate wastewater collection (c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area (d) designed to drain wastewater to either: | | | |
| a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme | | | |
| or (ii) a holding tank and its subsequent removal off-site on a regular basis. | | | |
| Decks | | | |
| Design and Siting | | | |
| PO 33.1 | DTS/DPF 33.1 | | |

| Policy24 | | | | P&D Code (in effect) - Ver | sion 2023.13 - 31/08/2023 |
|---|--|----------------------|--|---|--|
| Decks are designed and sited to: | Decks | S: | | | |
| Decks are designed and sited to: (a) complement the associated building form (b) minimise impacts on the streetscape through siting behind the building line of the principal building (unless on a significant allotment or open space) (c) minimise cut and fill and overall massing when viewed from adjacent land. | (a) | | are not of A. B. are set b when att ground fl where as entire de | a dwelling: onstructed, added to or altered so that an in front of any part of the building line of t or within 900mm of a boundary of the allotrn has boundaries on two or more roads): tack at least 900mm from side or rear allo ached to the dwelling, has a finished floor loor level of the dwelling sociated with a residential use, retains a velopment site, including any common pr a accordance with (A) or (B), whichever is a total area is determined by the followin Site area (or in the case of residential flat building or group dwelling(s), average site area) (m ²) | the dwelling to which it is ancillary nent with a secondary street (if the land other the boundaries revel consistent with the finished total area of soft landscaping for the operty, with a minimum dimension of less: g table: Minimum percentage of site |
| | | | | <150 150-200 >200-450 >450 | 10% 15% 20% 25% |
| | (b) (c) | (i) (ii) (iii) | are set b purpose are set b have a fl | the amount of existing soft landscaping p ion with a non-residential use: lack at least 2 metres from the boundary of s. ack at least 2 metres from a public road. oor area not exceeding 25m ² finished floor level not exceeding 1 metre | of an allotment used for residential |
| PO 33.2 Decks are designed and sited to minimise direct overlooking of habitable rooms and private open spaces of adjoining residential uses in neighbourhood-type zones through suitable floor levels, screening and siting taking into account the slope of the subject land, existing vegetation on the subject land, and fencing. | DTS/DPF 33.2 Decks with a finished floor level/s 500mm or more above natural ground level facing side or rear boundaries shared with a residential use in a neighbourhood-type zone incorporate screening with a maximum of 25% transparency/openings, permanently fixed to the outer edge of the deck not less than 1.5 m above the finished floor level/s. | | | | |
| PO 33.3 Decks used for outdoor dining, entertainment or other commercial uses provide carparking in accordance with the primary use of the deck. | DTS/DPF 33.3 Decks used for commercial purposes do not result in less on-site car parking for the primary use of the subject land than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas. | | | | |

Table 1 - Private Open Space

| Policy24 | P&D Code (in effect) - Version 20 | |
|--|--|--|
| Dwelling Type | Minimum Rate | |
| Dwelling (at ground level) | Total private open space area: (a) Site area <301m²: 24m² located behind the building line. (b) Site area ≥ 301m²: 60m² located behind the building line. Minimum directly accessible from a living room: 16m² / with a minimum dimension 3m. | |
| Dwelling (above ground level) | Studio (no separate bedroom): 4m ² with a minimum dimension 1.8m One bedroom: 8m ² with a minimum dimension 2.1m Two bedroom dwelling: 11m ² with a minimum dimension 2.4m Three + bedroom dwelling: 15m ² with a minimum dimension 2.6m | |
| Cabin or caravan (permanently fixed to the ground) in a residential park or a caravan and tourist park | Total area: 16m ² , which may be used as second car parking space, provided on each site intended for residential occupation. | |

Design in Urban Areas

Deliov24

Assessment Provisions (AP)

Desired Outcome (DO)

| Desired Outcome | | | | |
|-----------------|--|--|--|--|
| DO 1 | Development is: | | | |
| | (a) contextual - by considering, recognising and carefully responding to its natural surroundings or built environment and positively contributing to the character of the locality (b) durable - fit for purpose, adaptable and long lasting (c) inclusive - by integrating landscape design to optimise pedestrian and cyclist usability, privacy and equitable access and promoting the provision of quality spaces integrated with the public realm that can be used for access and recreation and help optimise security and safety both internally and within the public realm, for occupants and visitors | | | |
| | (d) sustainable - by integrating sustainable techniques into the design and siting of development and landscaping to improve community health, urban heat, water management, environmental performance, biodiversity and local amenity and to minimise energy consumption. | | | |

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature | | | |
|--|--|--|--|--|
| All Development | | | | |
| External Appearance | | | | |
| PO 1.1 Buildings reinforce corners through changes in setback, articulation, materials, colour and massing (including height, width, bulk, roof form and slope). | DTS/DPF 1.1 None are applicable. | | | |
| PO 1.2 Where zero or minor setbacks are desirable, development provides shelter over footpaths (in the form of verandahs, awnings, canopies and the like, with adequate lighting) to positively contribute to the walkability, comfort and safety of the public realm. | DTS/DPF 1.2 None are applicable. | | | |
| PO 1.3 | DTS/DPF 1.3 | | | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 | | | |
|--|--|--|--|--|
| Building elevations facing the primary street (other than ancillary buildings) are designed and detailed to convey purpose, identify main access points and complement the streetscape. | None are applicable. | | | |
| PO 1.4 | DTS/DPF 1.4 | | | |
| Plant, exhaust and intake vents and other technical equipment are integrated into the building design to minimise visibility from the public realm and negative impacts on residential amenity by: | Development does not incorporate any structures that protrude beyond the roofline. | | | |
| (a) positioning plant and equipment discretely, in unobtrusive locations as viewed from public roads and spaces (b) screening rooftop plant and equipment from view (c) when located on the roof of non-residential development, locating the plant and equipment as far as practicable from adjacent sensitive land uses. | | | | |
| PO 1.5 | DTS/DPF 1.5 | | | |
| The negative visual impact of outdoor storage, waste management, loading and service areas is minimised by integrating them into the building design and screening them from public view (such as fencing, landscaping and built form), taking into account the form of development contemplated in the relevant zone. | None are applicable. | | | |
| Safety | | | | |
| PO 2.1 | DTS/DPF 2.1 | | | |
| Development maximises opportunities for passive surveillance of the public realm by providing clear lines of sight, appropriate lighting and the use of visually permeable screening wherever practicable. | None are applicable. | | | |
| PO 2.2 | DTS/DPF 2.2 | | | |
| Development is designed to differentiate public, communal and private areas. | None are applicable. | | | |
| PO 2.3 | DTS/DPF 2.3 | | | |
| Buildings are designed with safe, perceptible and direct access from public street frontages and vehicle parking areas. | None are applicable. | | | |
| PO 2.4 | DTS/DPF 2.4 | | | |
| Development at street level is designed to maximise opportunities for passive surveillance of the adjacent public realm. | None are applicable. | | | |
| PO 2.5 | DTS/DPF 2.5 | | | |
| Common areas and entry points of buildings (such as the foyer areas of residential buildings) and non-residential land uses at street level, maximise passive surveillance from the public realm to the inside of the building at night. | None are applicable. | | | |
| Landscaping | I | | | |
| PO 3.1 | DTS/DPF 3.1 | | | |
| Soft landscaping and tree planting are incorporated to: | None are applicable. | | | |
| (a) minimise heat absorption and reflection (b) maximise shade and shelter (c) maximise stormwater infiltration (d) enhance the appearance of land and streetscapes. | | | | |
| Environmental Performance | | | | |
| PO 4.1 | DTS/DPF 4.1 | | | |
| Buildings are sited, oriented and designed to maximise natural sunlight access and ventilation to main activity areas, habitable rooms, common areas and open | None are applicable. | | | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 | | | |
|---|--|--|--|--|
| spaces. | | | | |
| PO 4.2 | DTS/DPF 4.2 | | | |
| Buildings are sited and designed to maximise passive environmental performance and minimise energy consumption and reliance on mechanical systems, such as heating and cooling. | None are applicable. | | | |
| PO 4.3 | DTS/DPF 4.3 | | | |
| Buildings incorporate climate responsive techniques and features such as building and window orientation, use of eaves, verandahs and shading structures, water harvesting, at ground landscaping, green walls, green roofs and photovoltaic cells. | None are applicable. | | | |
| Water Sensitive Design | | | | |
| PO 5.1 | DTS/DPF 5.1 | | | |
| Development is sited and designed to maintain natural hydrological systems without negatively impacting: | None are applicable. | | | |
| (a) the quantity and quality of surface water and groundwater (b) the depth and directional flow of surface water and groundwater (c) the quality and function of natural springs. | | | | |
| On-site Waste Treatment Systems | | | | |
| PO 6.1 Dedicated on-site effluent disposal areas do not include any areas to be used for, or could be reasonably foreseen to be used for, private open space, driveways or car parking. | DTS/DPF 6.1 Effluent disposal drainage areas do not: (a) encroach within an area used as private open space or result in less private open space than that specified in Design in Urban Areas Table 1 - Private Open Space (b) use an area also used as a driveway (c) encroach within an area used for on-site car parking or result in less on-site car parking than that specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas. | | | |
| Car parking appearance | | | | |
| PO 7.1 Development facing the street is designed to minimise the negative impacts of any semi-basement and undercroft car parking on streetscapes through techniques such as: (a) limiting protrusion above finished ground level (b) screening through appropriate planting, fencing and mounding (c) limiting the width of openings and integrating them into the building structure. | DTS/DPF 7.1 None are applicable. | | | |
| PO 7.2 Vehicle parking areas appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced and the like. | DTS/DPF 7.2 None are applicable. | | | |
| PO 7.3 Safe, legible, direct and accessible pedestrian connections are provided between parking areas and the development. | DTS/DPF 7.3 None are applicable. | | | |
| PO 7.4 Street-level vehicle parking areas incorporate tree planting to provide shade, reduce solar heat absorption and reflection. | DTS/DPF 7.4 Vehicle parking areas that are open to the sky and comprise 10 or more car parking spaces include a shade tree with a mature canopy of 4m diameter spaced for each 10 car parking spaces provided and a landscaped strip on any road frontage of a minimum dimension of 1m. | | | |
| PO 7.5 | DTS/DPF 7.5 | | | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 | | | |
|--|--|--|--|--|
| Street level parking areas incorporate soft landscaping to improve visual appearance when viewed from within the site and from public places. | Vehicle parking areas comprising 10 or more car parking spaces include soft landscaping with a minimum dimension of: (a) 1m along all public road frontages and allotment boundaries (b) 1m botwood double roug of our parking spaces | | | |
| | (b) 1m between double rows of car parking spaces. | | | |
| PO 7.6 | DTS/DPF 7.6 | | | |
| Vehicle parking areas and associated driveways are landscaped to provide shade and positively contribute to amenity. | None are applicable. | | | |
| PO 7.7 | DTS/DPF 7.7 | | | |
| Vehicle parking areas and access ways incorporate integrated stormwater management techniques such as permeable or porous surfaces, infiltration systems, drainage swales or rain gardens that integrate with soft landscaping. | None are applicable. | | | |
| Earthworks and sloping land | | | | |
| PO 8.1 | DTS/DPF 8.1 | | | |
| Development, including any associated driveways and access tracks, minimises | Development does not involve any of the following: | | | |
| the need for earthworks to limit disturbance to natural topography. | (a) excavation exceeding a vertical height of 1m (b) filling exceeding a vertical height of 1m (c) a total combined excavation and filling vertical height of 2m or more. | | | |
| PO 8.2 | DTS/DPF 8.2 | | | |
| Driveways and access tracks designed and constructed to allow safe and convenient access on sloping land. | Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8) satisfy (a) and (b): | | | |
| | (a) do not have a gradient exceeding 25% (1-in-4) at any point along the driveway (b) are constructed with an all-weather trafficable surface. | | | |
| PO 8.3 | DTS/DPF 8.3 | | | |
| Driveways and access tracks on sloping land (with a gradient exceeding 1 in 8): | None are applicable. | | | |
| (a) do not contribute to the instability of embankments and cuttings (b) provide level transition areas for the safe movement of people and goods to and from the development (c) are designed to integrate with the natural topography of the land. | | | | |
| PO 8.4 | DTS/DPF 8.4 | | | |
| Development on sloping land (with a gradient exceeding 1 in 8) avoids the | None are applicable. | | | |
| alteration of natural drainage lines and includes on site drainage systems to minimise erosion. | | | | |
| PO 8.5 | DTS/DPF 8.5 | | | |
| Development does not occur on land at risk of landslip or increase the potential for landslip or land surface instability. | None are applicable. | | | |
| Fences and walls | | | | |
| PO 9.1 | DTS/DPF 9.1 | | | |
| Fences, walls and retaining walls of sufficient height maintain privacy and security without unreasonably impacting visual amenity and adjoining land's access to sunlight or the amenity of public places. | None are applicable. | | | |
| PO 9.2 | DTS/DPF 9.2 | | | |
| Landscaping is incorporated on the low side of retaining walls that are visible from public roads and public open space to minimise visual impacts. | A vegetated landscaped strip 1m wide or more is provided against the low side of a retaining wall. | | | |

-

| Overlooking / Visual Privacy (low rise buildings) | | | |
|---|--|--|--|
| PO 10.1 Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses in neighbourhood-type zones. | DTS/DPF 10.1 Upper level windows facing side or rear boundaries shared with a residential use in a neighbourhood-type zone: (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 125mm (b) have sill heights greater than or equal to 1.5m above finished floor level (c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mr from the window surface and sited adjacent to any part of the window less than 1.5 m above the finished floor level. | | |
| PO 10.2 Development mitigates direct overlooking from balconies to habitable rooms and private open space of adjoining residential uses in neighbourhood type zones. | DTS/DPF 10.2 One of the following is satisfied: (a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or (b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or (ii) 1.7m above finished floor level in all other cases | | |
| Site Facilities / Waste Storage (excluding low rise residential development) | | | |
| PO 11.1 Development provides a dedicated area for on-site collection and sorting of recyclable materials and refuse, green organic waste and wash bay facilities for the ongoing maintenance of bins that is adequate in size considering the number and nature of the activities they will serve and the frequency of collection. | DTS/DPF 11.1 None are applicable. | | |
| PO 11.2 Communal waste storage and collection areas are located, enclosed and designed to be screened from view from the public domain, open space and dwellings. | DTS/DPF 11.2 None are applicable. | | |
| PO 11.3 Communal waste storage and collection areas are designed to be well ventilated and located away from habitable rooms. | DTS/DPF 11.3 None are applicable. | | |
| PO 11.4 Communal waste storage and collection areas are designed to allow waste and recycling collection vehicles to enter and leave the site without reversing. | DTS/DPF 11.4 None are applicable. | | |
| PO 11.5 For mixed use developments, non-residential waste and recycling storage areas and access provide opportunities for on-site management of food waste through composting or other waste recovery as appropriate. | DTS/DPF 11.5 None are applicable. | | |
| External Appearance | | | |
| PO 12.1 Buildings positively contribute to the character of the local area by responding to local context. | DTS/DPF 12.1 None are applicable. | | |
| PO 12.2 Architectural detail at street level and a mixture of materials at lower building levels near the public interface are provided to reinforce a human scale. | DTS/DPF 12.2 None are applicable. | | |
| PO 12.3 Buildings are designed to reduce visual mass by breaking up building elevations into distinct elements. | DTS/DPF 12.3 None are applicable. | | |
| PO 12.4 Boundary walls visible from public land include visually interesting treatments to | DTS/DPF 12.4 None are applicable. | | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 | | | |
|---|--|--|--|--|
| break up large blank elevations. | | | | |
| PO 12.5 External materials and finishes are durable and age well to minimise ongoing maintenance requirements. | DTS/DPF 12.5 Buildings utilise a combination of the following external materials and finishes: (a) masonry (b) natural stone (c) pre-finished materials that minimise staining, discolouring or deterioration. | | | |
| PO 12.6 Street-facing building elevations are designed to provide attractive, high quality and pedestrian-friendly street frontages. | DTS/DPF 12.6 Building street frontages incorporate: (a) active uses such as shops or offices (b) prominent entry areas for multi-storey buildings (where it is a common entry) (c) habitable rooms of dwellings (d) areas of communal public realm with public art or the like, where consistent with the zone and/or subzone provisions. | | | |
| PO 12.7 Entrances to multi-storey buildings are safe, attractive, welcoming, functional and contribute to streetscape character. | DTS/DPF 12.7 Entrances to multi-storey buildings are: (a) oriented towards the street (b) clearly visible and easily identifiable from the street and vehicle parking areas (c) designed to be prominent, accentuated and a welcoming feature if there are no active or occupied ground floor uses (d) designed to provide shelter, a sense of personal address and transitional space around the entry (e) located as close as practicable to the lift and / or lobby access to minimise the need for long access corridors (f) designed to avoid the creation of potential areas of entrapment. | | | |
| PO 12.8 Building services, plant and mechanical equipment are screened from the public realm. | DTS/DPF 12.8 None are applicable. | | | |

Landscaping

| PO 13 | 3.1 | DTS/DPF 13.1 |
|--------|---|--|
| Devel | elopment facing a street provides a well landscaped area that contains a deep | Buildings provide a 4m by 4m deep soil space in front of the building that |
| soil s | pace to accommodate a tree of a species and size adequate to provide | accommodates a medium to large tree, except where no building setback from front |
| shade | e, contribute to tree canopy targets and soften the appearance of buildings. | property boundaries is desired. |

PO 13.2

Deep soil zones are provided to retain existing vegetation or provide areas that can accommodate new deep root vegetation, including tall trees with large canopies to provide shade and soften the appearance of multi-storey buildings.

DTS/DPF 13.2

Multi-storey development provides deep soil zones and incorporates trees at not less than the following rates, except in a location or zone where full site coverage is desired.

| | | Minimum dimension | - |
|----------------------------|-------------------|----------------------|--------------------------------------|
| <300 m ² | 10 m ² | 1.5m | 1 small tree / 10 m ² |
| 300-1500 m ² | 7% site area | 3m | 1 medium tree / 30 m ² |
| >1500 m ² | 7% site area | 6m | 1 large or |

| Policy24 | | P&D Code (in | effect) - Version 2023. | 13 - 31/08/2023 | |
|--|--|---------------------------|--|------------------------------------|--|
| | | | | medium tree / 60 m ² | |
| | Tree size and site area definitions | | | | |
| | Small tree | 4-6m mature height and | 2-4m canopy spread | | |
| | Medium tree | 6-12m mature height an | d 4-8m canopy spread | | |
| | Large tree | 12m mature height and | >8m canopy spread | | |
| | Site area | The total area for develo | opment site, not average are | a per dwelling | |
| PO 13.3 | DTS/DPF 13. | 3 | | | |
| Deep soil zones with access to natural light are provided to assist in maintaining vegetation health. | None are app | icable. | | | |
| PO 13.4 | DTS/DPF 13.4 | 4 | | | |
| Unless separated by a public road or reserve, development sites adjacent to any zone that has a primary purpose of accommodating low-rise residential development incorporate a deep soil zone along the common boundary to enable medium to large trees to be retained or established to assist in screening new buildings of 3 or more building levels in height. | Building elements of 3 or more building levels in height are set back at least 6m from a zone boundary in which a deep soil zone area is incorporated. | | | at least 6m from | |
| Environmental | ſ | | | | |
| PO 14.1 | DTS/DPF 14.1 | | | | |
| Development minimises detrimental micro-climatic impacts on adjacent land and buildings. | None are applicable. | | | | |
| PO 14.2 | DTS/DPF 14.2 | 2 | | | |
| Development incorporates sustainable design techniques and features such as window orientation, eaves and shading structures, water harvesting and use, green walls and roof designs that enable the provision of rain water tanks (where they are not provided elsewhere on site), green roofs and photovoltaic cells. | | | | | |
| PO 14.3 | DTS/DPF 14.3 | 3 | | | |
| Development of 5 or more building levels, or 21m or more in height (as measured from natural ground level and excluding roof-mounted mechanical plant and equipment) is designed to minimise the impacts of wind through measures such as: | None are app | icable. | | | |
| (a) a podium at the base of a tall tower and aligned with the street to deflect wind away from the street (b) substantial verandahs around a building to deflect downward travelling wind flows over pedestrian areas (c) the placement of buildings and use of setbacks to deflect the wind at ground level (d) avoiding tall shear elevations that create windy conditions at street level. | | | | | |
| CarParking | I | | | | |
| PO 15.1 | DTS/DPF 15. | 1 | | | |
| Multi-level vehicle parking structures are designed to contribute to active street frontages and complement neighbouring buildings. | Multi-level vehicle parking structures within buildings: | | | | |
| J | (b) incorport | ontages | etail or other non-car parking uses gelevations facing along major stree plement adjacent buildings. | | |
| PO 15.2 | DTS/DPF 15.2 | 2 | | | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 | | | |
|--|---|--|--|--|
| Multi-level vehicle parking structures within buildings complement the surrounding built form in terms of height, massing and scale. | None are applicable. | | | |
| Overlooking/Visual Privacy | | | | |
| PO 16.1 | DTS/DPF 16.1 | | | |
| Development mitigates direct overlooking of habitable rooms and private open spaces of adjacent residential uses in neighbourhood-type zones through measures such as: | None are applicable. | | | |
| (a) appropriate site layout and building orientation (b) off-setting the location of balconies and windows of habitable rooms or areas with those of other buildings so that views are oblique rather than direct to avoid direct line of sight (c) building setbacks from boundaries (including building boundary to boundary where appropriate) that interrupt views or that provide a spatial separation between balconies or windows of habitable rooms (d) screening devices that are integrated into the building design and have minimal negative effect on residents' or neighbours' amenity. | | | | |
| All residential development | | | | |
| Front elevations and passive surveillance | | | | |
| PO 17.1 Dwellings incorporate windows facing primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape. | DTS/DPF 17.1 Each dwelling with a frontage to a public street: (a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m (b) has an aggregate window area of at least 2m² facing the primary street. | | | |
| PO 17.2 | DTS/DPF 17.2 | | | |
| Dwellings incorporate entry doors within street frontages to address the street and provide a legible entry point for visitors. | Dwellings with a frontage to a public street have an entry door visible from the primary street boundary. | | | |
| Outlook and Amenity | | | | |
| PO 18.1 | DTS/DPF 18.1 | | | |
| Living rooms have an external outlook to provide a high standard of amenity for occupants. | A living room of a dwelling incorporates a window with an external outlook of the street frontage, private open space, public open space, or waterfront areas. | | | |
| PO 18.2 | DTS/DPF 18.2 | | | |
| Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion. | None are applicable. | | | |
| Ancillary Development | | | | |
| PO 19.1 | DTS/DPF 19.1 Ancillary buildings: | | | |
| Residential ancillary buildings are sited and designed to not detract from the streetscape or appearance of primary residential buildings on the site or neighbouring properties. | (a) are ancillary to a dwelling erected on the same site (b) have a floor area not exceeding 60m2 (c) are not constructed, added to or altered so that any part is situated: (i) in front of any part of the building line of the dwelling to which it is ancillary or (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads) | | | |
| | (d) in the case of a garage or carport, the garage or carport: (i) is set back at least 5.5m from the boundary of the primary street (ii) when facing a primary street or secondary street, has a total door / opening not exceeding: | | | |
| | (e) if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m unless: | | | |

| Policy24 P&D Code (in effect) - Version 2023.13 - 31/08/2023 | | | | | |
|--|---|---|--|--|--|
| (i) a longer wall or structure exists on the adjacent site and is situated or allotment boundary | | | e and is situated on the same | | |
| | and (ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent (f) if situated on a boundary of the allotment (not being a boundary with a primary street or second street), all walls or structures on the boundary will not exceed 45% of the length of that boundar (g) will not be located within 3m of any other wall along the same boundary unless on an adjacent on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure (h) have a wall height or post height not exceeding 3m above natural ground level (and not includi gable end) (i) have a roof height where no part of the roof is more than 5m above the natural ground level (j) if clad in sheet metal, is pre-colour treated or painted in a non-reflective colour (k) retains a total area of soft landscaping for the entire development site, including any common property, with a minimum dimension of 700mm in accordance with (i) or (ii), whichever is less. | | | | |
| | | | | | |
| | | | | e boundary unless on an adjacent site | |
| | | | | atural ground level (and not including a | |
| | | | | - | |
| | | | | | |
| | (i |) | a total area as determined by the following table: | | |
| | Site area (or in Minim | | | Minimum | |
| | | | the case of | percentage | |
| | | | residential flat | of site | |
| | | | building or | | |
| | | | group | | |
| | | | dwelling(s), | | |
| | average site area) (m ²) | | | | |
| | | | area) (m ²) | | |
| | | | <150 | 10% | |
| | | | 150-200 | 15% | |
| | | | >200-450 | 20% | |
| | | | >450 | 25% | |
| | (i | i) | the amount of existing soft landscaping prior to the | development occurring. | |
| PO 19.2 | DTS/DPF | - 19.2 | 2 | | |
| Ancillary buildings and structures do not impede on-site functional requirements | Ancillary | buildiı | ngs and structures do not result in: | | |
| such as private open space provision, car parking requirements or result in over- development of the site. | · · / | | te open space than specified in Design in Urban A | | |
| (b) less on-site car parking than specified | | ite car parking than specified in Transport, Access a r Parking Requirements or Table 2 - Off-Street Car | | | |
| PO 19.3 | DTS/DPF | = 19.3 | 1 | | |
| Fixed plant and equipment in the form of pumps and/or filtration systems for a | | The pump and/or filtration system is ancillary to a dwelling erected on the same site | | | |
| swimming pool or spa positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers. | and is: | | | | |
| | lo | enclosed in a solid acoustic structure that is located at least 5m from the nearest habitable room located on an adjoining allotment or | | | |
| | (b) located at least 12m from the nearest habitable room located on an adjoining allotment. | | | | |
| PO 19.4 | DTS/DPF | = 19.4 | i i | | |
| Buildings and structures that are ancillary to an existing non-residential use do not detract from the streetscape character, appearance of buildings on the site of the development, or the amenity of neighbouring properties. | | | | | |
| ninginounity properties. | | | lary and subordinate to an existing non-residential oor area not exceeding the following: | use on the same site | |

| (b) | have a floor area not exceeding the following: | | |
|-----|--|-----------------------|---------------------------|
| | Allotment size | Floor area | |
| | ≤500m ² | 60m ² | |
| | >500m ² | 80m ² | |
| (c) | are not constructed, add | ed to or altered so t | hat any part is situated: |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 (i) in front of any part of the building line of the main building to which it is ancillary |
|---|---|
| | or (ii) within 900mm of a boundary of the allotment with a secondary street (if the land has boundaries on two or more roads) |
| | (d) in the case of a garage or carport, the garage or carport: (i) is set back at least 5.5m from the boundary of the primary street |
| | (e) if situated on a boundary (not being a boundary with a primary street or secondary street), do not exceed a length of 11.5m unless: (i) a longer wall or structure exists on the adjacent site and is situated on the same allotment boundary (ii) the proposed wall or structure will be built along the same length of boundary as the existing adjacent wall or structure to the same or lesser extent |
| | (f) if situated on a boundary of the allotment (not being a boundary with a primary street or secondary street), all walls or structures on the boundary will not exceed 45% of the length of that boundary (g) will not be located within 3m of any other wall along the same boundary unless on an adjacent site on that boundary there is an existing wall of a building that would be adjacent to or about the proposed wall or structure (h) have a wall height (or post height) not exceeding 3m (and not including a gable end) (i) have a roof height where no part of the roof is more than 5m above the natural ground level (j) if clad in sheet metal, is pre-colour treated or painted in a non-reflective colour. |
| Residential Development - Low Rise | |
| External appearance | |
| PO 20.1 | DTS/DPF 20.1 |
| Garaging is designed to not detract from the streetscape or appearance of a dwelling. | Garages and carports facing a street: (a) are situated so that no part of the garage or carport will be in front of any part of the building line of the dwelling (b) are set back at least 5.5m from the boundary of the primary street (c) have a garage door / opening width not exceeding 7m (d) have a garage door / opening width not exceeding 50% of the site frontage unless the dwelling has two or more building levels at the building line fronting the same public street. |
| PO 20.2 | DTS/DPF 20.2 |
| Dwelling elevations facing public streets and common driveways make a positive contribution to the streetscape and the appearance of common driveway areas. | Each dwelling includes at least 3 of the following design features within the building elevation facing a primary street, and at least 2 of the following design features within the building elevation facing any other public road (other than a laneway) or a common driveway: (a) a minimum of 30% of the building wall is set back an additional 300mm from the building line (b) a porch or portico projects at least 1m from the building wall (c) a balcony projects from the building wall (d) a verandah projects at least 1m from the building wall (e) eaves of a minimum 400mm width extend along the width of the front elevation (f) a minimum 30% of the width of the upper level projects forward from the lower level primary building line by at least 300mm (g) a minimum of 80% of the building elevation in a single material or finish. |
| PO 20.3 | DTS/DPF 20.3 |
| The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets. | None are applicable |
| Private Open Space | |
| PO 21.1 | DTS/DPF 21.1 |
| Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants. | Private open space is provided in accordance with Design in Urban Areas Table 1 - Private Open Space. |
| | |

| Private open space is positioned to provide convenient access from internal living areas. | Priva | te open space is directly accessible from a habi | table room. |
|--|--|--|-------------------------------------|
| Landscaping | | | |
| PO 22.1 | DTS | /DPF 22.1 | |
| Soft landscaping is incorporated into development to: (a) minimise heat absorption and reflection (b) contribute shade and shelter (c) provide for stormwater infiltration and biodiversity (d) enhance the appearance of land and streetscapes. | | dential development incorporates soft landscapir nm provided in accordance with (a) and (b): a total area for the entire development site, including any | - |
| | | following table: | |
| | | Site area (or in the case of residential flat building or group dwelling(s), average site area) (m ²) | Minimum percentage of site |
| | | <150 150-200 | 10% 15% |
| | | >200-450 | 20% |
| | | >450 | 25% |
| | (b) | at least 30% of any land between the primary street bound | lary and the primary building line. |
| Car parking, access and manoeuvrability | | | |
| PO 23.1 Enclosed car parking spaces are of dimensions to be functional, accessible and convenient. | DTS/DPF 23.1 Residential car parking spaces enclosed by fencing, walls or other structures have the following internal dimensions (separate from any waste storage area): (a) single width car parking spaces: | | |
| | | (i) a minimum length of 5.4m per space (ii) a minimum width of 3.0m (iii) a minimum garage door width of 2.4m | |

| PO 23.1 Enclosed car parking spaces are of dimensions to be functional, accessible and convenient. | DTS/DPF 23.1 Residential car parking spaces enclosed by fencing, walls or other structures have the following internal dimensions (separate from any waste storage area): (a) single width car parking spaces: (i) a minimum length of 5.4m per space (ii) a minimum garage door width of 2.4m (b) double width car parking spaces (side by side): (i) a minimum length of 5.4m (ii) a minimum length of 5.4m (iii) a minimum garage door width of 2.4m | |
|--|---|--|
| PO 23.2 Uncovered car parking space are of dimensions to be functional, accessible and convenient. | DTS/DPF 23.2 Uncovered car parking spaces have: (a) a minimum length of 5.4m (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any fence, wall or other obstruction of 1.5m. | |
| PO 23.3 Driveways and access points are located and designed to facilitate safe access and egress while maximising land available for street tree planting, pedestrian | DTS/DPF 23.3 Driveways and access points satisfy (a) or (b): | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 | |
|--|--|--|
| movement, domestic waste collection, landscaped street frontages and on-street parking. | (a) sites with a frontage to a public road of 10m or less, have a width between 3.0 and 3.2 metres measured at the property boundary and are the only access point provided on the site (b) sites with a frontage to a public road greater than 10m: (i) have a maximum width of 5m measured at the property boundary and are the only access point provided on the site; (ii) have a width between 3.0 metres and 3.2 metres measured at the property boundary and no more than two access points are provided on site, separated by no less than 1m. | |
| PO 23.4 Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees. | DTS/DPF 23.4 Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed, is set back: (i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner (ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance (iii) 6m or more from the tangent point of an intersection of 2 or more roads (iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing. | |
| PO 23.5 Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces. | DTS/DPF 23.5 Driveways are designed and sited so that: (a) the gradient of the driveway does not exceed a grade of 1 in 4 and includes transitions to ensure a maximum grade change of 12.5% (1 in 8) for summit changes, and 15% (1 in 6.7) for sage (1 in 6.9) for the street boundary to which it takes its access as shown in the following diagram: (b) the centreline of the driveway has an angle of no less than 70 degrees and no more than 110 degrees from the street boundary to which it takes its access as shown in the following diagram: (b) the centreline of the driveway to BE BETWEEN 70° TO 110° (0 for the STREET BOUNDARY) (1 in 6.9) for the street boundary of the allow (1 in 6.9) for the street boundary of the allow (1 in 6.9) for the street boundary of the allow (1 in 6.9) for the street boundary of the allow (1 in 6.9) for the street boundary of the allower (1 in 6.9) for the street boundary of the allower (1 in 6.9) for the street boundary of the allower (1 in 6.9) for the street boundary of the allower (1 in 6.9) for the street boundary of the allower (1 in 6.9) for the street boundary of the allower (1 in 6.9) for the street boundary of the allower (1 in 6.9) for the street boundary of the allower (1 in 6.9) for the street boundary of the allower (1 in 6.9) for the street boundary of the allower (1 in 6.9) for the street boundary of the allower (1 in 6.9) for the street boundary of the allower (1 in 6.9) for the street boundary of the allower (1 in 6.9) for the street boundary of the allower (1 in 6.9) for the stre | |
| PO 23.6 Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking. | DTS/DPF 23.6 Where on-street parking is available abutting the site's street frontage, on-street parking is retained in accordance with the following requirements: (a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented. | |
| | | |

| PO 24.1 | DTS/DPF 24.1 | |
|--|---|--|
| Provision is made for the convenient storage of waste bins in a location screened from public view. | Where dwellings abut both side boundaries a waste bin storage area is provided behind the building line of each dwelling that: | |
| | (a) has a minimum area of 2m ² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space); and | |
| | (b) has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage area and the street. | |
| Design of Transportable Buildings | | |
| PO 25.1 | DTS/DPF 25.1 | |
| The sub-floor space beneath transportable buildings is enclosed to give the appearance of a permanent structure. | Buildings satisfy (a) or (b): | |
| | (a) are not transportable (b) the sub-floor space between the building and ground level is clad in a material and finish consistent with the building. | |
| Residential Development - Medium and High Rise (including serviced apartments) | | |
| Outlook and Visual Privacy | | |
| PO 26.1 | DTS/DPF 26.1 | |
| Ground level dwellings have a satisfactory short range visual outlook to public, communal or private open space. | Buildings: | |
| | (a) provide a habitable room at ground or first level with a window facing toward the street (b) limit the height / extent of solid walls or fences facing the street to 1.2m high above the footpath level or, where higher, to 50% of the site frontage. | |
| PO 26.2 | DTS/DPF 26.2 | |
| The visual privacy of ground level dwellings within multi-level buildings is protected. | The finished floor level of ground level dwellings in multi-storey developments is raised by up to 1.2m. | |
| Private Open Space | | |
| PO 27.1 | DTS/DPF 27.1 | |
| Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants. | Private open space provided in accordance with Design in Urban Areas Table 1 - Private Open Space. | |
| Residential amenity in multi-level buildings | | |
| PO 28.1 | DTS/DPF 28.1 | |
| Residential accommodation within multi-level buildings have habitable rooms, windows and balconies designed and positioned to be separated from those of other dwellings and accommodation to provide visual and acoustic privacy and allow for natural ventilation and the infiltration of daylight into interior and outdoor spaces. | Habitable rooms and balconies of independent dwellings and accommodation are separated by at least 6m from one another where there is a direct line of sight between them and 3m or more from a side or rear property boundary. | |
| PO 28.2 | DTS/DPF 28.2 | |
| Balconies are designed, positioned and integrated into the overall architectural form and detail of the development to: | Balconies utilise one or a combination of the following design elements: | |
| (a) respond to daylight, wind, and acoustic conditions to maximise comfort and provide visual | (a) sun screens (b) pergolas | |
| (b) allow views and casual surveillance of the street while providing for safety and visual privacy of nearby living spaces and private outdoor areas. | (c) louvres (d) green facades (e) openable walls. | |
| PO 28.3 | DTS/DPF 28.3 | |
| Balconies are of sufficient size and depth to accommodate outdoor seating and promote indoor / outdoor living. | Balconies open directly from a habitable room and incorporate a minimum dimension of 2m. | |

Policy24

P&D Code (in effect) - Version 2023.13 - 31/08/2023

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 | |
|--|---|--|
| PO 28.4 | DTS/DPF 28.4 | |
| Dwellings are provided with sufficient space for storage to meet likely occupant needs. | Dwellings (not including student accommodation or serviced apartments) are provided with storage at the following rates with at least 50% or more of the storage volume to be provided within the dwelling: | |
| | (a) studio: not less than 6m³ (b) 1 bedroom dwelling / apartment: not less than 8m³ (c) 2 bedroom dwelling / apartment: not less than 10m³ (d) 3+ bedroom dwelling / apartment: not less than 12m³. | |
| PO 28.5 Dwellings that use light wells for access to daylight, outlook and ventilation for habitable | DTS/DPF 28.5 Light wells: | |
| rooms, are designed to ensure a reasonable living amenity is provided. | (a) are not used as the primary source of outlook for living rooms (b) up to 18m in height have a minimum horizontal dimension of 3m, or 6m if overlooked by bedrooms (c) above 18m in height have a minimum horizontal dimension of 6m, or 9m if overlooked by bedrooms. | |
| PO 28.6 | DTS/DPF 28.6 | |
| Attached or abutting dwellings are designed to minimise the transmission of sound between dwellings and, in particular, to protect bedrooms from possible noise intrusions. | None are applicable. | |
| PO 28.7 | DTS/DPF 28.7 | |
| Dwellings are designed so that internal structural columns correspond with the position of internal walls to ensure that the space within the dwelling/apartment is useable. | None are applicable. | |
| Dwelling Configuration | | |
| PO 29.1 | DTS/DPF 29.1 | |
| Buildings containing in excess of 10 dwellings provide a variety of dwelling sizes and a range in the number of bedrooms per dwelling to contribute to housing diversity. | Buildings containing in excess of 10 dwellings provide at least one of each of the following: | |
| | (a) studio (where there is no separate bedroom) 1 bedroom dwelling / apartment with a floor area of at least 50m² 2 bedroom dwelling / apartment with a floor area of at least 65m² (d) 3+ bedroom dwelling / apartment with a floor area of at least 80m², and any dwelling over 3 bedrooms provides an additional 15m² for every additional bedroom. | |
| PO 29.2 | DTS/DPF 29.2 | |
| Dwellings located on the ground floor of multi-level buildings with 3 or more bedrooms have the windows of their habitable rooms overlooking internal courtyard space or other public space, where possible. | None are applicable. | |
| Common Areas | | |
| PO 30.1 | DTS/DPF 30.1 | |
| The size of lifts, lobbies and corridors is sufficient to accommodate movement of | Common corridor or circulation areas: | |
| bicycles, strollers, mobility aids and visitor waiting areas. | (a) have a minimum ceiling height of 2.7m (b) provide access to no more than 8 dwellings (c) incorporate a wider section at apartment entries where the corridors exceed 12m in length from a core. | |
| Group Dwellings, Residential Flat Buildings and Battle axe Development | | |
| Amenity | | |
| PO 31.1 | DTS/DPF 31.1 | |
| Dwellings are of a suitable size to provide a high standard of amenity for occupants. | Dwellings have a minimum internal floor area in accordance with the following table: | |
| | | |

| Policy24 | P&D Code (in ef | fect) - Version 2023.13 - 31/08/2023 | |
|--|---|--|--|
| | Number of bedrooms | Minimum internal floor area | |
| | Studio | 35m ² | |
| | 1 bedroom | 50m ² | |
| | 2 bedroom | 65m ² | |
| | 3+ bedrooms | 80m ² and any dwelling over 3 bedrooms provides an additional 15m ² for every additional bedroom | |
| PO 31.2 | DTS/DPF 31.2 | | |
| The orientation and siting of buildings minimises impacts on the amenity, outlook and privacy of occupants and neighbours. | None are applicable. | | |
| PO 31.3 | DTS/DPF 31.3 | | |
| Development maximises the number of dwellings that face public open space and public streets and limits dwellings oriented towards adjoining properties. | None are applicable. | | |
| PO 31.4 | DTS/DPF 31.4 | | |
| Battle-axe development is appropriately sited and designed to respond to the existing neighbourhood context. | Dwelling sites/allotments are not in the form of a battle-axe arrangement. | | |
| Communal Open Space | 1 | | |
| PO 32.1 | DTS/DPF 32.1 | | |
| Private open space provision may be substituted for communal open space which is designed and sited to meet the recreation and amenity needs of residents. | None are applicable. | | |
| PO 32.2 | DTS/DPF 32.2 | | |
| Communal open space is of sufficient size and dimensions to cater for group recreation. PO 32.3 | Communal open space incorporates a minimum dim DTS/DPF 32.3 | ension of 5 metres. | |
| Communal open space is designed and sited to: | None are applicable. | | |
| | | | |
| (a) be conveniently accessed by the dwellings which it services (b) have regard to acoustic, safety, security and wind effects. | | | |
| PO 32.4 | DTS/DPF 32.4 | | |
| Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use. | None are applicable. | | |
| PO 32.5 | DTS/DPF 32.5 | | |
| Communal open space is designed and sited to: | None are applicable. | | |
| (a) in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings (b) in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance. | | | |
| Car parking, access and manoeuvrability | | | |
| PO 33.1 | DTS/DPF 33.1 | | |
| Driveways and access points are designed and distributed to optimise the provision of on-street visitor parking. | Where on-street parking is available direct retained adjacent the subject site in accord | | |
| - | (a) minimum 0.33 on-street car parks per propo | sed dwelling (rounded up to the nearest whole | |
| | (b) minimum car park length of 5.4m where a ve | ediate space located between two other parking | |
| age 61 of 110 | | Printed on 10/5/2023 | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|---|--|
| | |
| PO 33.2 | DTS/DPF 33.2 |
| The number of vehicular access points onto public roads is minimised to reduce interruption of the footpath and positively contribute to public safety and walkability. | Access to group dwellings or dwellings within a residential flat building is provided via a single common driveway. |
| PO 33.3 Residential driveways that service more than one dwelling are designed to allow safe and convenient movement. | DTS/DPF 33.3 Driveways that service more than 1 dwelling or a dwelling on a battle-axe site: (a) have a minimum width of 3m (b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street (ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m. |
| PO 33.4 Residential driveways that service more than one dwelling or a dwelling on a battle- axe site are designed to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner. | DTS/DPF 33.4 Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre. |
| PO 33.5 Dwellings are adequately separated from common driveways and manoeuvring areas. | DTS/DPF 33.5 Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles. |
| Soft landscaping | |
| PO 34.1 Soft landscaping is provided between dwellings and common driveways to improve the outlook for occupants and appearance of common areas. | DTS/DPF 34.1 Other than where located directly in front of a garage or building entry, soft landscaping with a minimum dimension of 1m is provided between a dwelling and common driveway. |
| PO 34.2 Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater management. | DTS/DPF 34.2 Battle-axe or common driveways satisfy (a) and (b): (a) are constructed of a minimum of 50% permeable or porous material (b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point). |
| Site Facilities / Waste Storage | |
| PO 35.1 Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants. | DTS/DPF 35.1 None are applicable. |
| PO 35.2 Provision is made for suitable external clothes drying facilities. | DTS/DPF 35.2 None are applicable. |
| PO 35.3 Provision is made for suitable household waste and recyclable material storage facilities which are: (a) located away, or screened, from public view, and (b) conveniently located in proximity to dwellings and the waste collection point. | DTS/DPF 35.3 None are applicable. |
| PO 35.4 | DTS/DPF 35.4 |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|---|---|
| Waste and recyclable material storage areas are located away from dwellings. | Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window. |
| PO 35.5 | DTS/DPF 35.5 |
| Where waste bins cannot be conveniently collected from the street, provision is made for on-site waste collection, designed to accommodate the safe and convenient access, egress and movement of waste collection vehicles. | None are applicable. |
| PO 35.6 | DTS/DPF 35.6 |
| Services including gas and water meters are conveniently located and screened from public view. | None are applicable. |
| Water sensitive urban design | |
| PO 36.1 | DTS/DPF 36.1 |
| Residential development creating a common driveway / access includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. | None are applicable. |
| PO 36.2 | DTS/DPF 36.2 |
| Residential development creating a common driveway / access includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. | None are applicable. |
| Supported Accommodation and retirement facilities | |
| Siting, Configuration and Design | |
| PO 37.1 | DTS/DPF 37.1 |
| Supported accommodation and housing for aged persons and people with disabilities is located where on-site movement of residents is not unduly restricted by the slope of the land. | None are applicable. |
| PO 37.2 | DTS/DPF 37.2 |
| Universal design features are incorporated to provide options for people living with disabilities or limited mobility and / or to facilitate ageing in place. | None are applicable. |
| Movement and Access | I |
| PO 38.1 | DTS/DPF 38.1 |
| Development is designed to support safe and convenient access and movement for residents by providing: | None are applicable. |
| (a) ground-level access or lifted access to all units (b) level entry porches, ramps, paths, driveways, passenger loading areas and areas adjacent to footpaths that allow for the passing of wheelchairs and resting places (c) car parks with gradients no steeper than 1-in-40, and of sufficient area to provide for wheelchair manoeuvrability | |
| (d) kerb ramps at pedestrian crossing points. | |
| Communal Open Space | |
| PO 39.1 | DTS/DPF 39.1 |
| Development is designed to provide attractive, convenient and comfortable indoor and outdoor communal areas to be used by residents and visitors. | None are applicable. |
| PO 39.2 | DTS/DPF 39.2 |
| Private open space provision may be substituted for communal open space which | None are applicable. |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|---|
| is designed and sited to meet the recreation and amenity needs of residents. | |
| PO 39.3 | DTS/DPF 39.3 |
| Communal open space is of sufficient size and dimensions to cater for group recreation. | Communal open space incorporates a minimum dimension of 5 metres. |
| PO 39.4 | DTS/DPF 39.4 |
| Communal open space is designed and sited to: | None are applicable. |
| (a) be conveniently accessed by the dwellings which it services (b) have regard to acoustic, safety, security and wind effects. | |
| PO 39.5 | DTS/DPF 39.5 |
| Communal open space contains landscaping and facilities that are functional, attractive and encourage recreational use. | None are applicable. |
| PO 39.6 | DTS/DPF 39.6 |
| Communal open space is designed and sited to: | None are applicable. |
| (a) in relation to rooftop or elevated gardens, minimise overlooking into habitable room windows or onto the useable private open space of other dwellings (b) in relation to ground floor communal space, be overlooked by habitable rooms to facilitate passive surveillance. | |
| Site Facilities / Waste Storage | |
| PO 40.1 | DTS/DPF 40.1 |
| Development is designed to provide storage areas for personal items and specialised equipment such as small electric powered vehicles, including facilities for the recharging of small electric-powered vehicles. | None are applicable. |
| PO 40.2 | DTS/DPF 40.2 |
| Provision is made for suitable mailbox facilities close to the major pedestrian entry to the site or conveniently located considering the nature of accommodation and mobility of occupants. | None are applicable. |
| PO 40.3 | DTS/DPF 40.3 |
| Provision is made for suitable external clothes drying facilities. | None are applicable. |
| PO 40.4 | DTS/DPF 40.4 |
| Provision is made for suitable household waste and recyclable material storage facilities conveniently located away, or screened, from view. | None are applicable. |
| PO 40.5 | DTS/DPF 40.5 |
| Waste and recyclable material storage areas are located away from dwellings. | Dedicated waste and recyclable material storage areas are located at least 3m from any habitable room window. |
| PO 40.6 | DTS/DPF 40.6 |
| Provision is made for on-site waste collection where 10 or more bins are to be collected at any one time. | None are applicable. |
| PO 40.7 | DTS/DPF 40.7 |
| Services, including gas and water meters, are conveniently located and screened from public view. | None are applicable. |
| | |

| Student Accommodation | | | |
|--|---|--|--|
| PO 41.1 Student accommodation is designed to provide safe, secure, attractive, convenient and comfortable living conditions for residents, including an internal layout and facilities that are designed to provide sufficient space and amenity for the requirements of student life and promote social interaction. | DTS/DPF 41.1 Student accommodation provides: (a) a range of living options to meet a variety of accommodation needs, such as one-bedroom, two-bedroom and disability access units (b) common or shared facilities to enable a more efficient use of space, including: (i) shared cooking, laundry and external drying facilities (ii) internal and external communal and private open space provided in accordance with Design in Urban Areas Table 1 - Private Open Space (iii) common on-site parking in accordance with Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas (v) bicycle parking at the rate of one space for every 2 students. | | |
| PO 41.2 Student accommodation is designed to provide easy adaptation of the building to accommodate an alternative use of the building in the event it is no longer required for student housing. | DTS/DPF 41.2 None are applicable. | | |
| All non-residential development | | | |
| Water Sensitive Design | | | |
| PO 42.1 Development likely to result in risk of export of sediment, suspended solids, organic matter, nutrients, oil and grease include stormwater management systems designed to minimise pollutants entering stormwater. | DTS/DPF 42.1 None are applicable. | | |
| PO 42.2 Water discharged from a development site is of a physical, chemical and biological condition equivalent to or better than its pre-developed state. | DTS/DPF 42.2 None are applicable. | | |
| PO 42.3 Development includes stormwater management systems to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that development does not increase peak flows in downstream systems. | DTS/DPF 42.3 None are applicable. | | |
| Wash-down and Waste Loading and Unloading | | | |
| PO 43.1 Areas for activities including loading and unloading, storage of waste refuse bins in commercial and industrial development or wash-down areas used for the cleaning of vehicles, plant or equipment are: (a) designed to contain all wastewater likely to pollute stormwater within a bunded and roofed area to exclude the entry of external surface stormwater run-off | DTS/DPF 43.1 None are applicable. | | |
| (b) paved with an impervious material to facilitate wastewater collection (c) of sufficient size to prevent 'splash-out' or 'over-spray' of wastewater from the wash-down area (d) are designed to drain wastewater to either: (i) a treatment device such as a sediment trap and coalescing plate oil separator with subsequent disposal to a sewer, private or Community Wastewater Management Scheme or (ii) a holding tank and its subsequent removal off-site on a regular basis. | | | |
| Laneway Development | | | |
| Infrastructure and Access | | | |
| PO 44.1 | DTS/DPF 44.1 | | |

Policy24

| Policy24 P&D Code (in effect) - Version 2023.13 - 31/08/2 | | | | sion 2023.13 - 31/08/2023 | | |
|---|--|--------|------------------------------|---|--|---|
| Development with a primary street comprising a laneway, alley, lane, right of way or similar minor thoroughfare only occurs where: | | Develo | | th a prima | ary street frontage that is not an alley, lane, | right of way or similar public |
| (a) (b) (c) (d) (e) | existing utility infrastructure and services are capable of accommodating the development the primary street can support access by emergency and regular service vehicles (such as waste collection) it does not require the provision or upgrading of infrastructure on public land (such as footpaths and stormwater management systems) safety of pedestrians or vehicle movement is maintained any necessary grade transition is accommodated within the site of the development to support an appropriate development intensity and orderly development of land fronting minor thoroughfares. | | | | | |
| Decks | | | | | | |
| Design an | d Siting | | | | | |
| PO 4 Deck | 5.1 s are designed and sited to: complement the associated building form | DTS/I | | | to a dwelling: | |
| (a) (b) (c) | complement the associated building form minimise impacts on the streetscape through siting behind the building line of the principal building (unless on a significant allotment or open space) minimise cut and fill and overall massing when viewed from adjacent land. | (a) | (i) (ii) (iii) (iv) | are no A. B. are se when a ground where entire | t constructed, added to or altered so that are in front of any part of the building line of or within 900mm of a boundary of the allotr has boundaries on two or more roads) t back at least 900mm from side or rear allo attached to the dwelling, has a finished floo d floor level of the dwelling associated with a residential use, retains a development site, including any common p n in accordance with (A) or (B), whichever i a total area is determined by the followin Site areaa (or in the case of residential flat building or group dwelling(s), average site area) (m ²) | the dwelling to which it is ancillary nent with a secondary street (if the land other the boundaries revel consistent with the finished total area of soft landscaping for the toperty, with a minimum dimension of sess: g table: Minimum percentage of site |
| | | | | | <150 150-200 >200-450 | 10% 15% 20% |
| | | | | | >450 | 25% |
| | | (b) | (i) (ii) (iii) | are sel purpos are sel have a | the amount of existing soft landscaping plation with a non-residential use: t back at least 2 metres from the boundary ses. t back at least 2 metres from a public road. a floor area not exceeding 25m ² s a finished floor level not exceeding 1 metre | of an allotment used for residential |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 | |
|--|---|--|
| PO 45.2 | DTS/DPF 45.2 | |
| Decks are designed and sited to minimise direct overlooking of habitable rooms and private open spaces of adjoining residential uses in neighbourhood-type zones through suitable floor levels, screening and siting taking into account the slope of the subject land, existing vegetation on the subject land, and fencing. | Decks with a finished floor level/s 500mm or more above natural ground level facing side or rear boundaries shared with a residential use in a neighbourhood-type zone incorporate screening with a maximum of 25% transparency/openings, permanently fixed to the outer edge of the deck not less than 1.5 m above the finished floor level/s. | |
| PO 45.3 | DTS/DPF 45.3 | |
| Decks used for outdoor dining, entertainment or other commercial uses provide carparking in accordance with the primary use of the deck. | Decks used for commercial purposes do not result in less on-site car parking for the primary use of the subject land than specified in Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements or Table 2 - Off-Street Car Parking Requirements in Designated Areas. | |

Table 1 - Private Open Space

| Dwelling Type | Dwelling / Site | Minimum Rate |
|---|-------------------------------|--|
| | Configuration | |
| Dwelling (at ground level, other than a residential flat building that includes above ground dwellings) | | Total private open space area: (a) Site area <301m²: 24m² located behind the building line. (b) Site area ≥ 301m²: 60m² located behind the building line. Minimum directly accessible from a living room: 16m² / with a minimum dimension 3m. |
| Cabin or caravan (permanently fixed to the ground) in a residential park or caravan and tourist park | | Total area: 16m ² , which may be uses as second car parking space, provided on each site intended for residential occupation. |
| Dwelling in a residential flat building or mixed use building which incorporate above ground | Dwellings at ground level: | 15m ² / minimum dimension 3m |
| level dwellings | Dwellings above ground level: | |
| | Studio (no separate bedroom) | 4m ² / minimum dimension 1.8m |
| | One bedroom dwelling | 8m ² / minimum dimension 2.1m |
| | Two bedroom dwelling | 11m ² / minimum dimension 2.4m |
| | Three + bedroom dwelling | 15 m ² / minimum dimension 2.6m |

Forestry

Assessment Provisions (AP)

Desired Outcome (DO)

| | Desired Outcome | | | | |
|------|-----------------|--|--|--|--|
| DO 1 | | | | | |
| | | Commercial forestry is designed and sited to maximise economic benefits whilst managing potential negative impacts on the environment, transport | | | |
| | | networks, surrounding land uses and landscapes. | | | |
| | | | | | |

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature | |
|--|---|--|
| Siting | | |
| PO 1.1 Commercial forestry plantations are established where there is no detrimental effect on the physical environment or scenic quality of the rural landscape. | DTS/DPF 1.1 None are applicable. | |
| | | |
| PO 1.2 Commercial forestry plantations are established on slopes that are stable to minimise the risk of soil erosion. | DTS/DPF 1.2 Commercial forestry plantations are not located on land with a slope exceeding 20% (1-in-5). | |
| PO 1.3 Commercial forestry plantations and operations associated with their establishment, management and harvesting are appropriately set back from any sensitive receiver to minimise fire risk and noise disturbance. | DTS/DPF 1.3 Commercial forestry plantations and operations associated with their establishment, management and harvesting are set back 50m or more from any sensitive receiver. | |
| Water Protection | 1 | |
| PO 2.1 Commercial forestry plantations incorporate artificial drainage lines (i.e. culverts, runoffs and constructed drains) integrated with natural drainage lines to minimise concentrated water flows onto or from plantation areas. | DTS/DPF 2.1 None are applicable. | |
| PO 2.2 Appropriate siting, layout and design measures are adopted to minimise the impact of commercial forestry plantations on surface water resources. | DTS/DPF 2.2 Commercial forestry plantations: (a) do not involve cultivation (excluding spot cultivation) in drainage lines (b) are set back 20m or more from the banks of any major watercourse (a third order or higher watercourse), lake, reservoir, wetland or sinkhole (with direct connection to an aquifer) (c) are set back 10m or more from the banks of any first or second order watercourse or sinkhole (with no direct connection to an aquifer). | |
| Fire Management | | |
| PO 3.1 Commercial forestry plantations incorporate appropriate firebreaks and fire management design elements. | DTS/DPF 3.1 Commercial forestry plantations provide: (a) 7m or more wide external boundary firebreaks for plantations of 40ha or less (b) 10m or more wide external boundary firebreaks for plantations of between 40ha and 100ha (c) 20m or more wide external boundary firebreaks, or 10m with an additional 10m or more of fuel- reduced plantation, for plantations of 100ha or greater. Note: Firebreaks prescribed above (as well as access tracks) may be included within the setback buffer distances prescribed by other policies of the Code. | |

 PO 3.2
 DTS/DPF 3.2

 Commercial forestry plantations incorporate appropriate fire management access tracks.
 Commercial forestry plantation fire management access tracks:

 (a) are incorporated within all frebreaks
 (b) are 7m or more wide with a vertical clearance of 4m or more

 (b) are aligned to provide straight through access at junctions, or if they are a no through access track are appropriately signposted and provide suitable turnaround areas for fire-fighting vehicles

 (d)
 partition the plantation into units of 40ha or less in area.

| TS/DPF 4.1 |
|---|
| commercial forestry plantations incorporating trees with an expected mature height f greater than 6m meet the clearance requirements listed in the following table: |
| om |

ver-line Clearances

| Policy24 | P&D Code | e (in effect) - | Version 2023.13 - 31/08/2023 |
|----------|------------------------------|-----------------|--|
| | Voltage of transmission line | Tower or Pole | Minimum horizontal clearance distance between plantings and transmission lines |
| | 500 kV | Tower | 38m |
| | 275 kV | Tower | 25m |
| | 132 kV | Tower | 30m |
| | 132 kV | Pole | 20m |
| | 66 kV | Pole | 20m |
| | Less than 66 kV | Pole | 20m |

P&D Code (in offect) Version 2023 13 31/08/202

Housing Renewal

Deliov24

Assessment Provisions (AP)

The Housing Renewal General Development Policies are only applicable to dwellings or residential flat building undertaken by:

- (a) the South Australian Housing Trust either individually or jointly with other persons or bodies
- (b) a provider registered under the Community Housing National Law participating in a program relating to the renewal of housing endorsed by the South Australian Housing Trust.

Desired Outcome (DO)

| Desired Outcome | | | | |
|-----------------|---|--|--|--|
| DO 1 | Renewed residential environments replace older social housing and provide new social housing infrastructure and other housing options and tenures to enhance the residential amenity of the local area. | | | |

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature | |
|---|--|--|
| Land Use and Intensity | | |
| PO 1.1 | DTS/DPF 1.1 | |
| Residential development provides a range of housing choices. | Development comprises one or more of the following: (a) detached dwellings (b) semi-detached dwellings (c) row dwellings (d) group dwellings (e) residential flat buildings. | |
| PO 1.2 Medium-density housing options or higher are located in close proximity to public transit, open space and/or activity centres. | DTS/DPF 1.2 None are applicable. | |
| Building Height | | |
| PO 2.1 | DTS/DPF 2.1 | |
| Buildings generally do not exceed 3 building levels unless in locations close to public | Building height (excluding garages, carports and outbuildings) does not exceed 3 | |

| Policy24 P&D Code (in effect) - Version 2023.13 - 31 | | |
|---|--|--|
| transport, centres and/or open space. | building levels and 12m and wall height does not exceed 9m (not including a gable end). | |
| PO 2.2 | DTS/DPF 2.2 | |
| Medium or high rise residential flat buildings located within or at the interface with zones which restrict heights to a maximum of 2 building levels transition down in scale and height towards the boundary of that zone, other than where it is a street boundary. | None are applicable. | |
| Primary Street Setback | | |
| PO 3.1 | DTS/DPF 3.1 | |
| Buildings are set back from the primary street boundary to contribute to an attractive streetscape character. | Buildings are no closer to the primary street (excluding any balcony, verandah, porch, awning or similar structure) than 3m. | |
| Secondary Street Setback | - | |
| PO 4.1 | DTS/DPF 4.1 | |
| Buildings are set back from secondary street boundaries to maintain separation between building walls and public streets and contribute to a suburban streetscape character. | Buildings are set back at least 900mm from the boundary of the allotment with a secondary street frontage. | |
| Boundary Walls | | |
| PO 5.1 | DTS/DPF 5.1 | |
| Boundary walls are limited in height and length to manage visual impacts and access to natural light and ventilation. | Except where the dwelling is located on a central site within a row dwelling or terrace arrangement, dwellings with side boundary walls are sited on only one side boundary and satisfy (a) or (b): (a) adjoin or abut a boundary wall of a building on adjoining land for the same length and height (b) do not: (i) exceed 3.2m in height from the lower of the natural or finished ground level (ii) exceed 1.5m in length (iii) when combined with other walls on the boundary of the subject development site, a maximum 45% of the length of the boundary (iv) encroach within 3 metres of any other existing or proposed boundary walls on the subject land. | |
| PO 5.2 | DTS/DPF 5.2 | |
| Dwellings in a semi-detached, row or terrace arrangement maintain space between buildings consistent with a suburban streetscape character. | Dwellings in a semi-detached or row arrangement are set back 900mm or more from side boundaries shared with allotments outside the development site, except for a carport or garage. | |
| Side Boundary Setback | | |
| PO 6.1 | DTS/DPF 6.1 | |
| Buildings are set back from side boundaries to provide: | Other than walls located on a side boundary, buildings are set back from side | |
| (a) separation between dwellings in a way that contributes to a suburban character (b) access to natural light and ventilation for neighbours. | (a) where the wall height does not exceed 3m - at least 900mm (b) for a wall that is not south facing and the wall height exceeds 3m - at least 900mm from the boundary of the site plus a distance of 1/3 of the extent to which the height of the wall exceeds 3m from the top of the footings (c) for a wall that is south facing and the wall height exceeds 3m - at least 1.9m from the boundary of the site plus a distance of 1/3 of the extent to which the height of the wall exceeds 3m from the boundary of the site plus a distance of 1/3 of the extent to which the height of the wall exceeds 3m from the top of the footings. | |
| Rear Boundary Setback | | |
| PO 7.1 | DTS/DPF 7.1 | |
| Buildings are set back from rear boundaries to provide: | Dwellings are set back from the rear boundary: | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 | | | | |
|---|--|--|--|--|--|
| (a) separation between dwellings in a way that contributes to a suburban character (b) access to natural light and ventilation for neighbours (c) private open space (d) space for landscaping and vegetation. | (a) 3m or more for the first building level (b) 5m or more for any subsequent building level. | | | | |
| Buildings elevation design | | | | | |
| PO 8.1 | DTS/DPF 8.1 | | | | |
| Dwelling elevations facing public streets and common driveways make a positive contribution to the streetscape and common driveway areas. | Each dwelling includes at least 3 of the following design features within the building elevation facing a primary street, and at least 2 of the following design features within the building elevation facing any other public road (other than a laneway) or a common driveway: (a) a minimum of 30% of the building elevation is set back an additional 300mm from the building line (b) a porch or portico projects at least 1m from the building elevation (c) a balcony projects from the building elevation (d) a verandah projects at least 1m from the building elevation (e) eaves of a minimum 400mm width extend along the width of the front elevation (f) a minimum 30% of the width of the upper level projects forward from the lower level primary building line by at least 300mm. (g) a minimum of 80% of the building elevation in a single material or finish. | | | | |
| PO 8.2 Dwellings incorporate windows along primary street frontages to encourage passive surveillance and make a positive contribution to the streetscape. | DTS/DPF 8.2 Each dwelling with a frontage to a public street: (a) includes at least one window facing the primary street from a habitable room that has a minimum internal room dimension of 2.4m (b) has an aggregate window area of at least 2m ² facing the primary street | | | | |
| PO 8.3 The visual mass of larger buildings is reduced when viewed from adjoining allotments or public streets. | DTS/DPF 8.3 None are applicable. | | | | |
| PO 8.4 Built form considers local context and provides a quality design response through scale, massing, materials, colours and architectural expression. | DTS/DPF 8.4 None are applicable. | | | | |
| PO 8.5 Entrances to multi-storey buildings are: (a) oriented towards the street (b) visible and easily identifiable from the street (c) designed to include a common mail box structure. | DTS/DPF 8.5 None are applicable. | | | | |
| Outlook and amenity | | | | | |
| PO 9.1 Living rooms have an external outlook to provide a high standard of amenity for occupants. | DTS/DPF 9.1 A living room of a dwelling incorporates a window with an external outlook towards the street frontage or private open space. | | | | |
| PO 9.2 Bedrooms are separated or shielded from active communal recreation areas, common access areas and vehicle parking areas and access ways to mitigate noise and artificial light intrusion. | DTS/DPF 9.2 None are applicable. | | | | |
| Private Open Space | 1 | | | | |
| PO 10.1 Dwellings are provided with suitable sized areas of usable private open space to meet the needs of occupants. | DTS/DPF 10.1 Private open space is provided in accordance with the following table: | | | | |

| Overling Type Dealing Type Trad area: 240° located priority the building time priority the building time priorithe building time pri | Policy24 | P&I | D Code (in effect) - Ve | rsion 2023.13 - 31/08/2023 | |
|---|---|---|---|---|--|
| Point | | Dwelling Type | Dwelling / Site | Minimum Rate | |
| Poil Proof Piol | | | Configuration | | |
| P112 DISOPF 10.2 DISOPF 10.1 < | | - · - | | | |
| provide versity provide ve | | | | room: 16m ² with a minimum | |
| P0 10.2 DTSOPF 10.2 A model of the regulation of the regula | | | Studio | | |
| Image: Construction of the section of the sectin section of the section of the secting of the secting o | | | One bedroom dwelling | | |
| P0 10.2 DTS/DFF 10.2 P0 10.3 DTS/DFF 10.3 P0 10.4 DTS/DFF 10.3 P0 10.5 DTS/DFF 10.1 P0 10.5 DTS/DFF 10.3 P0 10.5 DTS/DFF 10.3 P0 10.6 DTS/DFF 10.3 P0 11.1 Development miligates direct overlooking from upper level windows to habitable norms and philate open spaces of adjoining residential uses. DTS/DFF 11.1 Development miligates direct overlooking from upper level windows to habitable norms and philate open spaces of adjoining residential uses. DTS/DFF 11.1 Development miligates direct overlooking from upper level balaconies and entrace to a wind of the endowing: and sequence of the following: P0 11.2 Development miligates direct overlooking from upper level balaconies and entrace to a wind of the endowing: and sequence of the following: P0 11.2 Development miligates direct overlooking from upper level balaconies and entrace to a wind of the endowing and adjusted real more than 1.5 Development miligates direct overlooking from upper level balaconies and entrace to a wind of the endowing and adjusted real more than 1.5 Development miligates direct overlooking from upper level balaconies and entrace to the following: is satalfed: | | | Two bedroom dwelling | | |
| Pivate open space positioned to provide convenient access from internal living areas. At least 50% of the required area of pivate open space is accessible from a habitable room. P0 10.3 DTS/DPF 10.3 Private open space is positioned and designed to: None are applicable. (a) provide isselfs obtained or disable of accepants; None are applicable. (b) task advantage of disable or private open space is accessible from a private open space is positioned and vises, and DTS/DPF 11.1 Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses. DTS/DPF 11.1 Development mitigates direct overlooking from upper level windows to habitable rooms and private open space of adjoining residential uses. DTS/DPF 11.1 Development mitigates direct overlooking from upper level balconies and terrace to compare the distance from expanse of the visual and refined for level and are fined or reat a left from one mitigate and private open space of adjoining residential uses. P0 11.2 Development mitigates direct overlooking from upper level balconies and terrace to conclusione of terrace overlooking from upper level balconies and terrace to conclusione of terrace over the visual and traver expanse to the visual and traver expanse to the visual and the visual and the residential uses. P0 11.2 Development mitigates direct overlooking from upper level balconies and terrace to conclusione of terrace overlooking from upper level balconies and terrace to conclusione of terrace overlooking from upper level balconies and terrace to concon terrace over the visual terrace to the visual and terrac | | | Three + bedroom dwelling | | |
| areas. habitable room. P0 10.3 DTS/DPF 10.3 Private open space is positioned and designed to: None are applicable. (a) provide unsatie addror space that suits the needs of account to: None are applicable. (b) take solution of unsatie. DTS/DPF 11.1 Unsurvey DTS/DPF 11.1 P0 11.1 Dts/DPF 11.1 Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses. DTS/DPF 11.1 Development mitigates direct overlooking from upper level windows to habitable rooms and private open space of adjoining residential uses. DTS/DPF 11.1 Development mitigates direct overlooking from upper level balconies and terraces to finited foor level and are fund or not distance that any part of the window is the finited foor level and are fund or not distance to respect to any part of the window is the north finited foor level and are fund or not distance to the following: P0 11.2 Development mitigates direct overlooking from upper level balconies and terraces to respect to any part of the window is the then it for a base finited foor level are to more than distance to the following is satisfied: habitable rooms and private open space of adjoining residential uses. (a) the tomps also of the balconie and the algoent to any part of the window is then then end or or the output or terrace will not a pather read, space for the balconie times and upper level balconie and terraces or (b) at the output also of the balconie times and upper level balconie tinstance to une bulk to the tevel or enterne that distance to the | PO 10.2 | DTS/DPF 10.2 | | | |
| Private open space is positioned and designed to: None are applicable. (b) provide usable outdoor space that suits the needs of occupants; adequately define public and private space. Vourserve P0 11.1 Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses. P0 11.2 Development mitigates direct overlooking from upper level balaconies and terraces to software inhibitable rooms and private open spaces of adjoining residential uses. P0 11.2 Development mitigates direct overlooking from upper level balaconies and terraces to software inhibitable rooms and private open space of adjoining residential uses. P0 11.2 Development mitigates direct overlooking from upper level balaconies and terraces to habitable rooms and private open space of adjoining residential uses. P0 11.2 Development mitigates direct overlooking from upper level balaconies and terraces to not the following is satisfied: (a) there the balace stream of the following is satisfied: (a) there the balace stream of the following is satisfied: (a) there the balace stream of the balace stream of the satisfied of the window searce are applied or (b) all set of balaconies for thrace an apper balace and and terraces to or (c) all sets of balaconies for thrace and public terrace on apper balace the any part of the window searce are applied or (c) and the balace that the methes the balacon of the satisfied of the impertation of the induce terrace on apper balace that the methes for the or (c) and the or thrace an apper balace the balacon of the satisfied of the impertation of the satisfied of the methes for th | | - | red area of private open spa | ace is accessible from a | |
| (a) provide useshie autoor space that suits the media of occupants; bits advantage of desirable orientation and vistas; and (b) Image: Comparison of the space of desirable orientation and vistas; and (c) PO 11.1 Development miligates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses. DTS/DPF 11.1 Upper level windows facing side or rear boundaries shared with another residential allotment/sile satisfy one of the following: (a) (b) have all more than automum of 25% openings, permanently obscure of a high to 1.5 m above finished foor level and are fixed or not capable of being opening to 1.5 m above finished foor level and are fixed or not capable of being opening to 1.5 m above finished foor level and are fixed or not some finishes arease and the automum of 25% openings, permanently obscure the work was then a time some finishes arease and the automum of 25% openings, permanently obscure the work was the an of the some finishes foor. PO 11.2 Development miligates direct overlooking from upper level balaconies and terraces to habitable rooms and private open space of adjoining residential uses. DTS/DPF 11.2 One of the following is satisfied: (a) One of the following is satisfied: (b) (a) the longest side of bableouxy or terrace will not a public read, public road reserve or public correct or or terrace so upper bable prove terrace. (b) al sides of bableouxy or terrace will not a public read easest to a minum height of (b) (b) al sides of bableouxy or terrace will not a public read, public road reserve or public correct or oreact on terrace so upper bableouxy or terrace. <tr< td=""><td>PO 10.3</td><td>DTS/DPF 10.3</td><td></td><td></td></tr<> | PO 10.3 | DTS/DPF 10.3 | | | |
| (b) take advantage of dispitation and visitate; and (c) adequately define public and private space. P0 11.1 Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses. (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being portion more than 200m (b) have all heights grater than or equal to 1.5m above finished floor level and are fixed or not capable of being portion more than 200m (c) have all heights grater than or equal to 1.5m above finished floor level and are fixed or not capable of being portion more than 200m (c) have all heights grater than or equal to 1.5m above finished floor level (c) for portion from the window site adjacent to any part of the window less than 1.5m 200 P0 11.2 Development mitigates direct overlooking from upper level balconies and terraces to habitable rooms and private open space of adjoining residential uses. (a) the backgrate tide of the backgrot or terrace (b) and sites of takones or terraces on upper lukeling maximum of 25% ponnings, permanently backgrate than room (b) and sites of takones or terraces on upper lukeling maximum or upper level balconies and terraces to (a) the backgrate tide of the backgrot or terrace (b) and sites of takones or terraces on upper lukeling weeks are permanently obscured by core (b) and sites of takones or terraces on upper lukeling weeks are permanently obscured by core (c) 1.5m above finished floor level in all other cases P0 12.1 Drs/DPF 12.1 | Private open space is positioned and designed to: | None are applicable. | | | |
| PO 11.1 DTS/DPF 11.1 Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses. (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200nm (b) have sill heights greated more than 200nm (c) have sill heights greated to a fight of 1.5m above finished floor level (c) incorporate screening with a maximum of 25% openings, permanently fixed no more than 500mm from the window strace and siled adjacent to any part of the window less than 1.5m above the finished floor. PO 11.2 DTS/DPF 11.2 Development mitigates direct overlooking from upper level balconies and terraces habitable rooms and private open space of adjoining residential uses. One of the following is satisfied: (a) the longest side of the balcony or terrace will face a public road, public reserve that is at least 15m which and places faced by the balcony or terrace or (b) all sides of balconies or terraces on upper building tevels are permanently obscured by screening with a maximum 25% inspapereory/openings fixed to a minimum height 0: (i) 1.5m above finished floor level in all other cases Lummenter (ii) 1.7m above finished floor level in all other cases | (b) take advantage of desirable orientation and vistas; and | | | | |
| Development mitigates direct overlooking from upper level windows to habitable rooms and private open spaces of adjoining residential uses. Upper level windows facing side or rear boundaries shared with another residential allotment/site satisfy one of the following: (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than or equal to 1.5m above finished floor level (incorporate Screening with amaximum 025% openings, permanently thed nor window less than 1.5m above the finished floor. PO 11.2 DTS/DPF 11.2 Development mitigates direct overlooking from upper level balconies and terraces to habitable rooms and private open space of adjoining residential uses. One of the following is satisfied: (a) the longest aid of fibe balcony or terrace will face a public read, public read reserve or public read reserve that is at least 15m wide in all place faced by the balcony or terrace or or (b) all devel finished floor level is contexed by reserve that is at least 15m wide in all place faced by the balcony or terrace or (c) a finished floor level is contexed by reserve that is at least 15m wide in all place faced by the balcony or terrace or (c) a finished floor level is contexed by reserve that is at least 15m wide in all place faced by the balcony or terrace or (c) a finished floor level is another the balcony or developed from the maximum 25% transportery/openings ford on aminum height of. (i) 15m above finished floor level in all other cases Development mitigates direct overlooking from upper level balconies or terraces on upper bulking levels are permanently obscured by reserve that is at least 15m etrace from the maximm 25% terasparency/openings ford on aminum height of | Visual privacy | | | | |
| rooms and private open spaces of adjoining residential uses. allotment/site satisfy one of the following: (a) are permanently obscured to a height of 1.5m above finished floor level and are fixed or not capable of being opened more than 200mm (b) have slit height greater than or quale to 1.5m above finished floor level on one than 500m from one value to 1.5m above finished floor level on one than 500m from upper level balconies and terraces to habitable rooms and private open space of adjoining residential uses. DTS/DPF 11.2 Development mitigates direct overlooking from upper level balconies and terraces to habitable rooms and private open space of adjoining residential uses. One of the following is satisfied: (a) the longest side of the balcony or terrace will face a public road, public road reserve or public or or (b) all aides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 20% transparency/perings fixed to an uninum height of: (i) the sate site of the balcony or terrace or (b) all aides or balconies or terraces on upper building levels are permanently obscured by screening with a maximum 20% transparency/perings fixed to an uninum height of: (i) the above finished floor level in all other cases Lundecayerg PO 12.1 DTS/DPF 12.1 | PO 11.1 | DTS/DPF 11.1 | | | |
| capable of being opened more than 200mm (b) have still heights greater than or equal to 15m above finished floor level (c) source than or equal to 15m above finished floor level (c) source than or equal to 15m above finished floor level PO 11.2 DTS/DPF 11.2 Development mitigates direct overlooking from upper level balconies and terraces to habitable rooms and private open space of adjoining residential uses. One of the following is satisfied: (a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or or (b) (b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) (ii) 1.5m above finished floor level in all other cases or (b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) (iii) 1.5m above finished floor level in all other cases 15m etc. teamscapeing bin above finished floor level in all other cases 15m etc. teamscapeing bin above finished floor level in all other cases 15m etc. teamscapeing <t< td=""><td></td><td></td><td>-</td><td>shared with another residential</td></t<> | | | - | shared with another residential | |
| Development mitigates direct overlooking from upper level balconies and terraces to habitable rooms and private open space of adjoining residential uses. One of the following is satisfied: (a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or (b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or (ii) 1.7m above finished floor level in all other cases PO 12.1 DTS/DPF 12.1 | | capable of being oper (b) have sill heights great (c) incorporate screening 500mm from the wind | ned more than 200mm er than or equal to 1.5m above finis with a maximum of 25% openings, ow surface and sited adjacent to ar | shed floor level , permanently fixed no more than | |
| habitable rooms and private open space of adjoining residential uses. (a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or (b) all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or (ii) 1.7m above finished floor level in all other cases PO 12.1 | PO 11.2 | DTS/DPF 11.2 | | | |
| (a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace or all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or (ii) 1.7m above finished floor level in all other cases Landscaping PO 12.1 DTS/DPF 12.1 | | One of the following is sa | atisfied: | | |
| is of all sides of balconies or terraces on upper building levels are permanently obscured by screening with a maximum 25% transparency/openings fixed to a minimum height of: (i) 1.5m above finished floor level where the balcony is located at least 15 metres from the nearest habitable window of a dwelling on adjacent land or (ii) 1.7m above finished floor level in all other cases | habitable rooms and private open space of adjoining residential uses. | (a) the longest side of the balcony or terrace will face a public road, public road reserve or public reserve that is at least 15m wide in all places faced by the balcony or terrace | | | |
| (ii) 1.7m above finished floor level in all other cases | | or (b) all sides of balconies screening with a maxi (i) 1.5m above | or terraces on upper building levels mum 25% transparency/openings f finished floor level where the balco | s are permanently obscured by fixed to a minimum height of: ny is located at least 15 metres from the | |
| PO 12.1 DTS/DPF 12.1 | | | finished floor level in all other case | s | |
| | Landscaping | | | | |
| Soft landscaping is incorporated into development to: Residential development incorporates pervious areas for soft landscaping with a | PO 12.1 | DTS/DPF 12.1 | | | |
| | Soft landscaping is incorporated into development to: | Residential development incorporates pervious areas for soft landscaping with a | | | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|---|
| | minimum dimension of 700mm provided in accordance with (a) and (b): |
| (a) minimise heat absorption and reflection (b) maximise shade and shelter | (a) a total area as determined by the following table: |
| (c) maximise stormwater infiltration and biodiversity | (a) a total area as determined by the following table: |
| (d) enhance the appearance of land and streetscapes. | Dwelling site area (or in the case of residential flat building or group dwelling(s), Minimum percentage average site area) (m ²) of site |
| | <150 10% <200 15% |
| | 200-450 20% >450 25% |
| | (b) at least 30% of land between the road boundary and the building line. |
| Water Sensitive Design | |
| | |
| PO 13.1 | DTS/DPF 13.1 |
| Residential development is designed to capture and use stormwater to: | None are applicable. |
| (a) maximise efficient use of water resources | |
| (b) manage peak stormwater runoff flows and volume to ensure the carrying capacities of | |
| downstream systems are not overloaded (c) manage runoff quality to maintain, as close as practical, pre-development conditions. | |
| | |
| Car Parking | |
| PO 14.1 | DTS/DPF 14.1 |
| On-site car parking is provided to meet the anticipated demand of residents, with | On-site car parking is provided at the following rates per dwelling: |
| less on-site parking in areas in close proximity to public transport. | (c) 2 or found hadroome 1 our parties and a |
| | (a) 2 or fewer bedrooms - 1 car parking space (b) 3 or more bedrooms - 2 car parking spaces. |
| | |
| PO 14.2 | DTS/DPF 14.2 |
| Enclosed car parking spaces are of dimensions to be functional, accessible and | Residential parking spaces enclosed by fencing, walls or other obstructions with the |
| convenient. | following internal dimensions (separate from any waste storage area): |
| | (a) single parking spaces: |
| | a minimum length of 5.4m a minimum width of 3.0m |
| | (iii) a minimum garage door width of 2.4m |
| | (b) double parking spaces (side by side): |
| | (i) a minimum length of 5.4m |
| | a minimum width of 5.5m minimum garage door width of 2.4m per space. |
| | |
| PO 14.3 | DTS/DPF 14.3 |
| | |
| Uncovered car parking spaces are of dimensions to be functional, accessible and convenient. | Uncovered car parking spaces have: |
| | (a) a minimum length of 5.4m |
| | (b) a minimum width of 2.4m (c) a minimum width between the centre line of the space and any fence, wall or other obstruction of |
| | 1.5m. |
| PO 14.4 | DTS/DPF 14.4 |
| Residential flat buildings and group dwelling developments provide sufficient on-site | Visitor car parking for group and residential flat buildings incorporating 4 or more |
| visitor car parking to cater for anticipated demand. | dwellings is provided on-site at a minimum ratio of 0.25 car parking spaces per |
| | dwelling. |
| | |
| PO 14.5 | DTS/DPF 14.5 |
| Residential flat buildings provide dedicated areas for bicycle parking. | Residential flat buildings provide one bicycle parking space per dwelling. |
| Overshadowing | 1 |
| | |
| PO 15.1 | DTS/DPF 15.1 |

Development minimises overshadowing of the private open spaces of adjoining land None are applicable.

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|---|---|
| by ensuring that ground level open space associated with residential buildings receive direct sunlight for a minimum of 2 hours between 9am and 3pm on 21 June. | |
| Waste | |
| PO 16.1 Provision is made for the convenient storage of waste bins in a location screened from public view. | DTS/DPF 16.1 A waste bin storage area is provided behind the primary building line that: (a) has a minimum area of 2m² with a minimum dimension of 900mm (separate from any designated car parking spaces or private open space).; and (b) has a continuous unobstructed path of travel (excluding moveable objects like gates, vehicles and roller doors) with a minimum width of 800mm between the waste bin storage area and the street. |
| PO 16.2 Residential flat buildings provide a dedicated area for the on-site storage of waste which is: (a) easily and safely accessible for residents and for collection vehicles (b) screened from adjoining land and public roads (c) of sufficient dimensions to be able to accommodate the waste storage needs of the development considering the intensity and nature of the development and the frequency of collection. Vehicle Access | DTS/DPF 16.2 None are applicable. |
| PO 17.1 Driveways are located and designed to facilitate safe access and egress while maximising land available for street tree planting, landscaped street frontages and on-street parking. | DTS/DPF 17.1 None are applicable. |
| PO 17.2 Vehicle access is safe, convenient, minimises interruption to the operation of public roads and does not interfere with street infrastructure or street trees. | DTS/DPF 17.2 Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed, is set back: (i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner (ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance (iii) 6m or more from the tangent point of an intersection of 2 or more roads (iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing. |
| PO 17.3 | DTS/DPF 17.3 |

Driveways are designed to enable safe and convenient vehicle movements from the public road to on-site parking spaces.

(a) the gradient of the driveway does not exceed a grade of 1 in 4 and includes transitions to ensure a maximum grade change of 12.5% (1 in 8) for summit changes, and 15% (1 in 6.7) for sag changes, in accordance with AS 2890.1:2004 to prevent vehicles bottoming or scraping

Driveways are designed and sited so that:

(b) the centreline of the driveway has an angle of no less than 70 degrees and no more than 110 degrees from the street boundary to which it takes its access as shown in the following diagram:

P&D Code (in effect) - Version 2023.13 - 31/08/2023

| 1 0110 12 4 | | |
|---|--|--|
| | (c) If located to provide access from an alley, lane or right of way - the alley, land or right or way is at least 6.2m wide along the boundary of the allotment / site. | |
| PO 17.4 Driveways and access points are designed and distributed to optimise the provision of on-street parking. | DTS/DPF 17.4 Where on-street parking is available abutting the site's street frontage, on-street parking is retained in accordance with the following requirements: (a) minimum 0.33 on-street spaces per dwelling on the site (rounded up to the nearest whole number) (b) minimum car park length of 5.4m where a vehicle can enter or exit a space directly (c) minimum carpark length of 6m for an intermediate space located between two other parking spaces or to an end obstruction where the parking is indented. | |
| PO 17.5 Residential driveways that service more than one dwelling of a dimension to allow safe and convenient movement. | DTS/DPF 17.5 Driveways that service more than 1 dwelling or a dwelling on a battle-axe site: (a) have a minimum width of 3m (b) for driveways servicing more than 3 dwellings: (i) have a width of 5.5m or more and a length of 6m or more at the kerb of the primary street (ii) where the driveway length exceeds 30m, incorporate a passing point at least every 30 metres with a minimum width of 5.5m and a minimum length of 6m. | |
| PO 17.6 Residential driveways that service more than one dwelling are designed to allow passenger vehicles to enter and exit the site and manoeuvre within the site in a safe and convenient manner. | DTS/DPF 17.6 Driveways providing access to more than one dwelling, or a dwelling on a battle-axe site, allow a B85 passenger vehicle to enter and exit the garages or parking spaces in no more than a three-point turn manoeuvre | |
| PO 17.7 Dwellings are adequately separated from common driveways and manoeuvring areas. | DTS/DPF 17.7 Dwelling walls with entry doors or ground level habitable room windows are set back at least 1.5m from any driveway or area designated for the movement and manoeuvring of vehicles. | |
| Storage | | |
| PO 18.1 | DTS/DPF 18.1 | |
| Dwellings are provided with sufficient and accessible space for storage to meet likely occupant needs | Dwellings are provided with storage at the following rates and 50% or more of the storage volume is provided within the dwelling: | |

storage volume is provided within the dwelling:

studio: not less than 6m³

(a)

likely occupant needs.

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|---|
| | (b) 1 bedroom dwelling / apartment: not less than 8m³ (c) 2 bedroom dwelling / apartment: not less than 10m³ (d) 3+ bedroom dwelling / apartment: not less than 12m³. |
| Earthworks | |
| PO 19.1 | DTS/DPF 19.1 |
| Development, including any associated driveways and access tracks, minimises the need for earthworks to limit disturbance to natural topography. | The development does not involve: (a) excavation exceeding a vertical height of 1m or (b) filling exceeding a vertical height of 1m or (c) a total combined excavation and filling vertical height exceeding 2m. |
| Service connections and infrastructure | |
| PO 20.1 Dwellings are provided with appropriate service connections and infrastructure. | DTS/DPF 20.1 The site and building: (a) have the ability to be connected to a permanent potable water supply (b) have the ability to be connected to a sewerage system, or a wastewater system approved under the South Australian Public Health Act 2011 (c) have the ability to be connected to electricity supply (d) have the ability to be connected to an adequate water supply (and pressure) for fire-fighting purposes (e) would not be contrary to the Regulations prescribed for the purposes of Section 86 of the Electricity Act 1996. |
| Site contamination | |
| PO 21.1 Land that is suitable for sensitive land uses to provide a safe environment. | DTS/DPF 21.1 Development satisfies (a), (b), (c) or (d): (a) does not involve a change in the use of land (b) involves a change in the use of land that does not constitute a change to a more sensitive use (c) involves a change in the use of land to a more sensitive use on land at which site contamination does not exist (as demonstrated in a site contamination declaration form) (d) involves a change in the use of land to a more sensitive use on land at which site contamination exists, or may exist (as demonstrated in a site contamination declaration form) (d) involves a change in the use of land to a more sensitive use on land at which site contamination exists, or may exist (as demonstrated in a site contamination declaration form), and satisfies both of the following: (i) a site contamination audit report has been prepared under Part 10A of the Environment Protection Act 1993 in relation to the land within the previous 5 years which states that A. site contamination does not exist (or no longer exists) at the land or B. the land is suitable for the proposed use or range of uses (without the need for any further remediation) or C. where remediation work has been carried out or will be carried out (and the applicant has provided a written undertaking that the remediation works will be implemented in association with the development) |

Infrastructure and Renewable Energy Facilities

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome

Efficient provision of infrastructure networks and services, renewable energy facilities and ancillary development in a manner that minimises hazard, is environmentally and culturally sensitive and manages adverse visual impacts on natural and rural landscapes and residential amenity.

DO 1

| Deemed-to-Satisfy Criteria / Designated Performance Feature |
|--|
| |
| DTS/DPF 1.1 None are applicable. |
| |
| DTS/DPF 2.1 |
| None are applicable. |
| DTS/DPF 2.2 |
| None are applicable. |
| DTS/DPF 2.3 |
| None are applicable. |
| |
| DTS/DPF 3.1 |
| None are applicable. |
| |
| DTS/DPF 4.1 |
| None are applicable. |
| DTS/DPF 4.2 |
| None are applicable. |
| |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|---|
| PO 4.3 | DTS/DPF 4.3 |
| Bushfire hazard risk is minimised for renewable energy facilities by providing | None are applicable. |
| appropriate access tracks, safety equipment and water tanks and establishing | None are applicable. |
| cleared areas around substations, battery storage and operations compounds. | |
| | |
| Electricity Infrastructure and Battery Storage Facilities | |
| PO 5.1 | DTS/DPF 5.1 |
| Electricity infrastructure is located to minimise visual impacts through techniques | None are applicable. |
| including: | |
| (a) siting utilities and services: | |
| (i) on areas already cleared of native vegetation | |
| (ii) where there is minimal interference or disturbance to existing native vegetation or biodiversity | |
| (b) grouping utility buildings and structures with non-residential development where presticable | |
| (b) grouping utility buildings and structures with non-residential development, where practicable. | |
| PO 5.2 | DTS/DPF 5.2 |
| Electricity supply (excluding transmission lines) serving new development in urban | None are applicable. |
| areas and townships installed underground, excluding lines having a capacity | |
| exceeding or equal to 33kV. | |
| | |
| PO 5.3 | DTS/DPF 5.3 |
| Battery storage facilities are co-located with substation infrastructure where | None are applicable. |
| practicable to minimise the development footprint and reduce environmental | |
| impacts. | |
| | |
| Telecommunication Facilities | |
| PO 6.1 | DTS/DPF 6.1 |
| | New York Street |
| The proliferation of telecommunications facilities in the form of towers/monopoles in any one locality is managed, where technically feasible, by co-locating a facility with other | None are applicable. |
| communications facilities to mitigate impacts from clutter on visual amenity. | |
| | |
| PO 6.2 | DTS/DPF 6.2 |
| | |
| Telecommunications antennae are located as close as practicable to support structures to manage overall bulk and mitigate impacts on visual amenity. | None are applicable. |
| | |
| | |
| | |
| PO 6.3 | DTS/DPF 6.3 |
| Telecommunications facilities, particularly towers/monopoles, are located and sized | None are applicable. |
| to mitigate visual impacts by the following methods: | |
| (a) where technically feasible, incorporating the facility within an existing structure that may serve another purpose | |
| or all of the following: | |
| (b) using existing buildings and landscape features to obscure or interrupt views of a facility from | |
| (b) Using extraining and an accepter leader to determine the mental type where the extent practical meansy public roads, residential areas and places of high public amenity to the extent practical without unduly hindering the effective provision of telecommunications services | |
| (c) using materials and finishes that complement the environment | |
| (d) screening using landscaping and vegetation, particularly for equipment shelters and huts. | |
| Renewable Energy Facilities | |
| | |
| PO 7.1 | DTS/DPF 7.1 |
| Renewable energy facilities are located as close as practicable to existing | None are applicable. |
| transmission infrastructure to facilitate connections and minimise environmental | |
| impacts as a result of extending transmission infrastructure. | |
| | |

| Renewable Energy Facilities (Wind Farm) | | | |
|--|--|--|--|
| PO 8.1 Visual impact of wind turbine generators on the amenity of residential and tourist development is reduced through appropriate separation. | DTS/DPF 8.1 Wind turbine generators are: (a) set back at least 2000m from the base of a turbine to any of the following zones: (i) Rural Settlement Zone (ii) Township Zone (iii) Rural Living Zone (iv) Rural Neighbourhood Zone with an additional 10m setback per additional metre over 150m overall turbine height (measured from the base of the turbine). (b) set back at least 1500m from the base of the turbine to non-associated (non-stakeholder) dwellings and tourist accommodation | | |
| PO 8.2 The visual impact of wind turbine generators on natural landscapes is managed by: (a) designing wind turbine generators to be uniform in colour, size and shape (b) coordinating blade rotation and direction (c) mounting wind turbine generators on tubular towers as opposed to lattice towers. | DTS/DPF 8.2 None are applicable. | | |
| PO 8.3 Wind turbine generators and ancillary development minimise potential for bird and bat strike. | DTS/DPF 8.3 None are applicable. | | |
| PO 8.4 Wind turbine generators incorporate recognition systems or physical markers to minimise the risk to aircraft operations. | DTS/DPF 8.4 No Commonwealth air safety (CASA / ASA) or Defence requirement is applicable. | | |
| PO 8.5 Meteorological masts and guidewires are identifiable to aircraft through the use of colour bands, marker balls, high visibility sleeves or flashing strobes. | DTS/DPF 8.5 None are applicable. | | |
| Renewable Energy Facilities (Solar Power) | | | |
| PO 9.1 Ground mounted solar power facilities generating 5MW or more are not located on land requiring the clearance of areas of intact native vegetation or on land of high environmental, scenic or cultural value. | DTS/DPF 9.1 None are applicable. | | |
| PO 9.2 Ground mounted solar power facilities allow for movement of wildlife by: (a) incorporating wildlife corridors and habitat refuges (b) avoiding the use of extensive security or perimeter fencing or incorporating fencing that enables the passage of small animals without unreasonably compromising the security of the facility. | DTS/DPF 9.2 None are applicable. | | |
| PO 9.3 Amenity impacts of solar power facilities are minimised through separation from conservation areas and sensitive receivers in other ownership. | DTS/DPF 9.3 Ground mounted solar power facilities are set back from land boundaries, conservation areas and relevant zones in accordance with the following criteria: Generation Approximate size of array Setback from conservation Setback from setback from conservation Beneration Approximate size of array Between the size of array Setback from setback from conservation areas Between the size of array Between the size of array Boundary Between the size of areas | | |

500m

500m

Policy24

Living Zones¹

2km

P&D Code (in effect) - Version 2023.13 - 31/08/2023

Policy24

P&D Code (in effect) - Version 2023.13 - 31/08/2023

| Folicy24 | | 1 0 0 | | | 1 2023.13 - 31/00/2023 |
|--|---|---------------|-----|--------------|-----------------------------|
| | 5MW<10MW | 8ha to <16ha | 20m | 500m | 1km |
| | 1MW<5MW | 1.6ha to <8ha | 15m | 500m | 500m |
| | 100kW<1MW | 0.5ha<1.6ha | 10m | 500m | 100m |
| | <100kW | <0.5ha | 5m | 500m | 25m |
| | Notes: 1. Does not ap is located with | | | sed ground m | ounted solar power facility |
| PO 9.4 | DTS/DPF 9.4 | | | | |
| Ground mounted solar power facilities incorporate landscaping within setbacks from adjacent road frontages and boundaries of adjacent allotments accommodating non-host dwellings, where balanced with infrastructure access and bushfire safety considerations. | None are appl | icable. | | | |
| Hydropower / Pumped Hydropower Facilities | - | | | | |
| PO 10.1 | DTS/DPF 10.4 | 1 | | | |
| Hydropower / pumped hydropower facility storage is designed and operated to minimise the risk of storage dam failure. | None are appl | icable. | | | |
| PO 10.2 | DTS/DPF 10.2 | 2 | | | |
| Hydropower / pumped hydropower facility storage is designed and operated to minimise water loss through increased evaporation or system leakage, with the incorporation of appropriate liners, dam covers, operational measures or detection systems. | None are appl | icable. | | | |
| PO 10.3 | DTS/DPF 10.3 | 3 | | | |
| Hydropower / pumped hydropower facilities on existing or former mine sites minimise environmental impacts from site contamination, including from mine operations or water sources subject to such processes, now or in the future. | None are appl | icable. | | | |
| Water Supply | | | | | |
| PO 11.1 | DTS/DPF 11. | 1 | | | |

| PO 11.1 | DTS/DPF 11.1 | |
|--|--|--|
| Development is connected to an appropriate water supply to meet the ongoing requirements of the intended use. | Development is connected, or will be connected, to a reticulated water scheme mains water supply with the capacity to meet the on-going requirements of the development. | |
| PO 11.2 | DTS/DPF 11.2 | |
| Dwellings are connected to a reticulated water scheme or mains water supply with the capacity to meet the requirements of the intended use. Where this is not available an appropriate rainwater tank or storage system for domestic use is provided. | A dwelling is connected, or will be connected, to a reticulated water scheme or mains water supply with the capacity to meet the requirements of the development. Where this is not available it is serviced by a rainwater tank or tanks capable of holding at least 50,000 litres of water which is: (a) exclusively for domestic use (b) connected to the roof drainage system of the dwelling. | |
| Wastewater Services | <u></u> | |

| PO | 12.1 | DTS/DPF 12.1 |
|----|--|--|
| | velopment is connected to an approved common wastewater disposal service the capacity to meet the requirements of the intended use. Where this is not | Development is connected, or will be connected, to an approved common wastewater disposal service with the capacity to meet the requirements of the |

| Polic | y24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|--|---|
| availa | ble an appropriate on-site service is provided to meet the ongoing | development. Where this is not available it is instead capable of being serviced by |
| requirements of the intended use in accordance with the following: | | an on-site waste water treatment system in accordance with the following: |
| (a) (b) (c) | it is wholly located and contained within the allotment of the development it will service in areas where there is a high risk of contamination of surface, ground, or marine water resources from on-site disposal of liquid wastes, disposal systems are included to minimise the risk of pollution to those water resources septic tank effluent drainage fields and other wastewater disposal areas are located away from watercourses and flood prone, sloping, saline or poorly drained land to minimise environmental harm. | (a) the system is wholly located and contained within the allotment of development it will service; and (b) the system will comply with the requirements of the South Australian Public Health Act 2011. |
| PO 12.2 Effluent drainage fields and other wastewater disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health | | DTS/DPF 12.2 Development is not built on, or encroaches within, an area that is, or will be, required for a sewerage system or waste control system. |
| | e environment. | |
| Temporary | Facilities | |
| PO 13 | .1 | DTS/DPF 13.1 |
| In rural and remote locations, development that is likely to generate significant waste material during construction, including packaging waste, makes provision for a temporary on-site waste storage enclosure to minimise the incidence of wind-blown litter. | | A waste collection and disposal service is used to dispose of the volume of waste at the rate it is generated. |
| PO 13 | .2 | DTS/DPF 13.2 |
| Temporary facilities to support the establishment of renewable energy facilities (including borrow pits, concrete batching plants, laydown, storage, access roads and worker amenity areas) are sited and operated to minimise environmental impact. | | None are applicable. |

Intensive Animal Husbandry and Dairies

Assessment Provisions (AP)

Desired Outcome (DO)

| Desired Outcome |
|---|
| Development of intensive animal husbandry and dairies in locations that are protected from encroachment by sensitive receivers and in a manner that minimises their adverse effects on amenity and the environment. |

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|--|--|
| Siting and Design | |
| PO 1.1 Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to not unreasonably impact on the environment or amenity of the locality. | DTS/DPF 1.1 None are applicable. |
| PO 1.2 Intensive animal husbandry, dairies and associated activities are sited, designed, constructed and managed to prevent the potential transmission of disease to other | DTS/DPF 1.2 None are applicable. |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|---|--|
| operations where animals are kept. | |
| PO 1.3 | DTS/DPF 1.3 |
| Intensive animal husbandry and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions. | None are applicable. |
| PO 1.4 | DTS/DPF 1.4 |
| Dairies and associated activities such as wastewater lagoons and liquid/solid waste disposal areas are sited, designed, constructed and managed to not unreasonably impact on sensitive receivers in other ownership in terms of noise and air emissions. | Dairies, associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities are located 500m or more from the nearest sensitive receiver in other ownership. |
| PO 1.5 | DTS/DPF 1.5 |
| Lagoons for the storage or treatment of milking shed effluent is adequately separated from roads to minimise impacts from odour on the general public. | Lagoons for the storage or treatment of milking shed effluent are set back 20m or more from public roads. |
| Waste | |
| PO 2.1 | DTS/DPF 2.1 |
| Storage of manure, used litter and other wastes (other than waste water lagoons) is sited, designed, constructed and managed to: | None are applicable. |
| (a) avoid attracting and harbouring vermin (b) avoid polluting water resources (c) be located outside 1% AEP flood event areas. | |
| Soil and Water Protection | |
| PO 3.1 | DTS/DPF 3.1 |
| To avoid environmental harm and adverse effects on water resources, intensive animal husbandry operations are appropriately set back from: (a) public water supply reservoirs (b) major watercourses (third order or higher stream) (c) any other watercourse, bore or well used for domestic or stock water supplies. | Intensive animal husbandry operations are set back: (a) 800m or more from a public water supply reservoir (b) 200m or more from a major watercourse (third order or higher stream) (c) 100m or more from any other watercourse, bore or well used for domestic or stock water supplies. |
| PO 3.2 | DTS/DPF 3.2 |
| Intensive animal husbandry operations and dairies incorporate appropriately designed effluent and run-off facilities that: | None are applicable. |
| (a) have sufficient capacity to hold effluent and runoff from the operations on site (b) ensure effluent does not infiltrate and pollute groundwater, soil or other water resources. | |

Interface between Land Uses

Assessment Provisions (AP)

Desired Outcome (DO)

| | Desired Outcome | |
|------|--|--|
| DO 1 | Development is located and designed to mitigate adverse effects on or from neighbouring and proximate land uses. | |

| Performance Outcome | | isfy Criteria / Designated rmance Feature | |
|---|--|---|--|
| ieneral Land Use Compatibility | | | |
| PO 1.1 Sensitive receivers are designed and sited to protect residents and occupants from adverse impacts generated by lawfully existing land uses (or lawfully approved land uses) and land uses desired in the zone. | DTS/DPF 1.1 None are applicable. | | |
| PO 1.2 Development adjacent to a site containing a sensitive receiver (or lawfully approved sensitive receiver) or zone primarily intended to accommodate sensitive receivers is designed to minimise adverse impacts. | DTS/DPF 1.2 None are applicable. | | |
| Hours of Operation | I | | |
| PO 2.1 Non-residential development does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) or an adjacent zone primarily for | DTS/DPF 2.1 Development operating within the | DTS/DPF 2.1 Development operating within the following hours: | |
| sensitive receivers through its hours of operation having regard to: (a) the nature of the development | Class of Development | Hours of operation | |
| (a) the nature of the development (b) measures to mitigate off-site impacts (c) the extent to which the development is desired in the zone (d) measures that might be taken in an adjacent zone primarily for sensitive receivers that mitigate adverse impacts without unreasonably compromising the intended use of that land. | Consulting room | 7am to 9pm, Monday to Friday 8am to 5pm, Saturday | |
| | Office | 7am to 9pm, Monday to Friday 8am to 5pm, Saturday | |
| | Shop, other than any one or combination of the following: (a) restaurant (b) cellar door in the Productive Rural Landscape Zone, Rural Zone or Rural Horticulture Zone | 7am to 9pm, Monday to Friday 8am to 5pm, Saturday and Sunday | |
| Dvershadowing | 11 | | |
| PO 3.1 Overshadowing of habitable room windows of adjacent residential land uses in: a. a neighbourhood-type zone is minimised to maintain access to direct winter sunlight b. other zones is managed to enable access to direct winter sunlight. | DTS/DPF 3.1 North-facing windows of habitable rooms of adjacent residential land uses in a neighbourhood-type zone receive at least 3 hours of direct sunlight between 9.00am and 3.00pm on 21 June. | | |
| PO 3.2 Overshadowing of the primary area of private open space or communal open space of adjacent residential land uses in: a. a neighbourhood type zone is minimised to maintain access to direct winter sunlight b. other zones is managed to enable access to direct winter sunlight. | DTS/DPF 3.2 Development maintains 2 hours of direct sunlight between 9.00 am and 3.00 pm on 21 June to adjacent residential land uses in a neighbourhood-type zone in accordance with the following: a. for ground level private open space, the smaller of the following: i. half the existing ground level open space or ii. 35m2 of the existing ground level open space (with at least one of the area's dimensions measuring 2.5m) b. for ground level communal open space, at least half of the existing ground level open space. | | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|---|--|
| | |
| PO 3.3 | DTS/DPF 3.3 |
| Development does not unduly reduce the generating capacity of adjacent rooftop solar energy facilities taking into account: | None are applicable. |
| (a) the form of development contemplated in the zone (b) the orientation of the solar energy facilities (c) the extent to which the solar energy facilities are already overshadowed. | |
| PO 3.4 | DTS/DPF 3.4 |
| Development that incorporates moving parts, including windmills and wind farms, are located and operated to not cause unreasonable nuisance to nearby dwellings and tourist accommodation caused by shadow flicker. | None are applicable. |
| Activities Generating Noise or Vibration | |
| PO 4.1 | DTS/DPF 4.1 |
| Development that emits noise (other than music) does not unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers). | Noise that affects sensitive receivers achieves the relevant Environment Protection (Noise) Policy criteria. |
| PO 4.2 | DTS/DPF 4.2 |
| Areas for the on-site manoeuvring of service and delivery vehicles, plant and equipment, outdoor work spaces (and the like) are designed and sited to not unreasonably impact the amenity of adjacent sensitive receivers (or lawfully approved sensitive receivers) and zones primarily intended to accommodate sensitive receivers due to noise and vibration by adopting techniques including: (a) locating openings of buildings and associated services away from the interface with the adjacent sensitive receivers and zones primarily intended to accommodate sensitive receivers and zones primarily intended to accommodate sensitive receivers (b) when sited outdoors, locating such areas as far as practicable from adjacent sensitive receivers and zones primarily intended to accommodate sensitive receivers (c) housing plant and equipment within an enclosed structure or acoustic enclosure (d) providing a suitable acoustic barrier between the plant and / or equipment and the adjacent sensitive receiver boundary or zone. | None are applicable. |
| PO 4.3 | DTS/DPF 4.3 |
| Fixed plant and equipment in the form of pumps and/or filtration systems for a swimming pool or spa are positioned and/or housed to not cause unreasonable noise nuisance to adjacent sensitive receivers (or lawfully approved sensitive receivers). | The pump and/or filtration system ancillary to a dwelling erected on the same site is: (a) enclosed in a solid acoustic structure located at least 5m from the nearest habitable room located on an adjoining allotment or (b) located at least 12m from the nearest habitable room located on an adjoining allotment. |
| | (b) located at least 12m from the nearest habitable room located on an adjoining allotment. |
| PO 4.4 External noise into bedrooms is minimised by separating or shielding these rooms from service equipment areas and fixed noise sources located on the same or an adjoining allotment. | DTS/DPF 4.4 Adjacent land is used for residential purposes. |
| PO 4.5 | DTS/DPF 4.5 |
| Outdoor areas associated with licensed premises (such as beer gardens or dining areas) are designed and/or sited to not cause unreasonable noise impact on existing adjacent sensitive receivers (or lawfully approved sensitive receivers). | None are applicable. |
| PO 4.6 | DTS/DPF 4.6 |
| Development incorporating music achieves suitable acoustic amenity when measured at the boundary of an adjacent sensitive receiver (or lawfully approved sensitive receiver) or zone primarily intended to accommodate sensitive receivers. | Development incorporating music includes noise attenuation measures that will achieve the following noise levels: |
| | Assessment location Music noise level |
| I | |

P&D Code (in effect) - Version 2023.13 - 31/08/2023

| PO 5.1 | D15/DPF 5.1 |
|--|---|
| Development with the potential to emit harmful or nuisance-generating air pollution incorporates air pollution control measures to prevent harm to human health or unreasonably impact the amenity of sensitive receivers (or lawfully approved sensitive receivers) within the locality and zones primarily intended to accommodate | None are applicable. |
| sensitive receivers. | |
| PO 5.2 | DTS/DPF 5.2 |
| Development that includes chimneys or exhaust flues (including cafes, restaurants and fast food outlets) is designed to minimise nuisance or adverse health impacts to sensitive receivers (or lawfully approved sensitive receivers) by: | None are applicable. |
| (a) incorporating appropriate treatment technology before exhaust emissions are released (b) locating and designing chimneys or exhaust flues to maximise the dispersion of exhaust emissions, taking into account the location of sensitive receivers. | |
| Light Spill | |
| PO 6.1 | DTS/DPF 6.1 |
| External lighting is positioned and designed to not cause unreasonable light spill impact on adjacent sensitive receivers (or lawfully approved sensitive receivers). | None are applicable. |
| PO 6.2 | DTS/DPF 6.2 |
| External lighting is not hazardous to motorists and cyclists. | None are applicable. |
| Solar Reflectivity / Glare | |
| PO 7.1 | DTS/DPF 7.1 |
| Development is designed and comprised of materials and finishes that do not unreasonably cause a distraction to adjacent road users and pedestrian areas or unreasonably cause heat loading and micro-climatic impacts on adjacent buildings and land uses as a result of reflective solar glare. | None are applicable. |
| Electrical Interference | |
| PO 8.1 | DTS/DPF 8.1 |
| Development in rural and remote areas does not unreasonably diminish or result in the loss of existing communication services due to electrical interference. | The building or structure: |
| | (a) is no greater than 10m in height, measured from existing ground level or (b) is not within a line of sight between a fixed transmitter and fixed receiver (antenna) other than where an alternative service is available via a different fixed transmitter or cable. |
| Interface with Rural Activities | |
| PO 9.1 | DTS/DPF 9.1 |
| Sensitive receivers are located and designed to mitigate impacts from lawfully existing horticultural and farming activities (or lawfully approved horticultural and farming activities), including spray drift and noise and do not prejudice the continued operation of these activities. | None are applicable. |
| PO 9.2 | DTS/DPF 9.2 |
| Sensitive receivers are located and designed to mitigate potential impacts from | None are applicable. |

| Policy24 lawfully existing intensive animal husbandry activities and do not prejudice the continued operation of these activities. | P&D Code (in effect) - Version 2023.13 - 31/08/202 |
|---|---|
| PO 9.3 Sensitive receivers are located and designed to mitigate potential impacts from lawfully existing land-based aquaculture activities and do not prejudice the continued operation of these activities. | DTS/DPF 9.3 Sensitive receivers are located at least 200m from the boundary of a site used for land-based aquaculture and associated components in other ownership. |
| PO 9.4 Sensitive receivers are located and designed to mitigate potential impacts from awfully existing dairies including associated wastewater lagoons and liquid/solid waste storage and disposal facilities and do not prejudice the continued operation of hese activities. | DTS/DPF 9.4 Sensitive receivers are sited at least 500m from the boundary of a site used for a dairy and associated wastewater lagoon(s) and liquid/solid waste storage and disposal facilities in other ownership. |
| PO 9.5 Sensitive receivers are located and designed to mitigate the potential impacts from lawfully existing facilities used for the handling, transportation and storage of bulk commodities (recognising the potential for extended hours of operation) and do not prejudice the continued operation of these activities. | DTS/DPF 9.5 Sensitive receivers are located away from the boundary of a site used for the handling, transportation and/or storage of bulk commodities in other ownership in accordance with the following: (a) 300m or more, where it involves the handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals to or from any commercial storage facility (b) 300m or more, where it involves the handling of agricultural crop products, rock, ores, minerals, petroleum products or chemicals at a wharf or wharf side facility (including sea-port grain terminals) where the handling of these materials into or from vessels does not exceed 100 tonnes per day (c) 500m or more, where it involves the storage of bulk petroleum in individual containers with a capacity up to 200 litres and a total on-site storage capacity not exceeding 1000 cubic metres (d) 500m or more, where it involves the handling of coal with a capacity up to 1 tonne per day or a storage capacity up to 50 tonnes (e) 1000m or more, where it involves the handling of coal with a capacity exceeding 1 tonne per day but not exceeding 100 tonnes per day or a storage capacity exceeding 500 tonnes. |
| PO 9.6 Setbacks and vegetation plantings along allotment boundaries should be incorporated to mitigate the potential impacts of spray drift and other impacts associated with agricultural and horticultural activities. | DTS/DPF 9.6 None are applicable. |
| PO 9.7 Urban development does not prejudice existing agricultural and horticultural activities through appropriate separation and design techniques. | DTS/DPF 9.7 None are applicable. |
| nterface with Mines and Quarries (Rural and Remote Areas) | |
| PO 10.1 Sensitive receivers are separated from existing mines to minimise the adverse mpacts from noise, dust and vibration. | DTS/DPF 10.1 Sensitive receivers are located no closer than 500m from the boundary of a Mining Production Tenement under the <i>Mining Act 1971</i> . |

Land Division

Assessment Provisions (AP)

Desired Outcome (DO)

| | Desired Outcome | | |
|------|-----------------|--|--|
| DO 1 | Land division: | | |
| | - | | |

- (d) facilitates solar access through allotment orientation
- (e) creates a compact urban form that supports active travel, walkability and the use of public transport
- (f) avoids areas of high natural hazard risk.

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|--|---|
| All land division | |
| Allotment configuration | |
| PO 1.1 Land division creates allotments suitable for their intended use. | DTS/DPF 1.1 Division of land satisfies (a) or (b): |
| | (a) reflects the site boundaries illustrated and approved in an operative or existing development authorisation for residential development under the <i>Development Act 1993</i> or <i>Planning</i>, <i>Development and Infrastructure Act 2016</i> where the allotments are used or are proposed to be used solely for residential purposes (b) is proposed as part of a combined land division application with deemed-to-satisfy dwellings on the proposed allotments. |
| PO 1.2 | DTS/DPF 1.2 |
| Land division considers the physical characteristics of the land, preservation of environmental and cultural features of value and the prevailing context of the locality. | None are applicable. |
| Design and Layout | |
| PO 2.1 | DTS/DPF 2.1 |
| Land division results in a pattern of development that minimises the likelihood of future earthworks and retaining walls. | None are applicable. |
| PO 2.2 | DTS/DPF 2.2 |
| Land division enables the appropriate management of interface impacts between potentially conflicting land uses and/or zones. | None are applicable. |
| PO 2.3 | DTS/DPF 2.3 |
| Land division maximises the number of allotments that face public open space and public streets. | None are applicable. |
| PO 2.4 | DTS/DPF 2.4 |
| Land division is integrated with site features, adjacent land uses, the existing transport network and available infrastructure. | None are applicable. |
| PO 2.5 | DTS/DPF 2.5 |
| Development and infrastructure is provided and staged in a manner that supports an orderly and economic provision of land, infrastructure and services. | None are applicable. |
| PO 2.6 | DTS/DPF 2.6 |
| Land division results in watercourses being retained within open space and development taking place on land not subject to flooding. | None are applicable. |
| PO 2.7 | DTS/DPF 2.7 |
| Land division results in legible street patterns connected to the surrounding street | None are applicable. |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/20 |
|---|---|
| network. | |
| PO 2.8 | DTS/DPF 2.8 |
| Land division is designed to preserve existing vegetation of value including native vegetation and regulated and significant trees. | None are applicable. |
| Roads and Access | |
| PO 3.1 | DTS/DPF 3.1 |
| Land division provides allotments with access to an all-weather public road. | None are applicable. |
| PO 3.2 | DTS/DPF 3.2 |
| Street patterns and intersections are designed to enable the safe and efficient movement of pedestrian, cycle and vehicular traffic. | None are applicable. |
| PO 3.3 | DTS/DPF 3.3 |
| Land division does not impede access to publicly owned open space and/or recreation facilities. | None are applicable. |
| PO 3.4 | DTS/DPF 3.4 |
| Road reserves provide for safe and convenient movement and parking of projected volumes of vehicles and allow for the efficient movement of service and emergency vehicles. | None are applicable. |
| PO 3.5 | DTS/DPF 3.5 |
| Road reserves are designed to accommodate pedestrian and cycling infrastructure, street tree planting, landscaping and street furniture. | None are applicable. |
| PO 3.6 | DTS/DPF 3.6 |
| Road reserves accommodate stormwater drainage and public utilities. | None are applicable. |
| PO 3.7 | DTS/DPF 3.7 |
| Road reserves provide unobstructed vehicular access and egress to and from individual allotments and sites. | None are applicable. |
| PO 3.8 | DTS/DPF 3.8 |
| Roads, open space and thoroughfares provide safe and convenient linkages to the surrounding open space and transport network. | None are applicable. |
| PO 3.9 | DTS/DPF 3.9 |
| Public streets are designed to enable tree planting to provide shade and enhance the amenity of streetscapes. | None are applicable. |
| PO 3.10 | DTS/DPF 3.10 |
| Local streets are designed to create low-speed environments that are safe for cyclists and pedestrians. | None are applicable. |
| infrastructure | · |
| PO 4.1 | DTS/DPF 4.1 |
| Land division incorporates public utility services within road reserves or dedicated | None are applicable. |

| | P&D Code (in effect) - Version 2023.13 - 31/08/202 |
|--|--|
| easements. | |
| PO 4.2 Waste water, sewage and other effluent is capable of being disposed of from each allotment without risk to public health or the environment. | DTS/DPF 4.2 Each allotment can be connected to: (a) a waste water treatment plant that has the hydraulic volume and pollutant load treatment and disposal capacity for the maximum predicted wastewater volume generated by subsequent development of the proposed allotment or (b) a form of on-site waste water treatment and disposal that meets relevant public health and environmental standards. |
| PO 4.3 Septic tank effluent drainage fields and other waste water disposal areas are maintained to ensure the effective operation of waste systems and minimise risks to human health and the environment. | DTS/DPF 4.3 Development is not built on, or encroaches within, an area that is or will be, required for a sewerage system or waste control system. |
| PO 4.4 Constructed wetland systems, including associated detention and retention basins, are sited and designed to ensure public health and safety is protected, including by minimising potential public health risks arising from the breeding of mosquitoes. | DTS/DPF 4.4 None are applicable. |
| PO 4.5 Constructed wetland systems, including associated detention and retention basins, are sited and designed to allow sediments to settle prior to discharge into watercourses or the marine environment. | DTS/DPF 4.5 None are applicable. |
| PO 4.6 Constructed wetland systems, including associated detention and retention basins, are sited and designed to function as a landscape feature. | DTS/DPF 4.6 None are applicable. |
| Minor Land Division (Under 20 Allotments) | |
| Dpm Space | |
| PO 5.1 Land division proposing an additional allotment under 1 hectare provides or supports the provision of open space. | DTS/DPF 5.1 None are applicable. |
| Solar Orientation | Γ |
| PO 6.1 Land division for residential purposes facilitates solar access through allotment orientation. | DTS/DPF 6.1 None are applicable. |
| Water Sensitive Design | 1 |
| PO 7.1 Land division creating a new road or common driveway includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. | DTS/DPF 7.1 None are applicable. |
| PO 7.2 Land division designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not | DTS/DPF 7.2 None are applicable. |

| Policy24 Battle-Axe Development | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|---|
| PO 8.1 | DTS/DPF 8.1 |
| Battle-axe development appropriately responds to the existing neighbourhood context. | Allotments are not in the form of a battle-axe arrangement. |
| PO 8.2 | DTS/DPF 8.2 |
| Battle-axe development designed to allow safe and convenient movement. | The handle of a battle-axe development: |
| | (a) has a minimum width of 4m or |
| | (b) where more than 3 allotments are proposed, a minimum width of 5.5m. |
| PO 8.3 | DTS/DPF 8.3 |
| Battle-axe allotments and/or common land are of a suitable size and dimension to allow passenger vehicles to enter and exit and manoeuvre within the site in a safe and convenient manner. | Battle-axe development allows a B85 passenger vehicle to enter and exit parking spaces in no more than a three-point turn manoeuvre. |
| PO 8.4 | DTS/DPF 8.4 |
| Battle-axe or common driveways incorporate landscaping and permeability to improve appearance and assist in stormwater management. | Battle-axe or common driveways satisfy (a) and (b): |
| | (a) are constructed of a minimum of 50% permeable or porous material (b) where the driveway is located directly adjacent the side or rear boundary of the site, soft landscaping with a minimum dimension of 1m is provided between the driveway and site boundary (excluding along the perimeter of a passing point). |
| Major Land Division (20+ Allotments) | |
| Open Space | |
| PO 9.1 | DTS/DPF 9.1 |
| Land division allocates or retains evenly distributed, high quality areas of open space to improve residential amenity and provide urban heat amelioration. | None are applicable. |
| PO 9.2 | DTS/DPF 9.2 |
| Land allocated for open space is suitable for its intended active and passive recreational use considering gradient and potential for inundation. | None are applicable. |
| PO 9.3 | DTS/DPF 9.3 |
| Land allocated for active recreation has dimensions capable of accommodating a range of active recreational activities. | None are applicable. |
| Water Sensitive Design | |
| PO 10.1 | DTS/DPF 10.1 |
| Land division creating 20 or more allotments includes a stormwater management system designed to mitigate peak flows and manage the rate and duration of stormwater discharges from the site to ensure that the development does not increase the peak flows in downstream systems. | None are applicable. |
| PO 10.2 | DTS/DPF 10.2 |
| Land division creating 20 or more allotments includes stormwater management systems that minimise the discharge of sediment, suspended solids, organic matter, nutrients, bacteria, litter and other contaminants to the stormwater system, watercourses or other water bodies. | None are applicable. |
| Solar Orientation | |

| PO 11.1 | DTS/DPF 11.1 |
|--|----------------------|
| Land division creating 20 or more allotments for residential purposes facilitates solar access through allotment orientation and allotment dimensions. | None are applicable. |

Marinas and On-Water Structures

Assessment Provisions (AP)

Desired Outcome (DO)

| Desired Outcome | |
|---|--|
| Marinas and on-water structures are located and designed to minimise the impairment of commercial, recreational and navigational activities and adverse impacts on the environment. | |

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|---|--|
| Navigation and Safety | |
| PO 1.1 Safe public access is provided or maintained to the waterfront, public infrastructure and recreation areas. | DTS/DPF 1.1 None are applicable. |
| PO 1.2 The operation of wharves is not impaired by marinas and on-water structures. | DTS/DPF 1.2 None are applicable. |
| PO 1.3 Navigation and access channels are not impaired by marinas and on-water structures. | DTS/DPF 1.3 None are applicable. |
| PO 1.4 Commercial shipping lanes are not impaired by marinas and on-water structures. | DTS/DPF 1.4 Marinas and on-water structures are set back 250m or more from commercial shipping lanes. |
| PO 1.5 Marinas and on-water structures are located to avoid interfering with the operation or function of a water supply pumping station. | DTS/DPF 1.5 On-water structures are set back: (a) 3km or more from upstream water supply pumping station take-off points (b) 500m or more from downstream water supply pumping station take-off points. |
| PO 1.6 Maintenance of on-water infrastructure, including revetment walls, is not impaired by marinas and on-water structures. | DTS/DPF 1.6 None are applicable. |
| Environmental Protection | |
| PO 2.1 Development is sited and designed to facilitate water circulation and exchange. | DTS/DPF 2.1 None are applicable. |

Open Space and Recreation

Assessment Provisions (AP)

Desired Outcome (DO)

| Desired Outcome | | |
|-----------------|--|--|
| DO 1 | Pleasant, functional and accessible open space and recreation facilities are provided at State, regional, district, neighbourhood and local levels for active and passive recreation, biodiversity, community health, urban cooling, tree canopy cover, visual amenity, gathering spaces, wildlife and waterway corridors, and a range of other functions and at a range of sizes that reflect the purpose of that open space. | |

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|--|--|
| Land Use and Intensity | |
| PO 1.1 | DTS/DPF 1.1 |
| Recreation facilities are compatible with surrounding land uses and activities. | None are applicable. |
| PO 1.2 | DTS/DPF 1.2 |
| Open space areas include natural or landscaped areas using locally indigenous plant species and large trees. | None are applicable. |
| Design and Siting | |
| PO 2.1 | DTS/DPF 2.1 |
| Open space and recreation facilities address adjacent public roads to optimise pedestrian access and visibility. | None are applicable. |
| PO 2.2 | DTS/DPF 2.2 |
| Open space and recreation facilities incorporate park furniture, shaded areas and resting places. | None are applicable. |
| PO 2.3 | DTS/DPF 2.3 |
| Open space and recreation facilities link habitats, wildlife corridors and existing open spaces and recreation facilities. | None are applicable. |
| Pedestrians and Cyclists | |
| PO 3.1 | DTS/DPF 3.1 |
| Open space incorporates: | None are applicable. |
| (a) pedestrian and cycle linkages to other open spaces, centres, schools and public transport nodes; | |
| (b) safe crossing points where pedestrian routes intersect the road network; (c) easily identified access points. | |
| Usability | 1 |
| PO 4.1 | DTS/DPF 4.1 |
| Land allocated for open space is suitable for its intended active and passive recreational use taking into consideration its gradient and potential for inundation. | None are applicable. |

Policy24

| Safety and Security | |
|--|-------------------------------------|
| PO 5.1 Open space is overlooked by housing, commercial or other development to provide casual surveillance where possible. | DTS/DPF 5.1 None are applicable. |
| PO 5.2 Play equipment is located to maximise opportunities for passive surveillance. | DTS/DPF 5.2 None are applicable. |
| PO 5.3 Landscaping provided in open space and recreation facilities maximises opportunities for casual surveillance throughout the park. | DTS/DPF 5.3 None are applicable. |
| PO 5.4 Fenced parks and playgrounds have more than one entrance or exit to minimise potential entrapment. | DTS/DPF 5.4 None are applicable. |
| PO 5.5 Adequate lighting is provided around toilets, telephones, seating, litter bins, bicycle storage, car parks and other such facilities. | DTS/DPF 5.5 None are applicable. |
| PO 5.6 Pedestrian and bicycle movement after dark is focused along clearly defined, adequately lit routes with observable entries and exits. | DTS/DPF 5.6 None are applicable. |
| Signage | |
| PO 6.1 Signage is provided at entrances to and within the open space and recreation facilities to provide clear orientation to major points of interest such as the location of public toilets, telephones, safe routes, park activities and the like. | DTS/DPF 6.1 None are applicable. |
| Buildings and Structures | |
| PO 7.1 Buildings and car parking areas in open space areas are designed, located and of a scale to be unobtrusive. | DTS/DPF 7.1 None are applicable. |
| PO 7.2 Buildings and structures in open space areas are clustered where practical to ensure that the majority of the site remains open. | DTS/DPF 7.2 None are applicable. |
| PO 7.3 Development in open space is constructed to minimise the extent of impervious surfaces. | DTS/DPF 7.3 None are applicable. |
| PO 7.4 Development that abuts or includes a coastal reserve or Crown land used for scenic, conservation or recreational purposes is located and designed to have regard to the purpose, management and amenity of the reserve. | DTS/DPF 7.4 None are applicable. |
| Landscaping | |

T

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|---|
| PO 8.1 | DTS/DPF 8.1 |
| Open space and recreation facilities provide for the planting and retention of large trees and vegetation. | None are applicable. |
| PO 8.2 | DTS/DPF 8.2 |
| Landscaping in open space and recreation facilities provides shade and windbreaks: | None are applicable. |
| (a) along cyclist and pedestrian routes; (b) around picnic and barbecue areas; (c) in car parking areas. | |
| PO 8.3 | DTS/DPF 8.3 |
| Landscaping in open space facilitates habitat for local fauna and facilitates biodiversity. | None are applicable. |
| PO 8.4 | DTS/DPF 8.4 |
| Landscaping including trees and other vegetation passively watered with local rainfall run-off, where practicable. | None are applicable. |

Out of Activity Centre Development

Assessment Provisions (AP)

Desired Outcome (DO)

| | | Desired Outcome |
|-----|--|--|
| D01 | | The role of Activity Centres in contributing to the form and pattern of development and enabling equitable and convenient access to a range of shopping, administrative, cultural, entertainment |
| | | and other facilities in a single trip is maintained and reinforced. |

Performance Outcomes and Deemed to Satisfy / Designated Performance Outcome Criteria

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|--|--|
| PO 1.1 | DTS/DPF 1.1 |
| Non-residential development outside Activity Centres of a scale and type that does not diminish the role of Activity Centres: (a) as primary locations for shopping, administrative, cultural, entertainment and community services (b) as a focus for regular social and business gatherings (c) in contributing to or maintaining a pattern of development that supports equitable community access to services and facilities. | None are applicable. |
| PO 1.2 Out-of-activity centre non-residential development complements Activity Centres through the provision of services and facilities: (a) that support the needs of local residents and workers, particularly in underserviced locations at the edge of Activities Centres where they cannot readily be accommodated within an existing Activity Centre to expand the range of services on offer and support the role of the Activity Centre. | DTS/DPF 1.2 None are applicable. |

Resource Extraction

Assessment Provisions (AP)

Desired Outcome (DO)

| Desired Outcome | |
|-----------------|--|
| DO 1 | Resource extraction activities are developed in a manner that minimises human and environmental impacts. |

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature | |
|---|--|--|
| Land Use and Intensity | | |
| PO 1.1 | DTS/DPF 1.1 | |
| Resource extraction activities minimise landscape damage outside of those areas unavoidably disturbed to access and exploit a resource and provide for the progressive reclamation and betterment of disturbed areas. | None are applicable. | |
| PO 1.2 | DTS/DPF 1.2 | |
| Resource extraction activities avoid damage to cultural sites or artefacts. | None are applicable. | |
| Water Quality | | |
| PO 2.1 | DTS/DPF 2.1 | |
| Stormwater and/or wastewater from resource extraction activities is diverted into appropriately sized treatment and retention systems to enable reuse on site. | None are applicable. | |
| Separation Treatments, Buffers and Landscaping | | |
| PO 3.1 Resource extraction activities minimise adverse impacts upon sensitive receivers through incorporation of separation distances and/or mounding/vegetation. | DTS/DPF 3.1 None are applicable. | |
| PO 3.2 Resource extraction activities are screened from view from adjacent land by perimeter landscaping and/or mounding. | DTS/DPF 3.2 None are applicable. | |

Site Contamination

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome

DO 1 Ensure land is suitable for the proposed use in circumstances where it is, or may have been, subject to site contamination.

Performance Outcomes (PO) and Deemed-to-Satisfy (DTS) Criteria / Designated Performance Feature (DPF)

Deemed-to-Satisfy Criteria / Designated

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|--|
| | Performance Feature |
| PO 1.1 | DTS/DPF 1.1 |
| Ensure land is suitable for use when land use changes to a more sensitive use. | Development satisfies (a), (b), (c) or (d): (a) does not involve a change in the use of land (b) involves a change in the use of land that does not constitute a change to a more sensitive use (c) involves a change in the use of land to a more sensitive use on land at which site contamination is unlikely to exist (as demonstrated in a site contamination declaration form) (d) involves a change in the use of land to a more sensitive use on land at which site contamination exists, or may exist (as demonstrated in a site contamination declaration form), and satisfies both of the following: (i) a site contamination audit report has been prepared under Part 10A of the <i>Environment Protection Act 1993</i> in relation to the land within the previous 5 years which states that-A. site contamination does not exist (or no longer exists) at the land or B. the land is suitable for the proposed use or range of uses (without the need for any further remediation) or C. where remediation is, or remains, necessary for the proposed use (or range of uses), remediation work has been carried out or will be carried out (and the applicant has provided a written undertaking that the remediation works will be implemented in association with the development) |

Tourism Development

Assessment Provisions (AP)

Desired Outcome (DO)

Desired Outcome

DO 1 Tourism development is built in locations that cater to the needs of visitors and positively contributes to South Australia's visitor economy.

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|--|--|
| General | |
| PO 1.1 | DTS/DPF 1.1 |
| Tourism development complements and contributes to local, natural, cultural or historical context where: | None are applicable. |
| (a) it supports immersive natural experiences (b) it showcases South Australia's landscapes and produce (c) its events and functions are connected to local food, wine and nature. | |
| PO 1.2 | DTS/DPF 1.2 |
| Tourism development comprising multiple accommodation units (including any facilities and activities for use by guests and visitors) is clustered to minimise environmental and contextual impact. | None are applicable. |
| Caravan and Tourist Parks | |
| PO 2.1 | DTS/DPF 2.1 |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|---|
| Potential conflicts between long-term residents and short-term tourists are minimised through suitable siting and design measures. | None are applicable. |
| PO 2.2 | DTS/DPF 2.2 |
| Occupants are provided privacy and amenity through landscaping and fencing. | None are applicable. |
| PO 2.3 | DTS/DPF 2.3 |
| Communal open space and centrally located recreation facilities are provided for guests and visitors. | 12.5% or more of a caravan park comprises clearly defined communal open space, landscaped areas and areas for recreation. |
| PO 2.4 | DTS/DPF 2.4 |
| Perimeter landscaping is used to enhance the amenity of the locality. | None are applicable. |
| PO 2.5 | DTS/DPF 2.5 |
| Amenity blocks (showers, toilets, laundry and kitchen facilities) are sufficient to serve the full occupancy of the development. | None are applicable. |
| PO 2.6 | DTS/DPF 2.6 |
| Long-term occupation does not displace tourist accommodation, particularly in important tourist destinations such as coastal and riverine locations. | None are applicable. |
| Tourist accommodation in areas constituted under the National Parks and Wildlife Act 1972 | |
| PO 3.1 | DTS/DPF 3.1 |
| Tourist accommodation avoids delicate or environmentally sensitive areas such as sand dunes, cliff tops, estuaries, wetlands or substantially intact strata of native vegetation (including regenerated areas of native vegetation lost through bushfire). | None are applicable. |
| PO 3.2 | DTS/DPF 3.2 |
| Tourist accommodation is sited and designed in a manner that is subservient to the natural environment and where adverse impacts on natural features, landscapes, habitats and cultural assets are avoided. | None are applicable. |
| PO 3.3 | DTS/DPF 3.3 |
| Tourist accommodation and recreational facilities, including associated access ways and ancillary structures, are located on cleared (other than where cleared as a result of bushfire) or degraded areas or where environmental improvements can be achieved. | None are applicable. |
| PO 3.4 | DTS/DPF 3.4 |
| Tourist accommodation is designed to prevent conversion to private dwellings through: | None are applicable. |
| (a) comprising a minimum of 10 accommodation units (b) clustering separated individual accommodation units (c) being of a size unsuitable for a private dwelling (d) ensuring functional areas that are generally associated with a private dwelling such as kitchens and laundries are excluded form, or physically separated from individual accommodation units, or are of a size unsuitable for a private dwelling. | |

Transport, Access and Parking

Assessment Provisions (AP)

Desired Outcome (DO)

| | Desired Outcome |
|------|--|
| DO 1 | A comprehensive, integrated and connected transport system that is safe, sustainable, efficient, convenient and accessible to all users. |

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|---|--|
| Movement Systems | _ |
| PO 1.1 | DTS/DPF 1.1 |
| Development is integrated with the existing transport system and designed to minimise its potential impact on the functional performance of the transport system. | None are applicable. |
| PO 1.2 | DTS/DPF 1.2 |
| Development is designed to discourage commercial and industrial vehicle movements through residential streets and adjacent other sensitive receivers. | None are applicable. |
| PO 1.3 Industrial, commercial and service vehicle movements, loading areas and designated parking spaces are separated from passenger vehicle car parking areas to ensure efficient and safe movement and minimise potential conflict. | DTS/DPF 1.3 None are applicable. |
| PO 1.4 Development is sited and designed so that loading, unloading and turning of all traffic avoids interrupting the operation of and queuing on public roads and pedestrian paths. | DTS/DPF 1.4 All vehicle manoeuvring occurs onsite. |
| Sightlines | |
| PO 2.1 Sightlines at intersections, pedestrian and cycle crossings, and crossovers to allotments for motorists, cyclists and pedestrians are maintained or enhanced to ensure safety for all road users and pedestrians. | DTS/DPF 2.1 None are applicable. |
| PO 2.2 Walls, fencing and landscaping adjacent to driveways and corner sites are designed to provide adequate sightlines between vehicles and pedestrians. | DTS/DPF 2.2 None are applicable. |
| Vehicle Access | |
| PO 3.1 Safe and convenient access minimises impact or interruption on the operation of public roads. | DTS/DPF 3.1 The access is: (a) provided via a lawfully existing or authorised driveway or access point or an access point for which consent has been granted as part of an application for the division of land or (b) not located within 6m of an intersection of 2 or more roads or a pedestrian activated crossing. |
| PO 3.2 | DTS/DPF 3.2 |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|---|--|
| Development incorporating vehicular access ramps ensures vehicles can enter and exit a site safely and without creating a hazard to pedestrians and other vehicular traffic. | None are applicable. |
| PO 3.3 Access points are sited and designed to accommodate the type and volume of traffic likely to be generated by the development or land use. | DTS/DPF 3.3 None are applicable. |
| PO 3.4 Access points are sited and designed to minimise any adverse impacts on neighbouring properties. | DTS/DPF 3.4 None are applicable. |
| PO 3.5 Access points are located so as not to interfere with street trees, existing street furniture (including directional signs, lighting, seating and weather shelters) or infrastructure services to maintain the appearance of the streetscape, preserve local amenity and minimise disruption to utility infrastructure assets. | DTS/DPF 3.5 Vehicle access to designated car parking spaces satisfy (a) or (b): (a) is provided via a lawfully existing or authorised access point or an access point for which consent has been granted as part of an application for the division of land (b) where newly proposed, is set back: (i) 0.5m or more from any street furniture, street pole, infrastructure services pit, or other stormwater or utility infrastructure unless consent is provided from the asset owner (ii) 2m or more from the base of the trunk of a street tree unless consent is provided from the tree owner for a lesser distance (iii) 6m or more from the tangent point of an intersection of 2 or more roads (iv) outside of the marked lines or infrastructure dedicating a pedestrian crossing. |
| PO 3.6 Driveways and access points are separated and minimised in number to optimise the provision of on-street visitor parking (where on-street parking is appropriate). | DTS/DPF 3.6 Driveways and access points: (a) for sites with a frontage to a public road of 20m or less, one access point no greater than 3.5m in width is provided (b) for sites with a frontage to a public road greater than 20m: (i) a single access point no greater than 6m in width is provided or (ii) not more than two access points with a width of 3.5m each are provided. |
| PO 3.7 Access points are appropriately separated from level crossings to avoid interference and ensure their safe ongoing operation. | DTS/DPF 3.7 Development does not involve a new or modified access or cause an increase in traffic through an existing access that is located within the following distance from a railway crossing: (a) 80 km/h road - 110m (b) 70 km/h road - 90m (c) 60 km/h road - 70m (d) 50km/h or less road - 50m. |
| PO 3.8 Driveways, access points, access tracks and parking areas are designed and constructed to allow adequate movement and manoeuvrability having regard to the types of vehicles that are reasonably anticipated. | DTS/DPF 3.8 None are applicable. |
| PO 3.9 Development is designed to ensure vehicle circulation between activity areas occurs within the site without the need to use public roads. | DTS/DPF 3.9 None are applicable. |
| Access for People with Disabilities | |
| PO 4.1 Development is sited and designed to provide safe, dignified and convenient access for people with a disability. | DTS/DPF 4.1 None are applicable. |
| Vehicle Parking Rates | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|---|---|
| PO 5.1 | DTS/DPF 5.1 |
| Sufficient on-site vehicle parking and specifically marked accessible car parking places are provided to meet the needs of the development or land use having regard to factors that may support a reduced on-site rate such as: (a) availability of on-street car parking (b) shared use of other parking areas (c) in relation to a mixed-use development, where the hours of operation of commercial activities complement the residential use of the site, the provision of vehicle parking may be shared (d) the adaptive reuse of a State or Local Heritage Place. | Development provides a number of car parking spaces on-site at a rate no less than the amount calculated using one of the following, whichever is relevant: (a) Transport, Access and Parking Table 2 - Off-Street Vehicle Parking Requirements in Designated Areas if the development is a class of development listed in Table 2 and the site is in a Designated Area (b) Transport, Access and Parking Table 1 - General Off-Street Car Parking Requirements where (a) does not apply (c) if located in an area where a lawfully established carparking fund operates, the number of spaces calculated under (a) or (b) less the number of spaces offset by contribution to the fund. |
| Vehicle Parking Areas | |
| PO 6.1 Vehicle parking areas are sited and designed to minimise impact on the operation of public roads by avoiding the use of public roads when moving from one part of a parking area to another. | DTS/DPF 6.1 Movement between vehicle parking areas within the site can occur without the need to use a public road. |
| PO 6.2 Vehicle parking areas are appropriately located, designed and constructed to minimise impacts on adjacent sensitive receivers through measures such as ensuring they are attractively developed and landscaped, screen fenced, and the like. | DTS/DPF 6.2 None are applicable. |
| PO 6.3 Vehicle parking areas are designed to provide opportunity for integration and shared-use of adjacent car parking areas to reduce the total extent of vehicle parking areas and access points. | DTS/DPF 6.3 None are applicable. |
| PO 6.4 Pedestrian linkages between parking areas and the development are provided and are safe and convenient. | DTS/DPF 6.4 None are applicable. |
| PO 6.5 Vehicle parking areas that are likely to be used during non-daylight hours are provided with sufficient lighting to entry and exit points to ensure clear visibility to users. | DTS/DPF 6.5 None are applicable. |
| PO 6.6 Loading areas and designated parking spaces for service vehicles are provided within the boundary of the site. | DTS/DPF 6.6 Loading areas and designated parking spaces are wholly located within the site. |
| PO 6.7 On-site visitor parking spaces are sited and designed to be accessible to all visitors at all times. | DTS/DPF 6.7 None are applicable. |
| Undercroft and Below Ground Garaging and Parking of Vehicles | · · · · · · · · · · · · · · · · · · · |
| PO 7.1 Undercroft and below ground garaging of vehicles is designed to enable safe entry and exit from the site without compromising pedestrian or cyclist safety or causing conflict with other vehicles. | DTS/DPF 7.1 None are applicable. |
| Internal Roads and Parking Areas in Residential Parks and Caravan and Tourist Parks | · · · · · · · · · · · · · · · · · · · |
| PO 8.1 | DTS/DPF 8.1 |

| Policy24 P&D Code (in effect) - Version 2023.13 - 31/08/2023 | | |
|--|--|--|
| Internal road and vehicle parking areas are surfaced to prevent dust becoming a nuisance to park residents and occupants. | None are applicable. | |
| PO 8.2 Traffic circulation and movement within the park is pedestrian friendly and promotes low speed vehicle movement. | DTS/DPF 8.2 None are applicable. | |
| Bicycle Parking in Designated Areas | | |
| PO 9.1 The provision of adequately sized on-site bicycle parking facilities encourages cycling as an active transport mode. | DTS/DPF 9.1 Areas and / or fixtures are provided for the parking and storage of bicycles at a rate not less than the amount calculated using Transport, Access and Parking Table 3 - Off Street Bicycle Parking Requirements. | |
| PO 9.2 Bicycle parking facilities provide for the secure storage and tethering of bicycles in a place where casual surveillance is possible, is well lit and signed for the safety and convenience of cyclists and deters property theft. | DTS/DPF 9.2 None are applicable. | |
| PO 9.3 Non-residential development incorporates end-of-journey facilities for employees such as showers, changing facilities and secure lockers, and signage indicating the location of the facilities to encourage cycling as a mode of journey-to-work transport. | DTS/DPF 9.3 None are applicable. | |
| Corner Cut-Offs | | |
| PO 10.1 Development is located and designed to ensure drivers can safely turn into and out of public road junctions. | DTS/DPF 10.1 Development does not involve building work, or building work is located wholly outside the land shown as Corner Cut-Off Area in the following diagram: | |
| Heavy Vehicle Parking | | |
| PO 11.1 Heavy vehicle parking and access is designed and sited so that the activity does not result in nuisance to adjoining neighbours as a result of dust, fumes, vibration, odour or potentially hazardous loads. | DTS/DPF 11.1 Heavy vehicle parking occurs in accordance with the following: (a) the site is not located within a Neighbourhood-type zone (except a Rural Living Zone) (b) the site is a minimum of 0.4 ha (c) where the site is 2 ha or more, no more than 2 vehicles exceeding 3,000 kilograms each (and trailers) are to be parked on the allotment at any time (d) where the site is between 0.4 ha and 2 ha, only one vehicle exceeding 3,000 kilograms (and one trailer) are to be parking on the allotment at any time (e) the vehicle parking area achieves the following setbacks: (i) behind the building line or 30m, whichever is greater (ii) 20m from the secondary street if it is a local road (iii) 10m from the secondary street if it is a local road (iv) 10m from side and rear boundaries (f) parking and access areas (including internal driveways) should be sealed or have a surface that can be treated and maintained to minimise dust and mud nuisance (g) does not include refrigerated trailers or vehicles (h) vehicles only enter and exit the property in accordance with the following hours: (i) Monday to Saturday 6:00am and 9:30pm (ii) Sunday and public holidays between 9:30 am and 7:00 pm | |
| | (i) the handling or trans-shipment of freight is not carried out on the property. | |
| | Drinted on 10/5/2022 | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|---|
| PO 11.2 | DTS/DPF 11.2 |
| Heavy vehicle parking ensures that vehicles can enter and exit a site safely and without creating a hazard to pedestrians and other vehicular traffic. | Heavy vehicles: (a) can enter and exit the site in a forward direction; and (b) operate within the statutory mass and dimension limited for General Access Vehicles (as prescribed by the National Heavy Vehicle Regulator). |
| PO 11.3 Heavy vehicle parking is screened through siting behind buildings, screening, landscaping or the like to obscure views from adjoining properties and public roads. | DTS/DPF 11.3 None are applicable. |

Table 1 - General Off-Street Car Parking Requirements

The following parking rates apply and if located in an area where a lawfully established carparking fund operates, the number of spaces is reduced by an amount equal to the number of spaces offset by contribution to the fund.

| Where a development comprises more than one development type, then the overall car parking rate will be taken to be the sum of the car parking rates for each development type. |
|--|
| |
| Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling. |
| Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered. |
| Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling. |
| Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered. |
| 0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings. Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling. |
| Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered. |
| 0.33 spaces per dwelling for visitor parking where development involves 3 or more dwellings. Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling. |
| Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered. |
| Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling. |
| Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling, 1 of which is to be covered. |
| Dwelling with 1 bedroom (including rooms capable of being used as a bedroom) - 1 space per dwelling. Dwelling with 2 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per |
| dwelling, 1 of which is to be covered. |
| |
| Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per dwelling. |
| Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling. |
| 0.2 spaces per dwelling for visitor parking. 0.3 spaces per bed. |
| |
| |
| No additional requirements beyond those associated with the main dwelling. Dwelling with 1 or 2 bedrooms (including rooms capable of being used as a bedroom) - 1 space per |
| dwelling. Dwelling with 3 or more bedrooms (including rooms capable of being used as a bedroom) - 2 spaces per dwelling. |
| |
| 0.2 spaces per dwelling for visitor parking. 0.3 spaces per bed. |
| 0.5 spaces per bed plus 0.2 spaces per bed for visitor parking. |
| Parks with 100 sites or less - a minimum of 1 space per 10 sites to be used for accommodation. |
| Parks with 100 sites or less - a minimum of 1 space per 10 sites to be used for accommodation. Parks with more than 100 sites - a minimum of 1 space per 15 sites used for accommodation. |
| |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|---|
| | A minimum of 1 space for every caravan (permanently fixed to the ground) or cabin. |
| Tourist accommodation other than a caravan and tourist park | 1 car parking space per accommodation unit / guest room. |
| Commercial Uses | |
| Auction room/ depot | 1 space per 100m2 of building floor area plus an additional 2 spaces. |
| Automotive collision repair | 3 spaces per service bay. |
| Motor repair station Office | 3 spaces per service bay. |
| | For a call centre, 8 spaces per 100m2 of gross leasable floor area |
| | In all other cases, 4 spaces per 100m2 of gross leasable floor area. |
| Retail fuel outlet Service trade premises | 3 spaces per 100m2 gross leasable floor area. 2.5 spaces per 100m2 of gross leasable floor area |
| | |
| Shop (no commercial kitchen) | 1 space per 100m2 of outdoor area used for display purposes. 5.5 spaces per 100m2 of gross leasable floor area where not located in an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared. |
| | 5 spaces per 100m2 of gross leasable floor area where located in an integrated complex containing two or more tenancies (and which may comprise more than one building) where facilities for off-street vehicle parking, vehicle loading and unloading, and the storage and collection of refuse are shared. |
| Shop (in the form of a bulky goods outlet) Shop (in the form of a restaurant or involving a commercial kitchen) | 2.5 spaces per 100m2 of gross leasable floor area. Premises with a dine-in service only (which may include a take-away component with no drive-through) - |
| | 0.4 spaces per seat. |
| | Premises with take-away service but with no seats - 12 spaces per 100m2 of total floor area plus a drive- through queue capacity of ten vehicles measured from the pick-up point. |
| | Premises with a dine-in and drive-through take-away service - 0.3 spaces per seat plus a drive through queue capacity of 10 vehicles measured from the pick-up point. |
| Community and Civic Uses | |
| Community facility | |
| | For a library, 4 spaces per 100m2 of total floor area. |
| | For a hall/meeting hall, 0.2 spaces per seat. |
| | In all other cases, 10 spaces per 100m2 of total floor area. |
| Educational facility | For a primary school - 1.1 space per full time equivalent employee plus 0.25 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site. |
| | For a secondary school - 1.1 per full time equivalent employee plus 0.1 spaces per student for a pickup/set down area either on-site or on the public realm within 300m of the site. |
| | For a tertiary institution - 0.4 per student based on the maximum number of students on the site at any time. |
| Place of worship | 1 space for every 3 visitor seats. |
| Child care facility | For a child care centre, 0.25 spaces per child |
| | In all other cases, 1 per employee plus 0.25 per child (drop off/pick up bays). |
| Health Related Uses | |
| Consulting room | 4 spaces per consulting room excluding ancillary facilities. |
| Hospital | 4.5 spaces per bed for a public hospital. |
| | 1.5 spaces per bed for a private hospital. |
| Recreational and Entertainment Uses | |
| Cinema complex | 0.2 spaces per seat. |
| Concert hall / theatre Hotel | 0.2 spaces per seat. 1 space for every 2m2 of total floor area in a public bar plus 1 space for every 6m2 of total floor area |
| Indoor recreation facility | available to the public in a lounge, beer garden plus 1 space per 2 gaming machines, plus 1 space per 3 seats in a restaurant. 6.5 spaces per 100m2 of total floor area for a Fitness Centre |
| | 4.5 spaces per 100m2 of total floor area for all other Indoor recreation facilities. |
| Industry/Employment Uses | |
| Fuel depot | 1.5 spaces per 100m2 total floor area |
| Industry | 1 spaces per 100m2 of outdoor area used for fuel depot activity purposes. 1.5 spaces per 100m2 of total floor area. |
| Store | 0.5 spaces per 100m2 of total floor area. |
| Timber yard | 1.5 spaces per 100m2 of total floor area |
| Warahayaa | 1 space per 100m2 of outdoor area used for display purposes. |
| Warehouse | 0.5 spaces per 100m2 total floor area. |
| Other Uses | |
| Funeral Parlour | 1 space per 5 seats in the chapel plus 1 space for each vehicle operated by the parlour. |
| Radio or Television Station | 5 spaces per 100m2 of total building floor area. |

Table 2 - Off-Street Car Parking Requirements in Designated Areas

The following parking rates apply in any zone, subzone or other area described in the 'Designated Areas' column.

P&D Code (in effect) - Version 2023.13 - 31/08/2023

| Class of | Car Park | king Rate | Designated Areas |
|--|--|--|--|
| Development | | ent comprises more | |
| | | nent type, then the | |
| | | ate will be taken to be | |
| | | arking rates for each | |
| | | ient type. | |
| | Minimum number of | Maximum number of | |
| | spaces | spaces | |
| Development generally | | | |
| All classes of development | No minimum. | No maximum except in the Primary Pedestrian Area identified in the Primary Pedestrian Area Concept Plan, where the maximum is: | Capital City Zone |
| | | 1 space for each dwelling with a total floor area less than 75 square metres | City Main Street Zone |
| | | 2 spaces for each dwelling with a total floor area between 75 square metres and 150 square metres | City Riverbank Zone |
| | | 3 spaces for each dwelling with a total floor area greater than 150 square metres. | Adelaide Park Lands Zone |
| | | Residential flat building or Residential component of a multi-storey building: 1 visitor space for each 6 dwellings. | Business Neighbourhood Zone (within the City of Adelaide) |
| | | | The St Andrews Hospital Precinct Subzone and Women's and Children's Hospital Precinct Subzone of the Community Facilities Zone |
| Non-residential development | | | |
| Non-residential development excluding tourist accommodation | 3 spaces per 100m2 of gross leasable floor area. | 5 spaces per 100m2 of gross leasable floor area. | City Living Zone |
| | | | Urban Corridor (Boulevard) Zone |
| | | | Urban Corridor (Business) Zone |
| | | | Urban Corridor (Living) Zone |
| | | | Urban Corridor (Main Street) Zone |
| | | | Urban Neighbourhood Zone (except for Bowden) |
| Non-residential development excluding tourist accommodation | 3 spaces per 100m2 of gross leasable floor area. | 6 spaces per 100m2 of gross leasable floor area. | Strategic Innovation Zone in the City of Burnside, City of Marion or City of Mitcham |
| | | | Strategic Innovation Zone outside the City of Burnside, City of Marion or City of Mitcham when the site is also in a high frequency public transit area |
| | | | Suburban Activity Centre Zone when the site is also in a high frequency public transit area |
| | | | Suburban Business Zone when the site is also in a high frequency public transit area |
| | | | Business Neighbourhood Zone outside of the City of Adelaide when the site is also in a high frequency public transit area |
| | | | Suburban Main Street Zone when the site is also in a high frequency public transit area |
| | | | Urban Activity Centre Zone |
| Non-residential development excluding tourist accommodation | 3 spaces per 100 square metres of | 3 spaces per 100 square metres of | Urban Neighbourhood Zone in Bowden |

| Policy24 | | P&D Code (in eff | ect) - Version 2023.13 - 31/08/2023 |
|--|--|--|---|
| | gross leasable floor area | gross leasable floor area | |
| | 1.5 spaces per 100 square metres of gross leasable floor area above ground floor level other than for a shop | | |
| Tourist accommodation | 1 space for every 4 bedrooms up to 100 bedrooms plus 1 space for every 5 bedrooms over 100 bedrooms | 1 space per 2 bedrooms up to 100 bedrooms and 1 space per 4 bedrooms over 100 bedrooms | City Living Zone |
| | | | Urban Activity Centre Zone when the site is also in a high frequency public transit area |
| | | | Urban Corridor (Boulevard) Zone |
| | | | Urban Corridor (Business) Zone |
| | | | Urban Corridor (Living) Zone |
| | | | Urban Corridor (Main Street) Zone |
| | | | Urban Neighbourhood Zone (except for Bowden) |
| Residential development | | I | I |
| Residential component of a multi-storey building | Dwelling with no separate bedroom -0.25 spaces per dwelling | None specified. | City Living Zone |
| | 1 bedroom dwelling - 0.75 spaces per dwelling 2 bedroom dwelling - 1 space per dwelling 3 or more bedroom dwelling - 1.25 spaces per | | Strategic Innovation Zone in the City of Burnside, City of Marion or City of Mitcham |
| | dwelling 0.25 spaces per dwelling for visitor parking. | | Strategic Innovation Zone outside the City of Burnside, City of Marion or City of Mitcham when the site is also in a high frequency public transit area |
| | | | Urban Activity Centre Zone when the site is also in a high frequency public transit area |
| | | | Urban Corridor (Boulevard) Zone |
| | | | Urban Corridor (Business) Zone |
| | | | Urban Corridor (Living) Zone |
| | | | Urban Corridor (Main Street) Zone |
| | | | Urban Neighbourhood Zone (except for Bowden) |
| Residential component of a multi-storey building | 0.75 per dwelling | None specified | Urban Neighbourhood Zone in Bowden |
| Residential flat building | Dwelling with no separate bedroom -0.25 spaces per dwelling | None specified. | City Living Zone |
| | 1 bedroom dwelling - 0.75 spaces per dwelling 2 bedroom dwelling - 1 space per dwelling 3 or more bedroom dwelling - 1.25 spaces per | | Urban Activity Centre Zone when the site is also in a high frequency public transit area |
| | dwelling 0.25 spaces per dwelling for visitor parking. | | Urban Corridor (Boulevard) Zone |
| | | | Urban Corridor (Business) Zone |
| | | | Urban Corridor (Living) Zone |
| | | | Urban Corridor (Main Street) Zone |
| | | | Urban Neighbourhood Zone (except for Bowden) |
| Residential flat building | 0.75 per dwelling | None specified | Urban Neighbourhood Zone in Bowden |
| Detached dwelling | 0.75 per dwelling | None specified | Urban Neighbourhood Zone in Bowden |

Table 3 - Off-Street Bicycle Parking Requirements

The bicycle parking rates apply within designated areas located within parts of the State identified in the Schedule to Table 3.

| Class of | Bicycle Parking Rate | | |
|---|---|---|--|
| Development | Where a development comprises more than one development type, then the overall bicycle parking rate will be taken to be the sum of the bicycle | | |
| | parking rates for each development type. | | |
| Consulting room Educational facility | 1 space per 20 employees plus 1 space per 20 consulting rooms for cust For a secondary school - 1 space per 20 full-time time employees plus 10 | | |
| | For tertiary education - 1 space per 20 employees plus 1 space per 10 full time students. | | |
| Hospital Indoor recreation facility | 1 space per 15 beds plus 1 space per 30 beds for visitors. 1 space per 4 employees plus 1 space per 200m2 of gross leasable floor area for visitors. | | |
| Licensed Premises | 1 per 20 employees, plus 1 per 60 square metres total floor area, plus 1 per 40 square metres of bar floor area, plus 1 per 120 square metres lounge and beer garden floor area plus 1 per 60 square metres dining floor area, plus 1 per 40 square metres gaming room floor area. | | |
| Office Child care facility | 1 space for every 200m2 of gross leasable floor area plus 2 spaces plus 1 space per 20 full time employees plus 1 space per 40 full time employees plus 1 space per 40 full time children. | | |
| Recreation area | 1 per 1500 spectator seats for employees plus 1 per 250 visitor and customers. | | |
| Residential flat building | Within the City of Adelaide 1 for every dwelling for residents with a total floor area less than 150 square metres, 2 for every dwelling for residents with a total floor area greater than 150 square metres, plus 1 for every 10 dwellings for visitors, and in all other cases 1 space for every 4 dwellings for residents plus 1 for every 10 dwellings for visitors. | | |
| Residential component of a multi-storey building | | or area less than 150 square metres, 2 for every dwelling for residents with a total floor area greater than 150 ases 1 space for every 4 dwellings for residents plus 1 space for every 10 dwellings for visitors. | |
| Shop Tourist accommodation | 1 space for every 300m2 of gross leasable floor area plus 1 space for ever 1 space for every 20 employees plus 2 for the first 40 rooms and 1 for ever | | |
| | | The bicycle parking rate applies to a designated area located in a relevant part of the State described below. | |
| | All zones | City of Adelaide | |
| | Business Neighbourhood Zone Strategic Innovation Zone | Metropolitan Adelaide | |
| | Suburban Activity Centre Zone | | |
| | Suburban Business Zone | | |
| | Culture an Main Charact Zana | | |
| | Suburban Main Street Zone | | |
| | Urban Activity Centre Zone | | |
| | | | |
| | Urban Activity Centre Zone | | |
| | Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone Urban Corridor (Living) Zone | | |
| | Urban Activity Centre Zone Urban Corridor (Boulevard) Zone Urban Corridor (Business) Zone | | |

Waste Treatment and Management Facilities

Assessment Provisions (AP)

Desired Outcome (DO)

| Desired Outcome | |
|-----------------|---|
| DO 1 | Mitigation of the potential environmental and amenity impacts of waste treatment and management facilities. |

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|--|--|
| Siting | |
| PO 1.1 Waste treatment and management facilities incorporate separation distances and attenuation measures within the site between waste operations areas (including all closed, operating and future cells) and sensitive receivers and sensitive environmental features to mitigate off-site impacts from noise, air and dust emissions. | DTS/DPF 1.1 None are applicable. |
| Soil and Water Protection | |
| PO 2.1 Soil, groundwater and surface water are protected from contamination from waste treatment and management facilities through measures such as: (a) containing potential groundwater and surface water contaminants within waste operations areas (b) diverting clean stormwater away from waste operations areas and potentially contaminated areas (c) providing a leachate barrier between waste operations areas and underlying soil and groundwater. | DTS/DPF 2.1 None are applicable. |
| PO 2.2 Wastewater lagoons are set back from watercourses to minimise environmental harm and adverse effects on water resources. | DTS/DPF 2.2 Wastewater lagoons are set back 50m or more from watercourse banks. |
| PO 2.3 Wastewater lagoons are designed and sited to: (a) avoid intersecting underground waters; (b) avoid inundation by flood waters; (c) ensure lagoon contents do not overflow; (d) include a liner designed to prevent leakage. | DTS/DPF 2.3 None are applicable. |
| PO 2.4 Waste operations areas of landfills and organic waste processing facilities are set back from watercourses to minimise adverse impacts on water resources. | DTS/DPF 2.4 Waste operations areas are set back 100m or more from watercourse banks. |
| PO 3.1 Waste treatment and management facilities are screened, located and designed to minimise adverse visual impacts on amenity. | DTS/DPF 3.1 None are applicable. |
| PO 3.2 Access routes to waste treatment and management facilities via residential streets is avoided. | DTS/DPF 3.2 None are applicable. |
| PO 3.3 | DTS/DPF 3.3 |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|---|
| Litter control measures minimise the incidence of windblown litter. | None are applicable. |
| PO 3.4 | DTS/DPF 3.4 |
| Waste treatment and management facilities are designed to minimise adverse impacts on both the site and surrounding areas from weed and vermin infestation. | None are applicable. |
| Access | |
| PO 4.1 | DTS/DPF 4.1 |
| Traffic circulation movements within any waste treatment or management site are designed to enable vehicles to enter and exit the site in a forward direction. | None are applicable. |
| PO 4.2 | DTS/DPF 4.2 |
| Suitable access for emergency vehicles is provided to and within waste treatment or management sites. | None are applicable. |
| Fencing and Security | |
| PO 5.1 | DTS/DPF 5.1 |
| Security fencing provided around waste treatment and management facilities prevents unauthorised access to operations and potential hazard to the public. | Chain wire mesh or pre-coated painted metal fencing 2m or more in height is erected along the perimeter of the waste treatment or waste management facility site. |
| Landfill | |
| PO 6.1 | DTS/DPF 6.1 |
| Landfill gas emissions are managed in an environmentally acceptable manner. | None are applicable. |
| PO 6.2 | DTS/DPF 6.2 |
| Landfill facilities are separated from areas of environmental significance and land used for public recreation and enjoyment. | Landfill facilities are set back 250m or more from a public open space reserve, forest reserve, national park or Conservation Zone. |
| PO 6.3 | DTS/DPF 6.3 |
| Landfill facilities are located on land that is not subject to land slip. | None are applicable. |
| PO 6.4 | DTS/DPF 6.4 |
| Landfill facilities are separated from areas subject to flooding. | Landfill facilities are set back 500m or more from land inundated in a 1% AEP flood event. |
| Organic Waste Processing Facilities | |
| PO 7.1 | DTS/DPF 7.1 |
| Organic waste processing facilities are separated from the coast to avoid potential environment harm. | Organic waste processing facilities are set back 500m or more from the coastal high water mark. |
| PO 7.2 | DTS/DPF 7.2 |
| Organic waste processing facilities are located on land where the engineered liner and underlying seasonal water table cannot intersect. | None are applicable. |
| PO 7.3 | DTS/DPF 7.3 |
| Organic waste processing facilities are sited away from areas of environmental significance and land used for public recreation and enjoyment. | Organic waste processing facilities are set back 250m or more from a public open space reserve, forest reserve, national park or a Conservation Zone. |
| | |

| Policy24 | P&D Code (in effect) - Version 2023.13 - 31/08/2023 |
|--|--|
| PO 7.4 | DTS/DPF 7.4 |
| Organic waste processing facilities are located on land that is not subject to land slip. | None are applicable. |
| PO 7.5 | DTS/DPF 7.5 |
| Organic waste processing facilities separated from areas subject to flooding. | Organic waste processing facilities are set back 500m or more from land inundated in a 1% AEP flood event. |
| Major Wastewater Treatment Facilities | |
| PO 8.1 | DTS/DPF 8.1 |
| Major wastewater treatment and disposal systems, including lagoons, are designed to minimise potential adverse odour impacts on sensitive receivers, minimise public and environmental health risks and protect water quality. | None are applicable. |
| PO 8.2 | DTS/DPF 8.2 |
| Artificial wetland systems for the storage of treated wastewater are designed and sited to minimise potential public health risks arising from the breeding of mosquitoes. | None are applicable. |

Workers' accommodation and Settlements

Assessment Provisions (AP)

Desired Outcome (DO)

DO 1

Desired Outcome Appropriately designed and located accommodation for seasonal and short-term workers in rural areas that minimises environmental and social impacts.

| Performance Outcome | Deemed-to-Satisfy Criteria / Designated Performance Feature |
|--|--|
| PO 1.1 | DTS/DPF 1.1 |
| Workers' accommodation and settlements are obscured from scenic routes, tourist destinations and areas of conservation significance or otherwise designed to complement the surrounding landscape. | None are applicable. |
| PO 1.2 | DTS/DPF 1.2 |
| Workers' accommodation and settlements are sited and designed to minimise nuisance impacts on the amenity of adjacent users of land. | None are applicable. |
| PO 1.3 | DTS/DPF 1.3 |
| Workers' accommodation and settlements are built with materials and colours that blend with the landscape. | None are applicable. |
| PO 1.4 | DTS/DPF 1.4 |
| Workers' accommodation and settlements are supplied with service infrastructure such as power, water and effluent disposal sufficient to satisfy the living | None are applicable. |

requirements of workers.

Admin - No criteria applies to this land use No criteria applies to this land use. Please check the definition of the land use for further detail.